

# Biodiversity hotspots for conservation priorities

Norman Myers\*, Russell A. Mittermeier†, Cristina G. Mittermeier†, Gustavo A. B. da Fonseca‡ & Jennifer Kent§

\* Green College, Oxford University, Upper Meadow, Old Road, Headington, Oxford OX3 8SZ, UK

† Conservation International, 2501 M Street NW, Washington, DC 20037, USA

‡ Centre for Applied Biodiversity Science, Conservation International, 2501 M Street NW, Washington, DC 20037, USA

§ 35 Dorchester Close, Headington, Oxford OX3 8SS, UK


**Conservationists are far from able to assist all species under threat, if only for lack of funding. This places a premium on priorities: how can we support the most species at the least cost? One way is to identify 'biodiversity hotspots' where exceptional concentrations of endemic species are undergoing exceptional loss of habitat. As many as 44% of all species of vascular plants and 35% of all species in four vertebrate groups are confined to 25 hotspots comprising only 1.4% of the land surface of the Earth. This opens the way for a 'silver bullet' strategy on the part of conservation planners, focusing on these hotspots in proportion to their share of the world's species at risk.**

The number of species threatened with extinction far outstrips available conservation resources, and the situation looks set to become rapidly worse<sup>1–4</sup>. This places a premium on identifying priorities. How can we protect the most species per dollar invested? This key question is at the forefront of conservation planning, and forms the focus of this article. By concentrating on areas where there is greatest need and where the payoff from safeguard measures would also be greatest, conservationists can engage in a systematic response to the challenge of large-scale extinctions ahead.

A promising approach is to identify 'hotspots', or areas featuring exceptional concentrations of endemic species and experiencing exceptional loss of habitat<sup>5–9</sup>. Here we focus on species, rather than populations or other taxa, as the most prominent and readily recognizable form of biodiversity. This is not to suggest that

populations and even ecological processes are not important manifestations of biodiversity, but they do not belong in this assessment. There are other types of hotspot<sup>10,11</sup>, featuring richness of, for example, rare<sup>12,13</sup> or taxonomically unusual species<sup>14,15</sup>. This article considers only hotspots as defined above. Concentrating a large proportion of conservation support on these areas would go far to stem the mass extinction of species that is now underway.

The hotspots' boundaries have been determined by 'biological commonalities'. Each of the areas features a separate biota or community of species that fits together as a biogeographic unit. This is apparent in the case of islands or island groups such as New Caledonia, New Zealand, the Caribbean, Polynesia/Micronesia, Madagascar and the Philippines. Much the same applies to 'ecological islands' in clearly defined continental units such as the Cape



**Figure 1** The 25 hotspots. The hotspot expanses comprise 30–33% of the red areas.

Floristic Province, the Eastern Arc and Coastal Forests of Tanzania/Kenya (hereafter abbreviated to 'Eastern Arc'), southwestern Australia and Caucasus. In other areas the definition of a hotspot's boundaries derives from recognized divisions such as Wallace's line between Sundaland and Wallacea, or the Kangar-Pattani line between Indo-Burma and Sundaland. In still other areas, the definition reflects a best-judgement opinion from experts in the field. Were larger hotspots, for example, the Tropical Andes, Mesoamerica, Indo-Burma and Sundaland to be subdivided into areas the size of the smaller hotspots, they would still meet the criterion of biological commonalities; and the result would be a far larger number of mini-hotspots, making for a much more complicated assessment and diffusing the essential strategy of just 25 hotspots designated for priority conservation.

This article is a qualitative as well as a quantitative advance on a preliminary effort<sup>5,6</sup>, which limited itself to vascular plants in 18 hotspots. The number of hotspots has been increased to 25. More importantly, the expanded criteria require that a hotspot contains endemic plant species comprising at least 0.5% of all plant species world-wide. Here we include four categories of vertebrate species, bringing the number of endemics to almost three times more than in the earlier papers. We analyse key questions of species/area ratios and congruence among taxa. Finally, we present a way to determine the hottest hotspots and thus to pinpoint super priorities.

### Analytic methods

The basic analysis is driven by two criteria: species endemism and degree of threat. The main source of data for both plants and vertebrates has been more than 100 scientists with abundant experience in countries concerned and around 800 references in the professional literature (see Supplementary Information). Additional details are available in ref. 16; supplementary sources on plants include refs 17–19. The species dimension is based in the first instance on vascular plants (comprising around 90% of all plants, and hereafter referred to as 'plants'), as they are essential to virtually all forms of animal life and are fairly well known scientifically. To qualify as a hotspot, an area must contain at least 0.5% or 1,500 of the world's 300,000 plant species<sup>20</sup> as endemics. In fact,

15 of the 25 hotspots contain at least 2,500 endemic plant species, and 10 of them at least 5,000.

The four vertebrate groups, mammals, birds, reptiles and amphibians, comprise 27,298 species, consisting of 4,809 mammals<sup>21</sup>, 9,881 birds<sup>22</sup>, 7,828 reptiles<sup>23</sup> and 4,780 amphibians<sup>24</sup>. The other vertebrate group, fishes, is excluded because data are generally poor (there could well be at least 5,000 species waiting to be discovered<sup>25</sup>, or more than all mammals). Hereafter 'vertebrates' refers to all vertebrates except fishes. Vertebrates do not serve as an alternative determinant of hotspot status, nor do their endemics have to comprise 0.5% of global totals. If an area qualifies by the 0.5% plants criterion (and the habitat threat criterion), it makes the list. Vertebrates serve as back-up support, and also to determine congruence and to facilitate other comparisons among the hotspots.

The analysis omits invertebrates, which are largely undocumented but probably make up at least 95% of all species, the bulk of them insects. To the extent that the five categories of endemic species assessed are sometimes matched by similar concentrations of endemic insect species, the hotspots thesis can be applied to invertebrates as well. In any case, if we were to lose, say, half of endemic plant species, we could well lose a large and perhaps similar proportion of insect species. The fig genus, for example, being the most widespread of plant genera in the tropics, comprises more than 900 species, each of which is pollinated by a single wasp species; conversely, the wasps depend on the figs' ovaries as sites for their larvae to develop<sup>26</sup>. Although the plant/insect connection is variable in general application<sup>27–30</sup>, it is supported by the many pollination, herbivory and other relationships between plants and insects.

The endemism data tend to be minimalist for two reasons. One is the lack of recent documentation in the form of, for example, modern floras. For instance, there is no up-to-date account of Brazil's plant species even though the country is believed to harbour the Earth's richest flora, at least 50,000 species or one-sixth of the planetary total. Second, and more importantly, endemism data almost always relate only to individual countries or parts of countries, whereas 12 of the hotspots extend across two or more countries and six across four or more countries. In these cases, it has been difficult to compute regional totals for hotspot-wide endemics,

**Table 1** The 25 hotspots

Hotspot	Original extent of primary vegetation (km <sup>2</sup> )	Remaining primary vegetation (km <sup>2</sup> ) (% of original extent)	Area protected (km <sup>2</sup> ) (% of hotspot)	Plant species	Endemic plants (% of global plants, 300,000)	Vertebrate species	Endemic vertebrates (% of global vertebrates, 27,298)
Tropical Andes	1,258,000	314,500 (25.0)	79,687 (25.3)	45,000	20,000 (6.7%)	3,389	1,567 (5.7%)
Mesoamerica	1,155,000	231,000 (20.0)	138,437 (59.9)	24,000	5,000 (1.7%)	2,859	1,159 (4.2%)
Caribbean	263,500	29,840 (11.3)	29,840 (100.0)	12,000	7,000 (2.3%)	1,518	779 (2.9%)
Brazil's Atlantic Forest	1,227,600	91,930 (7.5)	33,084 (35.9)	20,000	8,000 (2.7%)	1,361	567 (2.1%)
Choc/Darién/Western Ecuador	260,600	63,000 (24.2)	16,471 (26.1)	9,000	2,250 (0.8%)	1,625	418 (1.5%)
Brazil's Cerrado	1,783,200	356,630 (20.0)	22,000 (6.2)	10,000	4,400 (1.5%)	1,268	117 (0.4%)
Central Chile	300,000	90,000 (30.0)	9,167 (10.2)	3,429	1,605 (0.5%)	335	61 (0.2%)
California Floristic Province	324,000	80,000 (24.7)	31,443 (39.3)	4,426	2,125 (0.7%)	584	71 (0.3%)
Madagascar*	594,150	59,038 (9.9)	11,548 (19.6)	12,000	9,704 (3.2%)	987	771 (2.8%)
Eastern Arc and Coastal Forests of Tanzania/Kenya	30,000	2,000 (6.7)	2,000 (100.0)	4,000	1,500 (0.5%)	1,019	121 (0.4%)
Western African Forests	1,265,000	126,500 (10.0)	20,324 (16.1)	9,000	2,250 (0.8%)	1,320	270 (1.0%)
Cape Floristic Province	74,000	18,000 (24.3)	14,060 (78.1)	8,200	5,682 (1.9%)	562	53 (0.2%)
Succulent Karoo	112,000	30,000 (26.8)	2,352 (7.8)	4,849	1,940 (0.6%)	472	45 (0.2%)
Mediterranean Basin	2,362,000	110,000 (4.7)	42,123 (38.3)	25,000	13,000 (4.3%)	770	235 (0.9%)
Caucasus	500,000	50,000 (10.0)	14,050 (28.1)	6,300	1,600 (0.5%)	632	59 (0.2%)
Sundaland	1,600,000	125,000 (7.8)	90,000 (72.0)	25,000	15,000 (5.0%)	1,800	701 (2.6%)
Wallacea	347,000	52,020 (15.0)	20,415 (39.2)	10,000	1,500 (0.5%)	1,142	529 (1.9%)
Philippines	300,800	9,023 (3.0)	3,910 (43.3)	7,620	5,832 (1.9%)	1,093	518 (1.9%)
Indo-Burma	2,060,000	100,000 (4.9)	100,000 (100.0)	13,500	7,000 (2.3%)	2,185	528 (1.9%)
South-Central China	800,000	64,000 (8.0)	16,562 (25.9)	12,000	3,500 (1.2%)	1,141	178 (0.7%)
Western Ghats/Sri Lanka	182,500	12,450 (6.8)	12,450 (100.0)	4,780	2,180 (0.7%)	1,073	355 (1.3%)
SW Australia	309,850	33,336 (10.8)	33,336 (100.0)	5,469	4,331 (1.4%)	456	100 (0.4%)
New Caledonia	18,600	5,200 (28.0)	526.7 (10.1)	3,332	2,551 (0.9%)	190	84 (0.3%)
New Zealand	270,500	59,400 (22.0)	52,068 (87.7)	2,300	1,865 (0.6%)	217	136 (0.5%)
Polynesia/Micronesia	46,000	10,024 (21.8)	4,913 (49.0)	6,557	3,334 (1.1%)	342	223 (0.8%)
Totals	17,444,300	2,122,891 (12.2)	800,767 (37.7)	†	133,149 (44%)	†	9,645 (35%)

Documentation of plant and vertebrate species and endemism can be found in Supplementary Information.

\* Madagascar includes the nearby islands of Mauritius, Réunion, Seychelles and Comores.

† These totals cannot be summed owing to overlapping between hotspots.

and we have often had to depend on best-judgement estimates by over 100 scientists with abundant experience in the countries concerned. In a few instances, we have had to accept a simple summation of country-by-country totals, which surely underestimates regional totals. To this extent, many of the endemism estimates are distinctly conservative.

A second determinant of hotspot status, applied only after an area has met the 'plants' criterion, is the degree of threat through habitat loss. To qualify, a hotspot should have lost 70% or more of its primary vegetation, this being the form of habitat that usually contains the most species, especially endemics. Eleven hotspots have already lost at least 90% and three have lost 95%. The 70% cutoff is justified on the grounds that most large-scale concentrations of endemic plant species occur within the 25 hotspots as delineated. Other concentrations of plant endemics with perhaps another 15% of the Earth's plant species occur in three regions designated as 'major tropical forest wilderness areas', each retaining 75% of its primary vegetation (see below). There are few other areas with comparable concentrations. Moreover, were the 70% cutoff to be replaced with 60%, this would admit hardly any other hotspots, whereas a 90% cutoff would exclude 11 of the hotspots.

Finally, the analysis is limited to the terrestrial realm (Conservation International is preparing an analysis of marine species and conservation priorities).

The area-by-area findings are presented in Tables 1–6 and Fig. 1. For further information regarding the sources of our statistics, see the list of references and experts in Supplementary Information.

There is variability in the precision and accuracy of data. This is to be expected given the range of areas and the degree of documentation available. In many instances, the statistical information is considered to be accurate to within 5%. In most others, it is sufficiently accurate to rank as sound support for working estimates. For example, the Tropical Andes is believed to contain at least 20,000 known plant endemics, this being a rounded figure (many more species, probably thousands, remain to be discovered there). Another 14 such totals are rounded. The Cape Floristic Province, by contrast, is considered to contain exactly 5,682 known plant endemics; the same precision applies to another nine hotspots. Similar considerations apply to vertebrate data and to estimates of remaining primary vegetation.

This overall approach, uneven as it is, is justified for an analysis that seeks to convert a profound problem into a fine opportunity. After all, to decide that a potential hotspot should not be evaluated because it lacks a conventional degree of accurate data is effectively to decide that its conservation needs cannot be evaluated either, in which case its cause tends to go by default. Uncertainty can cut both ways.

### Chief findings

The 25 hotspots contain the remaining habitats of 133,149 plant species (44% of all plant species world-wide; Table 1) and 9,645 vertebrate species (35%; Table 2). These endemics are confined to an aggregate expanse of 2.1 million square kilometres, or 1.4% of the Earth's land surface. They formerly occupied 17.4 million square kilometres or 11.8% of the Earth's land surface. They are so threatened that, having already lost an aggregate of 88% of their primary vegetation, they all seem likely, in the absence of greatly increased conservation efforts, to lose much if not most of their remaining primary vegetation within the foreseeable future.

The 25 hotspots feature several habitat types at global scale. Predominant are tropical forests, appearing in 15 hotspots, and Mediterranean-type zones, in five. Nine are mainly or completely made up of islands; almost all tropical islands fall into one or another hotspot. Sixteen hotspots are in the tropics, which largely means developing countries where threats are greatest and conservation resources are scarcest.

### Leading hotspots

Some hotspots are much richer than others in terms of their numbers of endemics (Table 3). (Three other modes of comparison are presented below.) Each of five hotspots—the Tropical Andes, Sundaland, Madagascar, Brazil's Atlantic Forest and the Caribbean—contains endemic plants and vertebrates amounting to at least 2% of total species world-wide. Together, they comprise 20% and 16%, respectively, of all plants and vertebrates, and 45% of all the hotspots' endemic plants and vertebrates alike, but they comprise a mere 0.4% of the Earth's land surface. At the same time, they feature some of the most depleted habitats: the Caribbean retains only 11.3% of its primary vegetation, Madagascar 9.9%, Sundaland 7.8% and Brazil's Atlantic Forest 7.5%. These five hotspots, with

**Table 2 Vertebrate species and endemism**

Hotspot	Bird species and endemism	Mammal species and endemism	Reptile species and endemism	Amphibian species and endemism	Total species and endemism					
Tropical Andes	1,666	677	414	68	479	218	830	604	3,389	1,567
Mesoamerica	1,193	251	521	210	685	391	460	307	2,859	1,159
Caribbean	668	148	164	49	497	418	189	164	1,518	779
Brazil's Atlantic Forest	620	181	261	73	200	60	280	253	1,361	567
Choco/Darien/W. Ecuador	830	85	235	60	210	63	350	210	1,625	418
Brazil's Cerrado	837	29	161	19	120	24	150	45	1,268	117
Central Chile	198	4	56	9	55	34	26	14	335	61
California Floristic Province	341	8	145	30	61	16	37	17	584	71
Madagascar	359	199	112	84	327	301	189	187	987	771
Eastern Arc and Coastal Forests of Tanzania/Kenya	585	22	183	16	188	50	63	33	1,019	121
West African Forests	514	90	551	45	139	46	116	89	1,320	270
Cape Floristic Province	288	6	127	9	109	19	38	19	562	53
Succulent Karoo	269	1	78	4	115	36	10	4	472	45
Mediterranean Basin	345	47	184	46	179	110	62	32	770	235
Caucasus	389	3	152	32	76	21	15	3	632	59
Sundaland	815	139	328	115	431	268	226	179	1,800	701
Wallacea	697	249	201	123	188	122	56	35	1,142	529
Philippines	556	183	201	111	252	159	84	65	1,093	518
Indo-Burma	1,170	140	329	73	484	201	202	114	2,185	528
South Central China	686	36	300	75	70	16	85	51	1,141	178
Western Ghats/Sri Lanka	528	40	140	38	259	161	146	116	1,073	355
SW Australia	181	19	54	7	191	50	30	24	456	100
New Caledonia	116	22	9	6	65	56	0	0	190	84
New Zealand	149	68	3	3	61	61	4	4	217	136
Polynesia/Micronesia	254	174	16	9	69	37	3	3	342	223
Total endemics and % of global total	*	2,821	*	1,314	*	2,938	*	2,572	9,645	35.3%
		28.5%		27.3%		37.5%		53.8%		

\*These totals cannot be summed owing to overlapping between hotspots.

four others, contain endemics amounting to 30.1% and 25.0% of the global totals for plant and vertebrate species, respectively, in 0.7% of the Earth's land surface.

Some hotspots are likewise significant in having their endemic species concentrated in exceptionally small areas (Table 4). The Eastern Arc contains 1,500 endemic plants in 2,000 square kilometres, giving a ratio of 75 species to 100 square kilometres, represented as 75:1, and 121 endemic vertebrates for a ratio of 6.1:1, both ratios topping the lists for all hotspots. Similarly, New Caledonia, with 5,200 square kilometres, works out at 49:1 and 1.6:1, and the Philippines with 9,023 square kilometres at 64.7:1 and 5.7:1. The rest range from 33.3:1 to 1.2:1 for plants and 2.9:1 to 0.03:1 for vertebrates.

### Congruence among species categories

In several hotspots there is species congruence insofar as high counts for endemic plants are matched by high counts for endemic vertebrates (Table 5). (For analysis of congruence in other areas, see refs 12 and 31.) This factor reinforces the conservation priority thesis, especially in those hotspots with the most endemic species (Table 3). There can also be high congruence in areas with lower species counts, for example, 80% in the Eastern Arc with 0.5% of plant species and 0.4% of vertebrate species.

Endemic plants in the Tropical Andes comprise 6.7% of all plant species world-wide, and its endemic vertebrates 5.7%, with 85% congruence; Madagascar's species comprise 3.2% and 2.8%, respectively, with 88% congruence; and the Caribbean's 2.3% and 2.9%, with 79%. (The first is a large area where one could expect high congruence; the other two are only one-fifth and one-tenth as big, respectively.) In contrast, Cape Floristic Province possesses 1.9% of all plants but only 0.2% of all vertebrates, for 11% congruence, and the Mediterranean Basin possesses 4.3% of all plants but only 0.9% of all vertebrates, for 21%. Congruence tends to be high in tropical forest hotspots, and generally low in Mediterranean-type hotspots and other drier areas with their meagre counts for endemic vertebrates.

### The hottest hotspots

The analysis so far has considered five key factors: numbers of endemics and endemic species/area ratios for both plants and vertebrates, and habitat loss. These factors do not carry equal weight, so they cannot be combined into a single quantitative ranking. For comparative purposes in qualitative fashion, Table 6 lists the eight 'hottest hotspots', which appear at least three times in the top ten listings for each factor. The leaders are Madagascar, the Philippines and Sundaland, appearing for all five factors, followed by Brazil's Atlantic Forest and the Caribbean, appearing for four. Three of these hotspots, Madagascar, the Philippines and the Caribbean, have small areas, which further highlights their importance.

**Table 3 Leading hotspots in terms of endemics**

Hotspot	Endemic plants (% of global total, 300,000)	Endemic vertebrates (% of global total, 27,298)
Tropical Andes*	20,000 (6.7)	1,567 (5.7)
Sundaland*	15,000 (5.0)	701 (2.6)
Madagascar*	9,704 (3.2)	771 (2.8)
Brazil's Atlantic Forest*	8,000 (2.7)	567 (2.1)
Caribbean*	7,000 (2.3)	779 (2.9)
Sub-totals (% rounded)	59,704 (19.9)	4,385 (16.1)
Mesoamerica	5,000 (1.7)	1,159 (4.2)
Mediterranean Basin	13,000 (4.3)	235 (0.9)
Indo-Burma	7,000 (2.3)	528 (1.9)
Philippines	5,832 (1.9)	519 (1.9)
Totals	90,536 (30.1)†	6,826 (25.0)

\* Hotspots with at least 2% of the world's endemic plants and vertebrates, and comprising only 0.4% of the Earth's land surface (all nine amount to 0.7% of the Earth's land surface).

† This would total 30.2% but for rounding of numbers in the individual hotspots.

Two additional hotspots, the Tropical Andes and the Mediterranean Basin, should be considered as hyper-hot candidates for conservation support in light of their exceptional totals of endemic plants: 20,000 and 13,000, respectively. The Tropical Andes is at the top for endemic vertebrates too, and the Mediterranean third after Sundaland for endemic plants, with 34% more than the fourth hotspot. But they do not rank in more than two of the five factor listings. Similarly, Mesoamerica is second for endemic vertebrates (49% more than the third highest), but it scores only tenth for endemic plants.

### Higher taxa assessment

The analysis can be complemented by an assessment of endemism among higher taxa such as families and genera. Madagascar (including nearby Indian Ocean islands) possesses 11 endemic families and 310 endemic genera of plants, 5 endemic families and 35 endemic genera of primates, and 5 endemic families and 35 endemic genera of birds. Cape Floristic Province has 6 endemic families and 198 endemic genera of plants; and New Caledonia has 5 endemic families and 112 endemic genera of plants, and 1 endemic family and 3 endemic genera of birds. In contrast, the United States and Canada, with an expanse 8.8 times larger than the 25 hotspots combined, have only two endemic families of plants. Moreover, plant family richness can often serve as a predictor of species richness for certain animal taxa such as mammals, amphibians and reptiles<sup>32</sup>.

### Action responses

In sum, the 25 hotspots contain the sole remaining habitats of 44% of the Earth's plant species and 35% of its vertebrate species, and these habitats face a high risk of elimination. Many of the hotspots could well contain sizeable proportions of endemic invertebrates. It is often supposed<sup>1–4</sup> that, were the present mass extinction of species to proceed virtually unchecked, between one-third and two-thirds of all species would be likely to disappear within the foreseeable future. The hotspots analysis indicates that much of this problem could be countered through protection of the 25 hotspots.

An aggregate expanse of 800,767 square kilometres, 38% of the hotspots total, is already protected in parks and reserves. True, some of these are little better than 'paper parks', but they offer a modicum of legal status. All are in urgent need of stronger safeguards, including those five hotspots where the protected expanse is as large as the hotspot itself. The areas without any protection at all

**Table 4 Species/area ratios per 100 km<sup>2</sup> of hotspots**

Hotspot	Endemic plants	Endemic vertebrates
Tropical Andes	6.4	0.5
Mesoamerica	2.2	0.5
Caribbean	23.5	2.6
Brazil's Atlantic Forest	8.7	0.6
Choco/Darien/Western Ecuador	3.6	0.7
Brazil's Cerrado	1.2	0.03
Central Chile	1.8	0.06
California Floristic Province	2.7	0.09
Madagascar	16.4	1.3
Eastern Arc and Coastal Forests of Tanzania/Kenya	75	6.1
Western African Forests	1.8	0.2
Cape Floristic Province	31.6	0.3
Succulent Karoo	6.5	0.15
Mediterranean Basin	11.8	0.2
Caucasus	3.2	0.1
Sundaland	12.0	0.6
Wallacea	2.9	1.0
Philippines	64.7	5.7
Indo-Burma	7.0	0.5
South-Central China	5.5	0.3
Western Ghats/Sri Lanka	17.5	2.9
SW Australia	13.0	0.3
New Caledonia	49.1	1.6
New Zealand	3.1	0.2
Polynesia/Micronesia	33.3	2.2

**Table 5 Congruence between plants and vertebrates**

Hotspot	Endemic plants as % of global total (300,000)	Endemic vertebrates as % of global total (27,298)	Congruence (%) (rounded)
Tropical Andes	6.7%	5.7%	85
Mesoamerica	1.7%	4.2%	41
Caribbean	2.3%	2.9%	79
Brazil's Atlantic Forest	2.7%	2.1%	78
Choco/Darien/Western Ecuador	0.8%	1.5%	53
Brazil's Cerrado	1.5%	0.4%	27
Central Chile	0.5%	0.2%	40
California Floristic Province	0.7%	0.3%	43
Madagascar	3.2%	2.8%	88
Eastern Arc and Coastal Forests of Tanzania/Kenya	0.5%	0.4%	80
West African Forests	0.8%	1.0%	80
Cape Floristic Province	1.9%	0.2%	11
Succulent Karoo	0.6%	0.2%	33
Mediterranean Basin	4.3%	0.9%	21
Caucasus	0.5%	0.2%	40
Sundaland	5.0%	2.6%	52
Wallacea	0.5%	1.9%	26
Philippines	1.9%	1.9%	100
Indo-Burma	2.3%	1.9%	83
South-Central China	1.2%	0.7%	58
Western Ghats/Sri Lanka	0.7%	1.3%	54
SW Australia	1.4%	0.4%	29
New Caledonia	0.9%	0.3%	33
New Zealand	0.6%	0.5%	83
Polynesia/Micronesia	1.1%	0.8%	73

amount to 1.3 million square kilometres or 62% of the total area of the hotspots. This expanse surely represents the greatest biodiversity challenge of the foreseeable future, and should be safeguarded through, for example, a 'hotspots rescue fund'. In some areas, outright protection is still the best option. In other areas, this is not feasible because of human settlements and other activities long in place. These areas could receive a measure of protection as 'conservation units' that allow some degree of multiple use provided that species safeguards are always paramount.

This is not to say that protection of the hotspots would safeguard all their species indefinitely. According to the well-established theory of island biogeography<sup>33</sup>, when an area loses a large proportion of its original habitat and especially when the remaining habitat is severely fragmented, it will eventually lose some of its species through what are technically known as 'ecological equilibration' or delayed fallout effects. There is much empirical evidence to support this; for instance, the loss of birds in Brazil's Atlantic forest<sup>34</sup>; in Southeast Asia's forests<sup>35</sup>; in tropical forests generally<sup>36,37</sup> and in the United Kingdom<sup>38</sup>; of tree species in tropical forests<sup>39</sup>; of forest plants in eastern North America<sup>40</sup>; of primates in Africa's forests<sup>41</sup>; of large mammals in Tanzania<sup>42</sup>; and of species generally<sup>43</sup>.

Consider the consequences for the smallest hotspot, the Eastern Arc. The remaining primary vegetation is only 6.7% of the original, and its expanse of 2,000 km<sup>2</sup> is split into no fewer than 128 patches ranging in size from over 100 to 10 or fewer square kilometres. A bigger hotspot, Cape Floristic Province, with an expanse of 18,000 km<sup>2</sup> and 24.3% of its original primary vegetation, is spread

around several thousand patches ranging from over 100 to 0.1 km<sup>2</sup>.

Although most island-biogeography losses are not likely to ensue for some time, it makes sense to take immediate steps to safeguard the hotspots to avoid an exceptionally large extinction spasm through outright loss of habitat on a scale to swamp island biogeography impacts. As for past extinctions in the hotspots, all too little is known with respect to taxa across the board including invertebrates; however, if we use birds extinct since 1800 as a surrogate we find that nearly 80% of those that disappeared were from hotspot areas.

These considerations apart, the prospect of a mass extinction can be made far less daunting and much more manageable through the hotspots strategy, with its tight targeting of conservation efforts.

The hotspots findings accord well with several other priority-setting analyses. There is a 68% overlap with Birdlife International's Endemic Bird Areas<sup>44</sup>, 82% with IUCN/WWF International's Centres of Plant Diversity and Endemism<sup>17</sup> and 92% with the most critical and endangered eco-regions of WWF/US's Global 200 List<sup>45</sup>. The hotspots approach is more comprehensive than the first two because it combines five categories of species, and it is more closely focused than the third.

Other areas appear to feature exceptional plant endemism and exceptional threat, but are not sufficiently documented to meet the hotspots criteria. They include the Ethiopian Highlands, the Angola Escarpment, southeastern China, Taiwan, and the forests of the Albertine Rift in eastern Democratic Republic of Congo (formerly Zaire), southwestern Uganda and northern Rwanda. Much better known and with a high species/area ratio but without sufficient endemic plant species to qualify as a hotspot is the so-called Wet Tropics and adjacent tropical forest tracts along the Queensland coast in Australia, containing around 1,200 endemic plants in less than 11,000 km<sup>2</sup>. Adding these areas to the hotspots list would increase the total of plants endemics by only a few per cent.

In addition, there are a few tropical forest expanses, known as 'major wilderness areas'<sup>46</sup> or 'good news' areas<sup>5,6</sup>. They total some 6–7 million km<sup>2</sup> and feature concentrations of endemic species while retaining at least 75% of their primary vegetation, and have fewer than five people per square kilometre. One is the island of New Guinea, with around 15,000 endemic plants. Others include the Guayana Shield of northeastern Amazonia, the lowlands of western Amazonia and the Congolian Forest, with perhaps another 30,000 endemic plants. Were these regions to compose a supplementary conservation strategy, they could increase the number of plants endemics to almost 60% of all plant species in roughly 5% of the Earth's land surface.

## Funding

Since the original hotspots strategy<sup>5,6</sup> began to be implemented in 1989, some \$400 million has been invested by the MacArthur Foundation, the W. Alton Jones Foundation, Conservation International, the World Wildlife Fund and other non-governmental organizations. An annual average of \$40 million over 10 years is only a tiny fraction of the amount spent per year on biodiversity

**Table 6 The eight hottest hotspots in terms of five factors**

Hotspot	Endemic plants	Endemic vertebrates	Endemic plants/area ratio (species per 100 km <sup>2</sup> )	Endemic vertebrates/area ratio (species per 100 km <sup>2</sup> )	Remaining primary vegetation as % of original extent	Times appearing in top 10 for each of five factors					
Madagascar	9,704	4	771	4	16.4	8	1.3	7	9.9	9	5
Philippines	5,832	8	518	9	64.7	2	5.7	2	3.0	1	5
Sundaland	15,000	2	701	5	12.0	10	0.6	10=	7.8	7	5
Brazil's Atlantic Forest	8,000	5	654	6	8.7		0.6	10=	7.5	6	4
Caribbean	7,000	6=	779	3	23.5	6	2.6	4	11.3		4
Indo-Burma	7,000	6=	528	8	7.0		0.5		4.9	3	3
Western Ghats/Sri Lanka	2,180		355		17.5	7	2.9	3	6.8	5	3
Eastern Arc and Coastal Forests of Tanzania/Kenya	1,500		121		75.0	1	6.1	1	6.7	4	3

conservation by governments and international agencies, these funds being assigned mainly to across-the-board activities rather than the concentrated efforts advocated here. The traditional shotgun approach of much conservation activity, seeking to be many things to many threatened species, needs to be complemented by a 'silver bullet' strategy in the form of hotspots with their emphasis on cost-effective measures.

We could go far towards safeguarding the hotspots and thus a large proportion of all species at risk for an average of \$20 million per hotspot per year over the next five years, or \$500 million annually. Although this is 12.5 times the annual average of the \$400 million spent on hotspots over the past decade, it is still only twice the cost of a single Pathfinder mission to Mars, which has been justified largely on biodiversity grounds (the search for extraterrestrial life). The \$500 million annually is to be compared, moreover, with a recent estimate<sup>47</sup> for a comprehensive conservation programme to protect biodiversity world-wide costing \$300 billion annually—a total that should, in turn, be compared with subsidies of various sorts that degrade environments and economies alike, amounting to \$1.5 trillion annually world-wide<sup>48</sup>.

Finally, recall that the mass extinction of species, if allowed to persist, would constitute a problem with far more enduring impact than any other environmental problem. According to evidence from mass extinctions in the prehistoric past, evolutionary processes would not generate a replacement stock of species within less than several million years. What we do (or do not do) within the next few decades will determine the long-term future of a vital feature of the biosphere, its abundance and diversity of species. This expanded hotspots strategy offers a large step toward avoiding an impoverishment of the Earth lasting many times longer than *Homo sapiens* has been a species.

Received 22 September; accepted 22 December 1999.

- Ehrlich, P. R. Energy use and biodiversity loss. *Phil. Trans. R. Soc. Lond. B* **344**, 99–104 (1994).
- Myers, N. Two key challenges for biodiversity: discontinuities and synergisms. *Biodiversity Conserv.* **5**, 1025–1034 (1996).
- Pimm, S. L., Russell, G. J., Gittleman, J. L. & Brooks, T. M. The future of biodiversity. *Science* **269**, 347–350 (1995).
- Wilson, E. O. *The Diversity of Life* (Belknap, Cambridge, Massachusetts, 1992).
- Myers, N. Threatened biotas: 'hotspots' in tropical forests. *Environmentalist* **8**, 187–208 (1988).
- Myers, N. The biodiversity challenge: expanded hotspots analysis. *Environmentalist* **10**, 243–256 (1990).
- Pressey, R. L., Humphries, C. J., Margules, C. R., Vane-Wright, R. I. & Williams, P. H. Beyond opportunism: key principles for systematic reserve selection. *Trends Ecol. Evol.* **8**, 124–128 (1993).
- Prendergast, J. R., Quinn, R. M. & Lawton, J. H. The gaps between theory and practice in selecting nature reserves. *Cons. Biol.* **13**, 484–492 (1999).
- Ginsberg, J. Global conservation priorities. *Cons. Biol.* **13**, 5 (1999).
- Dobson, A. P., Rodriguez, J. P., Roberts, W. M. & Wilcove, D. S. Geographic distribution of endangered species in the United States. *Science* **275**, 550–553 (1997).
- Reid, W. V. Biodiversity hotspots. *Trends Ecol. Evol.* **13**, 275–280 (1998).
- Prendergast, J. R., Quinn, R. M., Lawton, J. H., Eversham, B. C. & Gibbons, D. W. Rare species, the coincidence of diversity hotspots and conservation strategies. *Nature* **365**, 335–337 (1993).
- Williams, P. et al. A comparison of richness hotspots, rarity hotspots, and complementary areas for conserving diversity of British birds. *Cons. Biol.* **10**, 155–174 (1996).
- Vane-Wright, R. I., Humphries, C. J. & Williams, P. H. What to protect?—systematics and the agony of choice. *Biol. Cons.* **55**, 235–254 (1991).
- Williams, P. H., Humphries, C. J. & Vane-Wright, R. I. Measuring biodiversity: taxonomic relatedness for conservation priorities. *Aust. Syst. Bot.* **4**, 665–679 (1991).
- Mittermeier, R. A., Myers, N., Gil, P. R. & Mittermeier, C. G. *Hotspots: Earth's Biologically Richest and Most Endangered Terrestrial Ecoregions* (Cemex, Conservation International and Agrupacion Sierra Madre, Monterrey, Mexico, 1999).

- Davis, S., Heywood, V. H. & Hamilton, A. C. (eds) *Centres of Plant Diversity* (three vols) (World Wide Fund for Nature and International Union for Conservation of Nature and Natural Resources, Gland, Switzerland, 1994–1997).
- Groombridge, B. (ed.) *Global Biodiversity* (Chapman and Hall, London, 1992).
- Heywood, V. H. (ed.) *Global Biodiversity Assessment* (Cambridge Univ. Press, Cambridge, 1995).
- Prance, G. T., Beent J. H., Dransfield, J. & Johns, R. *The Tropical Flora Remains Undercollected* (Missouri Botanical Garden Scientific Publications, St. Louis, Missouri, in the press).
- Nowak, R. *Walker's Mammals of the World* (Johns Hopkins Univ. Press, Baltimore, Maryland, 1999).
- Sibley, C. G. & Monroe, B. L. *Distribution and Taxonomy of Birds of the World* (Yale Univ. Press, New Haven, Connecticut, 1990).
- Uetz, P. & Etzold, T. The EMBL/EBI reptile database. *Herpetol. Rev.* **27**, 175 (1996).
- Glaw, F. & Kohler, J. Amphibian species diversity exceeds that of mammals. *Herpetol. Rev.* **29**, 11–12 (1998).
- Eschmeyer, W. M. *Catalog of Fishes* (California Academy of Sciences, San Francisco, 1998).
- Janzen, D. H. How to be a fig. *Annu. Rev. Ecol. Systemat.* **10**, 13–51 (1979).
- Farrell, B. D. 'Inordinate Fondness' explained: why are there so many beetles? *Science* **281**, 555–557 (1998).
- Gaston, K. J. Regional numbers of insect and plant species. *Funct. Ecol.* **6**, 243–247 (1991).
- Strong, D. R., Lawton, J. H. & Southwood, T. R. E. *Insects on Plants: Community Patterns and Mechanisms* (Blackwell, Oxford, 1984).
- Price, P. W. *Insect Ecology* 3rd edition (Wiley, New York, 1997).
- Balmford A. & Long, A. Across-country analyses of biodiversity congruence with current conservation efforts in the tropics. *Cons. Biol.* **9**, 1539–1547 (1996).
- Williams, P. H., Gaston, K. & Humphries, C. J. Mapping biodiversity value worldwide: combining higher-taxon richness from different groups. *Proc. R. Soc. Lond. B* **264**, 141–148 (1997).
- MacArthur, R. H. & Wilson, E. O. *The Theory of Island Biogeography* (Princeton Univ. Press, Princeton, 1967).
- Brooks, T. & Balmford, A. Atlantic forest extinctions. *Nature* **380**, 115 (1996).
- Brooks, T., Pimm, S. L. & Collar, N. J. Deforestation predicts the number of threatened birds in Insular Southeast Asia. *Cons. Biol.* **11**, 382–394 (1997).
- Brooks, T. M., Pimm, S. L. & Oyugi, J. O. Time lag between deforestation and bird extinction in tropical forest fragments. *Cons. Biol.* **13**, 1140–1150 (1999).
- Laurance, W. F. Introduction and synthesis. *Biol. Cons.* **91**, 101–107 (1999).
- Gaston, K. J. & Nicholls, A. O. Probable times to extinction of some rare breeding bird species in the United Kingdom. *Proc. R. Soc. Lond. B* **259**, 119–123 (1995).
- Turner, I. M. Species loss in fragments of tropical rain forests: a review of the evidence. *J. Appl. Ecol.* **33**, 200–209 (1996).
- Pimm, S. L. & Askins, R. A. Forest losses predict bird extinctions in Eastern North America. *Proc. Natl Acad. Sci. USA* **92**, 9343–9347 (1995).
- Cowlinshaw, G. Predicting the pattern of decline of African primate diversity: an extinction debt from historical deforestation. *Cons. Biol.* **13**, 1183–1193 (1999).
- Newmark, W. D. Insularization of Tanzanian parks and the local extinction of large mammals. *Cons. Biol.* **10**, 1549–1556 (1996).
- Tilman, D., May, R. M., Lehman, C. L. & Nowak, M. A. Habitat destruction and the extinction debt. *Nature* **371**, 65–66 (1994).
- Stattersfield, A. J., Crosby, M. J., Long, A. J. & Wege, D. C. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation* (Birdlife International, Cambridge, UK, 1998).
- Dinerstein, E. et al. *The Global 200: Key Ecoregions for Saving Life on Earth* (World Wildlife Fund-US, Washington DC, 1996).
- Mittermeier, R. A., Myers, N., Thomsen, J. B., da Fonseca, G. A. B. & Olivieri, S. Biodiversity hotspots and major tropical wilderness areas: approaches to setting conservation priorities. *Cons. Biol.* **12**, 516–520 (1998).
- James, A. N., Gaston, K. J. & Balmford, A. Balancing the Earth's accounts. *Nature* **401**, 323–324 (1999).
- Myers, N. Lifting the veil on perverse subsidies. *Nature* **392**, 327–328 (1999).

**Supplementary Information** is available from *Nature's* World-Wide Web site (<http://www.nature.com>) or as paper copy from the London editorial office of *Nature*. This and further information is also available at <http://www.conversation.org>.

#### Acknowledgements

We thank P. Robles Gil of Agrupacion Sierra Madre and the scientists listed in Supplementary Information for their help with information and analysis; P. Chambers, S. Norris and M. Prescott for research help; and D. Duthie and J. McNeely for comments on an early draft. We also thank the Mexican company CEMEX for its major financial support, and the MacArthur Foundation and S. Concannon for additional support.

Correspondence and requests for materials should be addressed to N.M. (e-mail: myers1n@aol.com).

## List of 100+ expert scientists

### **Tropical Andes**

Roderic B. Mast  
Jose Vicente Rodriguez Mahecha  
Russell A. Mittermeier  
Claudia Sorevila  
Santiago Carrizosa  
Carlos Ponce del Prado  
Avecita Chicchon  
Sara Patricia Zurita Serrano  
Douglas F. Stotz  
Mónica Moraes Ramírez  
Cristina G. Mittermeier  
Anne McEnany

### **Brazil's Atlantic Forest**

Russell A. Mittermeier  
Gustavo A. B. Fonseca  
Anthony B. Rylands  
Cristina G. Mittermeier  
Ghillean T. Prance  
Roberto B. Cavalcanti  
Ulysses Caramaschi  
Thomas Brooks

### **Brazil's Cerrado**

Gustavo A. B. Fonseca  
Russell A. Mittermeier  
Roberto B. Cavalcanti  
Cristina G. Mittermeier  
Anthony Rylands  
Ulysses Caramaschi

### **California Floristic Province**

William B. Konstant  
Russell A. Mittermeier  
Peter H. Raven  
T. Messick  
D.C. Zeimer  
D.H. Wagner

### **Cape Floristic Province**

Richard M. Cowling  
Shirley M. Pierce  
William J. Bond  
David M. Richardson

**Caribbean**

Arlo Hanlin Hemphill  
James D. Murdoch  
Russell A. Mittermeier  
William R. Konstant  
Jose Ottenwalder  
Thomas Akre  
Cristina G. Mittermeier  
Roderic B. Mast  
Richard Wunderlin  
Thomas Zanoni

**Caucasus**

Nugzar Zazanashvili  
George Sanadiradze  
Alexander Bukhnikashvili

**Central Chile**

Mary T. K. Arroyo,  
Ricardo Rozzi,  
Javier A. Simonetti,  
Pablo Marquet,  
Michel Salaberry

**Chocó/Darien/Western Ecuador**

Roderic B. Mast  
Jose Vicente Rodríguez Mahecha  
Russell A. Mittermeier  
Arlo Hanlin Hemphill  
Cristina G. Mittermeier  
Robin Foster  
Gloria Galeano  
Enrique Forero  
Peter Jorgenson  
Enrique Ortiz  
F. Ortiz Crespo,  
Jorge Hernandez Camacho  
Jose Vicente Rueza  
John Lynch  
Pedro Ruiz  
Ana Almenderiz  
Lily Rodriguez

**Eastern Arc and Coastal Forests of Tanzania/Kenya**

Norman Myers  
Jon C. Lovett  
Neil D. Burgess  
Kim Howell

**South-Central China**

David E. Boufford

Peter Paul van Dijk

Ma Jinshuang

L.K. Fu

M. Sha

C. Cheung

**Indo Burma**

Peter Paul van Dijk

Peter Ashton

Ma Jinghuang

P.D. Round

A.J. Stattersfield

**Madagascar**

Russell A. Mittermeier

William R. Konstant

Cristina G. Mittermeier

Roderic B. Mast

James Miller

W. Strahm

**Mediterranean Basin**

Norman Myers

Richard Cowling

Frederic Medail

Pierre Quezel

J. Blondel

J. Aronson

M. Cheylan

F. Poitevin

**Mesoamerica**

Russell A. Mittermeier  
James D. Nations  
William R Konstant  
Manuel Ramirez Umana  
Joseph A. Tosi, Jr.  
Thomas Akre  
Douglas Stotz  
Patricio Robles Gil  
Cristina G. Mittermeier  
Alejandro Robles  
Carlos Soza  
Jorge Soberón Mainero  
Carlos Alvarez Echegaray  
Patricia Koleff Osorio  
Eduardo Martínez Romero  
Hesiquio Benítez Díaz  
Roderic B. Mast  
Bárbara Goettsch

**New Caledonia**

Russell A. Mittermeier  
Philippe Bouchet  
Aaron M. Bauer  
Timothy Werner  
Annette Lees

**New Zealand**

David R. Given  
Russell A. Mittermeier  
E.K. Cameron  
C.H. Daugherty  
S.R.P. Halloy

**Philippines**

Lawrence R. Heaney  
Perry S. Ong  
Russell A. Mittermeier  
Cristina G. Mittermeier  
Domingo Madulid  
Ronald Crombie  
J.C.T. Gonzales

**Polynesia/Micronesia**

Allen Allison  
Lucius G. Eldredge  
A.J. Stattersfield

**Southwest Australia**

John S. Beard

G.H. Cogger

David Hopper

**Succulent Karoo**

Richard Cowling

Shirley Pierce

William J. Bond

David M. Richardson

**Sundaland**

Anthony Whitten

Jane Whitten

Peter Paul van Dijk

Jatna Supriatna

Russell A. Mittermeier

Cristina G. Mittermeier

Kuswata Kartawinata

G.B. Corbet

J.E. Hill

**Wallacea**

Anthony Whitten

Jane Whitten

Russell A. Mittermeier

Cristina G. Mittermeier

Jatna Supriatna

Peter Paul van Dijk

Kuswata Kartawinata

**West African Forests**

Mohamed Imam Bakarr

Brent Bailey

Mari Omland

Norman Myers

Lee Hannah

Cristina G. Mittermeier

Russell A. Mittermeier

Jonathan Kingdon

**Western Ghats/Sri Lanka**

Ajith Kumar

William R. Konstant

Russell A. Mittermeier

Madhav Gadgil

R.J. Daniels

## References for the www

### General

- ACHARD, F., H. EVA, A. GLINNI, P. MAYAUX, T. RICHARDS, and H. J. STIBIG. 1998. Identification of deforestation hot spot areas in the humid tropics. *TREES Publication Series B, Research Report no. 4*. Joint Research Centre, European Commission, Brussels, Belgium, 99 pp.
- AYRES, J. M. and G. A. B. FONSECA. 1997. The Neotropical Rain Forest Corridors Projects. Abstracts of the 1997 Ecological Society of America meetings, supplement to *Bulletin of the Ecological Society of America*.
- AYRES, J. M., G. A. B. FONSECA, A. B. RYLANDS, H. L. QUEIROZ, L. P. de S. PINTO, D. MASTERSON and R. CAVALCANTI. 1997. Abordagens Inovadoras para Conservação da Biodiversidade do Brasil: Os Corredores Ecológicos das Florestas Neotropicais do Brasil--Versão 3.0. Programa Piloto para a Proteção das Florestas Neotropicais, Projecto Parques e Reservas, Ministerio do Meio Ambiente e dos Recursos Naturais Renovaveis (Ibama), Brasilia, Brazil.
- BALMFORD, A. 1998. On hotspots and the use of indicators for reserve selection. *TREE*. 13: (10) 409.
- BALMFORD, A. and A. LONG. 1996. A cross-country analyses of biodiversity congruence with current conservation effort in the tropics. *Conservation Biology* 9 (6): 1539-1457.
- BLAUSTEIN, A. R. and D. B. WAKE 1990. Declining amphibian populations: a global phenomena? *Tree* 5: 203-204.
- BLAUSTEIN, A. R., D. B. WAKE, and W. P. SOUZA. 1994. Amphibian declines: judging stability, persistence, and susceptibility of populations to local and global extinctions. *Conservation Biology* 8: 60-71.
- BOWLES, I. A., R. E. RICE, R. A. MITTERMEIER and G.A. B. FONSECA. 1998. Logging and tropical forest conservation. *Science* 280 (19): 1899-1900.
- BOWLES, I.A. A. B. ROSENFIELD, C. A. SUGAL, and R. A. MITTERMEIER. 1998b. Natural Resource Extraction in the Latin American Tropics: A Recent Wasve of Investment Poses New Challenges for Biodiversity Conservation, *Conservation Policy Briefs*, no. 1, Conservation International, Washington, D.C.
- BROWN, K. S. JR. and A. N. AB'SABER 1979. Ice-age refuges and evolution in the Neotropics: correlation of paleoclimatological, geomorphological and ecological data with modern biological endemism. *Paleoclima* 5: 1-30.
- CANNON, C., D. PEART, and M. LEIGHTON 1998. Tree species diversity in commercially logged Bornean rain forest. *Science* 281: 1366-1368.
- CEBALLOS, G. and J. H. BROWN. 1994. Global patterns of mammalian diversity, endemism and endangerment. *Conservation Biology* 9 (4): 559-568.
- CONSERVATION INTERNATIONAL 1990a. *The Rain Forest Imperative*. Conservation International, Washington, D. C.

- CONSERVATION INTERNATIONAL 1990b. *Biodiversity at Risk*. A Map produced by Conservation International, Washington, D. C.
- CONSERVATION INTERNATIONAL 1998. *The Campaign to Save the Hotspots*. Conservation International, Washington, D. C.
- CONSERVATION INTERNATIONAL, DEPARTMENT OF ENVIRONMENT AND CONSERVATION, BIODIVERSITY SUPPORT PROGRAM. 1993. Biodiversity priorities for Papua New Guinea. Conservation International, Washington, D.C.
- CONSERVATION INTERNATIONAL, FUNDAÇÃO BIODIVERSITAS, SOCIEDADE NORDESTINA DE ECOLOGIA. 1994. Prioridades para Conservação da Biodiversidade da Mata Atlântica do Nordeste. Conservation International, Washington, D.C.
- CONSERVATION INTERNATIONAL, US MAN AND BIOSPHERE PROGRAM, ECOSUR, USAID, PASEO PANTERA CONSORTIUM, UNIVERSITY OF FLORIDA, AMIGOS DE SIAN KA'AN. 1996. Evaluation of the Conservation of the Selva Maya. Conservation International, Washington, D.C.
- CONSTANZA, R. R., D'ARGE, R. DE GROOT, S. FARBER, M. GRASSO, B. HANNON, K. LIMBURG, S. NAEEM, R. V. O'NEILL, J. PARUELO, R. G. RASKIN, P. SUTTON, AND M. VAN DEN BELT. 1997. The value of the world's ecosystem services and natural capital. *Nature* 387: 253-260.
- DAVIS, S.D., V.H. HEYWOOD and A.C. HAMILTON. (Eds.). 1994. Centres of Plant Diversity: A guide and strategy for their conservation. Vol. 1, Europe, Africa, Southwest Asia and the Middle East. WWF and IUCN, Gland, Switzerland.
- DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 2. Asia, Australasia and the Pacific. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge (U.K.).
- DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 3. The Americas. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.
- DINERSTEIN, E., D.M. OLSON, D.J. GRAHAM, A.L. WEBSTER, S.A. PRIMM, M.P. BOOKBINDER and G. LEDEC. 1995. *A Conservation Assessment of Latin America and the Caribbean*. The World Bank/The World Wildlife Fund, Washington, D.C.
- DOBSON, A. P., J. P. RODRIGUEZ, et al. 1997. Geographic distribution of endangered species in the United States. *Science* 275: 550-553.
- ERWIN, T.L. 1991. An evolutionary basis for conservation strategies. *Science* 253: 750-752.
- FJELDSA, J., D. EHRLICH, et al. 1997. Are biodiversity 'hotspots' correlated with current ecoclimatic stability?  
A pilot study using the NOAA-AVHRR remote sensing data. *Biodiversity and Conservation* 6: 401-422.
- FOSTER, R.B., T.A. PARKER III, A.H. GENTRY, L.H. EMMONS, A. CHICCHON, T. SCHULENBERG, L.

- RODRÍGUEZ, G. LAMAS, H. ORTEGA, J. ICOCHEA, W. WUST, M. ROMO, J.A. CASTILLO, O. PHILLIPS, C. REYNEL, A. KRATTER, P.K. DONAHUE, and L.J. BARKLEY. 1994. The Tambopata-Candamo Reserved Zone of Southeastern Peru: A Biological assessment. Conservation International, Washington, D.C.
- GANZHORN, J.U., B. RAKOTOSAMIMANANA, L. HANNAH, J. HOUGH, L. IYER, S. OLIVIERI, S. RAJAobelina, C. RODSTROM, and G. TILKIN. 1997. Priorities for Conservation in Madagascar. Erich Goltze GmbH & Co. KG, Gottingen, Germany.
- GASTON, K. J. and R. DAVID. 1994. Hotspots across Europe. *Biodiversity Letters* 2: 108-116.
- GASTON, K. J., P. H. WILLIAMS, et al. 1995. Large scale patterns of biodiversity: spatial variation in family richness. *Proceedings of the Royal Society of London* ) 260: 149-154.
- GREHAN, J. R. 1993. Conservation biogeography and the biodiversity crisis: a global problem in space/time. *Biodiversity Letters* 1: 134-140.
- HAFFER, J. 1969. Speciation in Amazonian forest birds. *Science* 165: 131-137.
- HAFFER, J. 1982. General aspects of the refuge theory. In: G. T. PRANCE (Ed.), *Biological Diversification in the Tropics*, Columbia University Press, New York, pp. 6-24.
- HANNAH, L., J. L. CARR, and A. LANKEANI 1995. Human disturbance and natural habitat: a biome level analysis of a global data set. *Biodiversity and Conservation* 4: 128-155.
- HANNAH, L., D. LOHSE, C. HUTCHINSON, J. L. CARR, and A. LANKERANI 1994. A preliminary inventory of human disturbance of world ecosystems. *Ambio* 23 (4-5): 246-250.
- IUCN, 1996. *IUCN 1996 Red List of Threatened Animals*. J. BAILLIE and B. GROOMBRIDGE (Eds.), IUCN- The World Conservation Union/Species Survival Commission, Gland, Switzerland.
- JAFFRE, T., P. BOUCHET and J.-M. VEILLON. 1997. Threatened plants of New Caledonia: Is the system of protected areas adequate. *Biodiversity and Conservation* 7: 109-135.
- KINZEY, W. 1982. Distribution of primates and forest refuges. In: G. T. PRANCE (Ed), *Biological Diversification in the Tropics*. Columbia University Press, New York, pp. 455-482.
- LOVEJOY, T. E. 1982. Designing refugia for tomorrow. In: G. T. PRANCE, (Ed.), *Biological Diversification in the Tropics*. Columbia University Press, New York, pp. ??
- MAY, R, M, 1988. How many species are there on Earth. *Science* 241: 1441-1449.
- MAY, R.M., J.H. Lawton, and N.E. Stork. 1995. Assessing extinction rates. In J.H. LAWTON and R.M. MAY (Eds.) *Extinction Rates*. Oxford University Press, Oxford, U.K., pp. 1-24.
- MAY, R. M. 1998. PAPER FROM FONTAINEBLEAU, details to be supplied.
- MCNEELY, J. K. R. MILLER, W. V. REID, R. A. MITTERMEIER and T. WERNER. 1990. *Conserving the World's Biological Diversity*. International Union for Conservation of Nature and Natural Resources,

World Resources Institute, Conservation International, World Wildlife Fund - U.S., and the World Bank, Gland, Switzerland and Washington, D. C.

MITTERMEIER, R. A. 1988. Primate diversity and the tropical forest: Case studies from Brazil and Madagascar, and the importance of the megadiversity countries. In: E.O. WILSON (Ed.), *Biodiversity*. National Academy Press, Washington, D.C., pp. 145-154.

MITTERMEIER, R.A. and I.A. BOWLES. 1993. The Global Environment Facility and Biodiversity Conservation: lessons to date and suggestions for future action. *Biodiversity and Conservation* (2) 637-655.

MITTERMEIER, R. A., N. MYERS, J. B. THOMSEN, G. A. B. FONSECA, and S. OLIVIERI. 1998. Biodiversity hotspots and major tropical wilderness areas: approaches to setting conservation priorities. *Conservation Biology* 12 (3): 516-520.

MITTERMEIER, R.A, P. ROBLES-GIL and C.G. MITTERMEIER. 1997. *Megadiversity: Earth's Biologically Wealthiest Nations*. CEMEX, México.

MITTERMEIER, R. and T. WERNER. 1990. Wealth of plants and animals unites "megadiversity" countries. *Tropicus*. 4 (1):1, 4-5.

MYERS, N. 1988. Threatened biotas: "hot spots" in tropical forests. *The Environmentalist*, 8 (3): 187-208.

MYERS, N. 1990. The biodiversity challenge: expanded hot-spots analysis. *The Environmentalist*, 10 (4): 243-256.

MYERS, N. 1993. Tropical forests: the main deforestation fronts. *Environmental Conservation* 20(1): 9-16.

NATIONAL GEOGRAPHIC 1992. *National Geographic Atlas of the World*. Revised Sixth Edition, National Geographic Society, Washington, D. C., 136 pp.

OLSON, D. M. and E. DINERSTEIN 1997. The Global 200: a representation approach to conserving Earth's distinctive ecoregions. World Wildlife Fund, Washington, D.C.

ONG, P. AND R. A. MITTERMEIER. The "hijacking" of biodiversity (in prep.).

PARKER, T. and B. BAILEY. (Eds.). 1991. *A Biological Assessment of the Alto Madidi Region*. Conservation International, Washington, D.C. 108pp.

PARKER III, T.A. and J.L CARR. (Eds.). 1992. *Status of Forest Remnants in the Cordillera de la Costa and Adjacent Areas of Southwestern Ecuador*. Conservation International, Washington, D.C. 172pp.

PARKER III, T.A., B.K. HOLST, L.H. EMMONS, and J.R. MEYER. 1993a. *A Biological Assessment of the Columbia River Forest Reserve, Toledo District, Belize*. Conservation International, Washington, D.C.

PARKER III, T.A., A.H. GENTRY, R.B. FOSTER, L.H. EMMONS, and J.V. REMSEN Jr., J.V. 1993b. *The Lowland Dry Forests of Santa Cruz, Bolivia: A Global Conservation Priority*. Conservation International, Washington, D.C.

PARKER III, T.A., R.B. FOSTER, L.H. EMMONS, P. FREED, A.B. FORSYTH, B. HOFFMAN, and B.D.

- GILL. 1993c. *A Biological Assessment of the Kanuku Mountain Region of Southwestern Guyana.* Conservation International, Washington, D.C.
- PEARSON D.L. and F. CASSOLA. 1992. World-wide species richness patterns of tiger beetles (Coleoptera: Cicindelidae): Indicator taxon for biodiversity and conservation studies. *Conservation Biology* 6: 376-391.
- PIMM, S. and ASKINS, 1995 - Forest losses predict bird extinctions in eastern North America. *Proceedings of the National Academy of Science, U. S. A.* 92: 9343-9347.
- PIMM, S.L. and J.H. LAWTON, 1998. Planning for Biodiversity. *Science* 279: 2068-2069.
- PRANCE, G. (Ed.) 1982. *Biological Diversification in the Tropics.*
- PRANCE, G.T. 1982. *Biological Diversification in the Tropics.* Columbia University Press, New York.
- PRANCE, G. T. 1999. *Annals of Missouri Botanical Garden* (in press).
- PRENDERGAST, J. R. et al. 1993. Rare species, the coincidence of diversity hotspots and conservation strategies. *Nature* 365: 335-337.
- RAVEN, P. 1990. The politics of preserving biodiversity. *BioScience* 40(10): 769-774.
- RAVEN, P. and G. B. JOHNSON 1998. *Understanding Biology.* Mosby Year Book, St. Louis, 1025 pp.
- REID, W. V. 1998. Biodiversity hotspots. *TREE* 13 (7): 275-280.
- RICE R. E., C. SUGAL, R. GULLISON, P. FRUMHOFF and E. LOSOS in press. Options for conserving Biodiversity in the context of logging in tropical forests. In: I. A. BOWLES and G. PRICKETT (Eds.). *Footprints in the Jungle: Biodiversity Conservation and Natural Resource Companies,* Oxford University Press, Oxford, U.K.
- SCHEINER, S. M. and J. M. REY-BENAYAS. 1994. Global patterns of plant diversity. *Evolutionary Ecology* 8: 331-347.
- SCHULENBERG, T.S. and K. AWBREY (Eds.). 1997a. The Cordillera del Condor Region of Ecuador and Peru: A Biological Assessment. Conservation International, Washington, D.C.
- SCHULENBERG, T.S. and K. AWBREY. (Eds.). 1997b. A Rapid Assessssment of the Humid Forests of South Central Chuquisaca, Bolivia. Conservation International, Washington, D.C.

- SHEPHERD, G. D., M. BROWN, K. RICHARDS, and K. SCHRECKENBERG (eds.) 1998. *The EU Tropical Forestry Sourcebook*. European Commission, Brussels, 362 pp. Species Survival Commission of the World Conservation Union (IUCN), Gland, Switzerland.
- STATTERSFIELD, A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. Birdlife Conservation Series 7. BirdLife International, Cambridge, England.
- VANE-WRIGHT, R. I. et al. 1991. What to protect? - systematics and the agony of choice. *Biological Conservation* 55: 235-254.
- WETTERBERG, G. B., M. T. J. PADUA and C. S. de CASTRO, and J. M. C. de VASCONCELLOS. 1976. Uma analise de prioridades em conservacao da natureza na Amazonia. Projecto de Desenvolvimento e Pesquisa Florestal (PRODEPEF). PNUD/FAO/IBDF/BRA - 45, Serie Tecnica 8.
- WILLIAMS, P. H. and K. J. GASTON. 1994. Measuring more of biodiversity: can higher-taxon richness predict wholesale species richness? *Biological Conservation* 67: 211-217.
- WILLIAMS, P., D. GIBBONS, et al. 1996. A comparison of richness hotspots, rarity hotspots, and complementary areas for conserving diversity of British birds. *Conservation Biology* 10 (1): 155-174.
- WILLIAMS, P. H., C. J. HUMPHRIES, et al. 1991. Measuring biodiversity: taxonomic relatedness for conservation priorities. *Aust. Syst. Bot.* 4: 665-679.
- WILSON, E.O. (Ed.). 1988. *Biodiversity*. National Academy Press, Washington, D.C.
- WILSON, E. O. 1992. *The Diversity of Life*. Belknap Press, Cambridge, Massachusetts.
- WORLD RESOURCES INSTITUTE 1997. *Forest Frontiers*. World Resources Institute, Washington, D.C.
- WORLD WILDLIFE FUND 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.

### **Brazil's Atlantic Forest**

- AGUIRRE, A. 1972. O mono *Brachyteles aracnoides*. Brazilian Academy of Sciences, Rio de Janeiro, Brasil.
- AYRES, J.M., G.A.B. da FONSECA, A.B. RYLANDS, H.L. QUIROZ, L.P. de S. PINTO, D. MASTERTON and R. CAVALCANTI. 1997. Abordagens Inovadoras para a Conservação da Biodiversidade no Brasil: Os Corredores das Florestas Neotropicais. Volume 1- Aspectos Gerais, 113 pp., Volume 2 - Amazonia, 260 pp., Volume 3 - Mata Atlântica, 155 pp. Versão 2.0. PP/G7 - Programa Piloto para a Proteção das Florestas Neotropicais: Projeto Parques e Reservas. Ministério do Meio Ambiente, Recursos Hídricos e da Amazônia Legal (MMA), Instituto Brasileiro do Meio Ambiente e dos Recursos Naturais Renováveis (IBAMA), Brasília.
- BSP/CI/TNC/WCS/WRI/WWF. 1995. *A regional Analysis of Geographical Priorities for Biodiversity Conservation in Latin America and the Caribbean*. Biodiversity Support Program, Washington, D.C.

- BROOKS, T. and A. BALMFORD. 1996 Atlantic forest extinctions. *Nature* 380: 115.
- COIMBRA-FILHO, A.F. and I. de GUSMÃO CÂMARA 1996. *Os limites originais do bioma Mata Atlântica na região nordeste do Brasil*. Fundação Brasileira para a Conservação da Natureza, Rio de Janeiro, Brasil.
- DEAN, W. 1995. *With Broadax and Firebrand: The Destruction of the Brazilian Atlantic Forest*. University of California Press, Berkeley and Los Angeles.
- DI BITETTI, M.S., G. PLACCI, A.D. BROWN and D.I. RODE 1994. Conservation and population status of the brown howling monkey (*Alouatta fusca clamitans*) in Argentina. *Neotropical Primates* 2 (4): 1-3.
- FAO 1996. Forest resource assessment 1990: survey of tropical forest cover and study of change processes. FAO Forestry Paper 130. FAO, Rome, Italy.
- FONSECA G.A.B., da, HERMANN, G. and LEITE, Y.L.R. Macrogeography of Brazilian mammals. In: J.F. EISENBERG and K.R. REDFORD (Eds.), *Mammals of the Neotropics*, volume III, University of Chicago Press, Chicago, Illinois, in press.
- FONSECA, G.A.B. da. 1985. The vanishing Brazilian Atlantic Forest. *Biological Conservation* 33:1-18.
- FONSECA, G.A.B. da. and L. P. de S. PINTO 1996. O papel das ONGs. In: I.V. LOPES, G. S. BASTOS, FILHO, D. BILLER and M. DALE (Eds.), *Gestão Ambiental no Brasil: Experiencia e Successo*, pp. 293-346. Editora Fundação Getulio Vargas, Rio de Janeiro, Brazil.
- GASTON, K. J. and T. M. BLACKBURN. 1996. The tropics as a museum for biological diversity: an analysis of the New World avifauna. *Philosophical Transactions of the Royal Society of London B* 263: 63-68.
- HARCOURT, C.S. and J.A. SAYER (Eds.). 1996. *The Conservation Atlas of Tropical Forests: The Americas*. IUCN-The World Conservation Union, Simon & Shuster, New York.
- HENDERSON, A., STEVEN, P, et al. 1991. Neotropical plant diversity. *Nature* 351: 21-22.
- HOLANDA, S.B. 1936. *Raizes do Brasil*. Companhia das Letras, 3ra edição (1997), São Paulo, Brazil.
- INSTITUTO NACIONAL de PESQUISAS ESPECIAIS (INPE) and FUNDAÇÃO SOS MATA ATLÂNTICA 1997. *Atlas dos Remanescentes Florestais do Domínio Mata Atlântica* 1997. São Paulo, Brazil.
- LYNCH, J.D. 1979. The amphibians of the lowland tropical forest. In: W.E. DUELLMAN (Ed.), *South American Herpetofauna: its origins, evolution and dispersal*. Mus. Nat. Hist., University of Kansas, Lawrence, Kansas, Monograph 7.
- MARTUSCELLI, P. (1995). Ecology and Conservation of Red Tailed-Amazon, *Amazona brasiliensis* in south-eastern Brazil. *Bird Conservation International* . 5:405-420.
- MITTERMEIER, R.A., G. A. B. FONSECA, da, A. B. RYLANDS, and C. G. MITTERMEIER 1997. In R. A. MITTERMEIER, P. ROBLES GIL and C. G. MITTERMEIER (Eds.). *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 39-49.

PINTO, O. M. de O. 1952. Redescobrimento de *Mitu mitu* (Linne) no nordeste do Brasil (Est. de Alagoas). Provada a independencia de *Mitu tuberosus* (Spix) como especia a parte. *Pap. Avul. Dep. Zool. São Paulo* 10: 325-334.

STATTERSFIELD, A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. Birdlife Conservation Series 7. BirdLife International, Cambridge, U.K. 846 pp.

## Brazil's Cerrado

ALHO, C.J.R. and E.S. MARTINS. 1995. *De grão em grão o Cerrado perde espaço*. WWF, Pró-Cer, Brasília, D. F. Brasil.

AZEVEDO, G. de. 1995. Vegetação do Cerrado. In: *Conhecimento Científico para Gestão Ambiental*. Tomo II - Meio Natural, Brasilia, D.F., pp. 523-547.

BARBOSA, A.S. and I.V. NASCIMENTO. 1993. *Procesos culturais asssoiados à vegetação*. In: M.N. PINTO (Ed.). *Cerrado: caracterização, ocupação e perspectivas*. Editora Universidade de Brasília, Brasília, D.F., pp. 155-170.

BARBOSA, A.S., M.B. RIBEIRO and P.I. SCHMITZ. 1993. Cultura e ambiente em áreas do sudoeste de Goiás. In: : M.N. PINTO (Ed.). *Cerrado: caracterização, ocupação e perspectivas*. Editora Universidade de Brasília, Brasília, D.F., pp. 75-108.

BECCALONI, G. W. and K. J. GASTON. 1995. Predicting the species richness of Neotropical forest butterflies: Ithomiinae (Lepidoptera: Nymphalidae) as indicators. *Biological Conservation* 71: 77-86.

BSP/CI/TNC/WCS/WRI/WWF. 1995. *A regional Analysis of Geographical Priorities for Biodiversity Conservation in Latin America and the Caribbean*. Biodiversity Support Program, Washington, D.C.

DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 3. The Americas. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.

DIANESE, J.C., R.B. MEDEIROS and L.T.P. SANTOS. 1997. Biodiversity of Microfungi found on native plants of the Brazilian cerrado. In: K.D. HYDE (Ed.). *Biodiversity of Tropical Microfungi*. Hong Kong University Press, Hong Kong, China, pp. 367-417.

DIAS, B.F.S. 1992. Cerrados: Uma caracterização. In: M.N. PINTO (Ed.). *Alternativas de Desenvolvimento dos Cerrados: manejo e conservação dos recursos naturais renováveis*. Funatura, Brasília, D.F.

DIAS, B. F. S. 1993. A conservação da natureza. In: M.N. PINTO (Ed.). *Cerrado: caracterização, ocupação e perspectivas*. Editora Universidade de Brasília, Brasília, D.F., pp. 607-663.

- EITEN, G. 1993. Vegetação. In: M.N. PINTO (Ed.). *Cerrado: caracterização, ocupação e perspectivas*. Editora Universidade de Brasília, Brasília, D.F., pp. 17-73.
- FILGUEIRAS, T. and B.S. PEREIRA. 1993. Flora. In: M.N. PINTO (Ed.). *Cerrado: caracterização, ocupação e perspectivas*. Editora Universidade de Brasília, Brasília, D.F., pp. 345-404.
- FONSECA, G.A.B. da., G. HERMANN and Y.L.R. LEITE. Macrogeography of Brazilian mammals. In: J.F. EISENBERG and K.R. REDFORD (Eds.). *Mammals of the Neotropics*, volume III, University of Chicago Press, Chicago, Illinois, in press.
- HERINGER, E.P., G.M. BARROSO, J.A. RIZZO and C.T. RIZZINI. 1977. A flora do Cerrado. In: *Simpósio sobre o Cerrado, Vol. 4*, Universidade de São Paulo, Itaiaia e São Paulo, pp. 211-232.
- HOLANDA, S.B. 1936. *Raízes do Brasil*. Companhia das Letras, third edition (1997), São Paulo, Brazil.
- MANTOVANI, J.E. and L.A. PEREIRA. 1998. *Estimativa da integridade da cobertura vegetal do Cerrado/Pantanal através de dados TM/Landsat*. Relatório apresentado no Workshop “Ações Prioritárias para a Conservação do Cerrado e Pantanal”, Brasília, Brazil. Funatura, Conservation International, Universidade de Brasília, Fundação Biodiversitas, Brasília, Brazil.
- MENDONÇA, R.C. de, J.M. FELFILI, B.M.T. WALTER, M.C. da SILVA JÚNIOR, A.V. REZENDE, T.S. FILGUEIRAS and P.E. OLIVEIRA. 1997. Flora Vascular do Cerrado. In: S.M. SANO and P. ALMEIDA (Eds.) *Cerrado: Flora, homem e ambiente*. Embrapa Cerrados, Planaltina, D.F., pp. 217-396.
- MITTERMEIER, R.A., G. A. B. da FONSECA, A. B. RYLANDS and C. G. MITTERMEIER. 1997. Brazil. In: R. A. MITTERMEIER, P. ROBLES GIL and C. G. MITTERMEIER (Eds.). *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 39-49.
- NEGRET, A., J. TAYLOR, R.C. SOARES, R.B. CAVALCANTI and C. JOHNSON. 1984. *Aves da região geopolítica do Distrito Federal (Check List) 429 espécies*. Ministério do Interior, Secretaria do Meio Ambiente, Brasília, D.F.
- PÁDUA, M.T.J. 1992. Conservação *in situ*: unidades de conservação. In: *Alternativas de Desenvolvimento dos Cerrados: manejo e conservação dos recursos naturais renováveis*. Funatura, Brasília, D.F.
- RAW, A. 1998. *Número de insetos, a riqueza de espécies e aspectos zoogeográficos nos cerrados*. Relatório apresentado no Workshop “Ações Prioritárias para a Conservação do Cerrado e Pantanal”, Brasília, Brazil. Funatura, Conservation International, Universidade de Brasília, Fundação Biodiversitas.
- REDFORD, K. and G.A.B. da FONSECA. 1986. The role of gallery forests in the zoogeography of the Cerrado's non-volant mammalian fauna. *Biotropica* 18:125-135.
- ROCHA, I.R.D., R.B. CAVALCANTI, J.S. MARINHO-FILHO, A.B. ARAÚJO and K. KITAYAMA. 1990. Fauna do Distrito Federal. In: M.N. PINTO (Ed.). *Cerrado: caracterização, ocupação e perspectivas*. Editora Universidade de Brasília, Brasília, D.F., pp. 185-191.
- SARMIENTO, G. 1983. The savannas of tropical America. In: F. BOURLIÈRE (Ed.). *Tropical Savannas*. Elsevier, New York.

- SCHMITZ, P.I. 1993. Caçadores e coletores antigos. In: M.N. PINTO (Ed.). *Cerrado: caracterização, ocupação e perspectivas*. Editora Universidade de Brasília, Brasília, D.F., pp. 109-154.
- SILVA, 1995. Birds of the Cerrado region. *South America Steenstrupia* 21:69-92.
- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. Endemic Bird Areas of the World: Priorities for Biodiversity Conservation. Birdlife International, Cambridge, U.K.
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.

### **California Floristic Province**

- ARNETT R. H. 1985. *American Insects: A Handbook of the Insects of America North of Mexico*. Van Nostrand Reinhold, New York.
- BANNAN, J. 1993. *Oregon State Parks: A Complete Recreation Guide*. The Mountaineers, Seattle, Washington.
- BARBOUR, M., B. PAVLIK, F. DRYSDALE, S. LINDSTROM. 1993. *California's Changing Landscapes: Diversity and Conservation of California Vegetation*. California Native Plant Society, Sacramento, California.
- BATES, K. 1994. Species of the scrubland. *Defenders* 69(4): 32-33.
- COOK, R. E. 1969. Variation in species density of North American birds. *Systematic Zoology* 18: 3-84.
- DALLMANN, P. R. 1998. *Plant Life in the World's Mediterranean Climates*. University of California Press, Berkeley, California.
- DAVIS, S. D., V. H. HEYWOOD, O. HERRERA-MACBRYDE, J. VILLA-LOBOS, and A.C. HAMILTON (Eds.). 1997. *Centres of Plant Diversity: A Guide and Strategy for their Conservation. Volume 3: The Americas*. World Wildlife Fund for Nature (WWF) and IUCN - The World Conservation Union, Gland, Switzerland.
- FLATHER, C. H., L. A. JOYCE, and C. A. BLOOMGARDEN. 1994. *Species Endangerment Patterns in the United States*. General Technical Report RM-241. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado.
- FROME, M. 1994. *National Park Guide 1994*. Prentice Hall Travel, New York.
- GROSSMAN, D. H., K. L. GOODIN, and C. L. REUSS (Eds.). 1994. *Rare Plant Communities of the Conterminous United States: An Initial Survey*. The Nature Conservancy, Arlington, Virginia.

- HEADY, H. 1990. Valley grassland. In: M. BARBOUR and J. MAJOR. (Eds.). *Terrestrial Vegetation of California*. California Native Plant Society, Sacramento, California, pp. 491-514.
- HILTS, L. 1978. *National Forest Guide*. Rand McNally & Co., New York.
- HOLLAND, R. F. and S.K. JAIN. 1990. Vernal pools. In: M. BARBOUR and J. MAJOR. (Eds.). *Terrestrial Vegetation of California*. California Native Plant Society, Sacramento, California, pp. 515-535.
- IUCN 1992. *Protected Areas of the World: A Review of National Systems. Vol. 4: Nearctic and Neotropical*. IUCN, Gland, Switzerland and World Conservation Monitoring Center, Cambridge, U.K.
- JENSEN, D. B., M.S. TORN, and J. HARTE. 1993. *In Our Own Hands: A Strategy for Conserving California's Biodiversity*. University of California Press, Berkeley, California.
- JONES and STOKES ASSOCIATES. 1987. *Sliding Toward Extinction: The State of California's Natural Heritage, 1987*. California Nature Conservancy, San Francisco, California.
- McKINNEY, J. 1994. *Walking California's State Parks*. Harper Collins West, San Francisco, California.
- MESSICK, T. 1997. California Floristic Province. In: S.D. DAVIS, V. HEYWOOD, O. HERRERA-MACBRYDE, J. VILLA-LOBOS and A.C. HAMILTON. (Eds.). 1997. *Centres of Plant Diversity: A Guide and Strategy for their Conservation. Volume 3: The Americas*. World Wide Fund for Nature (WWF) and IUCN - The World Conservation Union, Gland, Switzerland, pp. 63-73.
- MOONEY, H. A. 1988. Southern coastal scrub. In: M. BARBOUR, and J. MAJOR (Eds.). *Terrestrial Vegetation of California*. California Native Plant Society, Sacramento, California, pp. 471-487.
- NOSS, R. F. 1994. California's ecosystem decline. *Defenders* 69(4): 34-35.
- NOSS, R. F. and R. L. PETERS. 1995. *Endangered Ecosystems: A Status Report on America's Vanishing Habitat and Wildlife*. Defenders of Wildlife, Washington, D.C.
- PYLE, R., M. BENTZIEN and P. OPLER. 1981. Insect conservation. *Annual Review of Entomology*. 26: 233-258.
- RAVEN, P. H. 1988. The California flora. In: M.G. BARBOUR and J. MAJOR (Eds.). *Terrestrial Vegetation of California*. California Native Plant Society, Sacramento, California, pp. 109-137.
- RAVEN, P. H. and D. I. AXELROD. 1978. Origin and relationships of the California flora. *University of California Publications in Botany* 72: 1-134.
- SIMPSON, G. 1964. Species density of North American recent mammals. *Systematic Zoology* 13: 361-389.
- SOULÉ, M. 1994. A California rescue plan. *Defenders* 69(4): 36-39.
- SPINKS, J. L. 1991. *Hunting and Fishing: Military Lands*. Stackpole Books, Harrisburg, Pennsylvania.

- STATTERSFIELD, A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. BirdLife International, Cambridge, U.K.
- STEBBINS, R. C. 1966. *A Field Guide to Western Reptiles and Amphibians*. Houghton Mifflin Company, Boston.
- STEBBINS, G. L. 1978. Why are there so many rare plants in California? I. Environmental factors. *Fremontia* 5(4): 6-10.
- STEBBINS, G. L. and J. MAJOR. 1965. Endemism and speciation in the California flora. *Ecological Monographs* 35(1): 1-36.
- STEINHART, P. 1994a. What will California tell the world about saving biodiversity? *Defenders* 69(4): 8-9.
- STEINHART, P. 1994b. California's biodiversity experiment. *Defenders* 69(4): 11-22.
- TURNER, T. 1991. *Sierra Club: 100 Years of Protecting Nature*. Harry N. Abrams, Inc., New York.
- WACHTEL, P. 1984. *Saving the Plants that Save Us*. World Wildlife Fund. Gland, Switzerland.
- WAGNER, D. H. 1997. Klamath-Siskiyou Region. In: S.D. Davis, V. H. HEYWOOD, O. HERRERA-MACBRYDE, J. VILLA-LOBOS and A. C. HAMILTON (Eds.). 1997. *Centres of Plant Diversity: A Guide and Strategy for their Conservation. Volume 3: The Americas*. World Wide Fund for Nature (WWF) and IUCN - The World Conservation Union, Gland, Switzerland, pp. 74-76.
- WIRKA, J. 1994. California's missing bruins. *Defenders* 69(4): 23-25.
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.
- ZEINER, D. C., W. F. LAUDENSLAYER, Jr. and K. E. MAYER (Eds.). 1988. *California's Wildlife. Volume I: Amphibians and Reptiles*. California Statewide Wildlife Habitat Relationships System, Department of Fish and Game, Sacramento, California.
- ZEINER, D. C., W.F. LAUDENSLAYER, K.E. MAYER and M. WHITE. 1990. *California's Wildlife. Volume III: Mammals*. California Statewide Wildlife Habitat Relationships System, Department of Fish and Game, Sacramento, California.

### Cape Floristic Province

- BAARD, E. H. W. 1993. Distribution and status of the geometric tortoise, *Psammobates geometricus*, in South Africa. *Biological Conservation* 63: 235-239.
- BAARD, E. H. W. 1995. *Kaapse Skilpaaie*. Kaapse Natuurbewaring, Wes-Kaap Provincie, Kaapstad, South Africa.

- BAARD, E. H. W. 1997. A conservation strategy for the geometric tortoise, *Psammobates geometricus*. In: *Proceedings: Conservation, Restoration, and Management of Tortoises and Turtles - An International Conference*. The New York Turtle and Tortoise Society, New York, pp. 324-329.
- BOND, P. and P. GOLDBLATT. 1984. Plants of the Cape Flora: A Descriptive Catalogue. *Journal of South African Botany Supplement*, Vol. 13.
- BRANCH, B. 1994. *Field Guide to the Snakes and Reptiles of Southern Africa*. Struik Publishers, Cape Town, South Africa.
- COWLING, R.M., P.M. HOLMES and A.G. REBELO. 1992. Plant Diversity and endemism. In: R.M. COWLING (Ed.). *The Ecology of Fynbos: Nutrients, Fire and Diversity*. Oxford University Press, Cape Town, South Africa, pp. 62-112.
- COWLING, R.M. and D.M. RICHARDSON. 1995. *Fynbos: South Africa's Unique Floral Kingdom*. Fernwood Press, Cape Town, South Africa.
- COWLING, R.M., D.M. RICHARDSON and P.J. MUSTART. 1997. Fynbos. In: R.M. COWLING, D.M. RICHARDSON and S.M. PIERCE (Eds.). *The Vegetation of Southern Africa*. Cambridge University Press, Cambridge (U.K.), pp. 99-130
- DAY, D. 1981. *Vanished Species*. Gallery Books, New York.
- DEACON, H.J. 1992. Human settlement. In: R.M. COWLING (Ed.). *The Ecology of Fynbos: Nutrients, Fire and Diversity*. Oxford University Press, Cape Town, South Africa, pp. 260-270.
- HARRISON, J.A., D.G. ALLAN, L.G. UNDERHILL, M. HERREMANS, A.J. TREE, V. PARKER and C.J. BROWN (Eds.) 1997. *The Atlas of Southern African Birds*. BirdLife, Johannesburg, South Africa.
- JOHNSON, S.D. 1992. Plant-animal relationships. In: R.M. COWLING (Ed.). *The Ecology of Fynbos: Nutrients, Fire and Diversity*. Oxford University Press, Cape Town, South Africa, pp. 175-205.
- KRUGER, F.J. 1979. South African Heathlands. In: R.L. SPECHT (Ed.). *Heathlands and related shrublands*. Elsevier, New York, pp. 19-80.
- KINGDON, J. 1997. *The Kingdon Field Guide to African Mammals*. Academic Press, San Diego, Boston, London, New York, Sydney, Tokyo, Toronto.
- LINDER, H.P., M.E. MEADOWS and R.M. COWLING. 1992. History of the Cape Flora. In: R.M. COWLING (Ed.). *The Ecology of Fynbos: Nutrients, Fire and Diversity*. Oxford University Press, Cape Town, South Africa, pp. 113-134.
- McMAHON, L. and M. FRASER. 1988. *A Fynbos Year*. David Phillip, Cape Town & Johannesburg, South Africa.
- MILLS, G. and L. HES (Eds.). 1997. *The Complete Book of Southern African Mammals*. Struik Winchester, Cape Town, South Africa.

- PICKER, M.D. and M.J. SAMWAYS. 1996. Faunal diversity and endemism of the Cape Peninsula, South Africa. *Biodiversity and Conservation* 5 (5): 591-606.
- POMEROY, D. 1993. Centers of high biodiversity in Africa. *Conservation Biology* 7: (4) 901-907.
- REBELO, A.G. 1992. Preservation of biotic diversity. In: R.M. COWLING (Ed.). *The Ecology of Fynbos: Nutrients, Fire and Diversity*. Oxford University Press, Cape Town, South Africapp. 309-344.
- RICHARSON, D.M., I.A.W. MACDONALD, P.M. HOLMES and R.M. COWLING. 1992. Plant and animal invasions. In: R.M. COWLING (Ed.). *The Ecology of Fynbos: Nutrients, Fire and Diversity*. Oxford University Press, Cape Town, South Africa, pp. 271-308.
- SINCLAIR, I. and P. HOCKEY. 1997. *The Larger Illustrated Guide to Birds of Southern Africa*. Struik Publishers, Cape Town, South Africa.
- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. BirdLife International, Cambridge, U.K.
- VAN WILGEN, B.W., R.M. COWLING and C.J. BURGERS. 1996. Valuation of ecosystem services from South African fynbos. *Bioscience* 46: 184-189.

## **Caribbean**

- ABRAMSON, J., B.L. SPEER, and J.B. THOMSEN. 1995. *The Large Macaws: Their Care, Breeding and Conservation*. Raintree Publications, Fort Bragg, California.
- ALBERTS, A. 1997. *West Indian iguanas: status, survey and conservation action plan*. Center for Reproduction of Endangered Species, San Diego Zoo, San Diego, California.
- ASHTON, Jr. R. E. and P. S. ASHTON 1988. *Handbook of Reptiles and Amphibians of Florida: Part One, The Snakes; Part Two, Lizards, Turtles and Crocodilians; Part Three, The Amphibians*. Windward Publishing Inc., Miami, Florida.
- BEARD, J.S. 1949. *Natural Vegetation of the Windward and Leeward Islands*. Clarendon Press, Oxford, U.K.
- BEARD, J.S. 1955. The classification of tropical American vegetation types. *Ecology* 36: 89-100.
- BIBBY, C.J., N.J. COLLAR, M.J. CROSBY, M.F. HEATH, C. IMBODEN, T.H. JOHNSON, A.J. LONG, A.J. STATTERSFIELD and S.J. THIRGOOD. 1992. *Putting Biodiversity of the Map: Global Priorities for Conservation*. International Council for Bird Preservation, Cambridge, UK.
- BISHOP, C.A., and K.E. PETIT (Editors). 1992. Declines in Canadian amphibian populations: Designing a national monitoring strategy. *Canadian Wildlife Service Occasional Paper* 76:1-117.
- BOND, J. 1985. *Birds of the West Indies*. 4<sup>th</sup> Edition. Houghton Mifflin Company, Boston, Massachusetts.

- BORHIDI, A. 1991. *Phytogeography and Vegetation Ecology of Cuba*. Akadémiai Kiadó, Budapest. 858 pp.
- CAPOTE, R.P., R. BERAZAÍN and A. LEIVA. 1989. Cuba. In: D.G. CAMPBELL and D. HAMMOND (Eds.). *Floristic Inventory of Tropical Countries: The Status of Plant Systematics, Collections, and Vegetation, plus Recommendations for the Future*. The New York Botanical Garden, New York, pp. 315-335.
- CARR, A. 1973. *The Everglades*, Time-Life books, New York, 184 pp.
- CONANT, R. and J. T. COLLINS 1991. *A Field Guide to Reptiles and Amphibians: Eastern and Central North America*. Third edition. Houghton Mifflin Co., Boston, Massachusetts.
- CRUMP, M.L., F.R. HENSELY, and K.L. CLARK. 1992. Apparent decline of the golden toad: Underground or extinct? *Copeia* 1992:413-420.
- DAVIS, S.D., V.H. HEYWOOD, O. HERRERA-MACBRYDE, J. VILLA-LOBOS, and A.C. HAMILTON. 1995. *Centres of Plant Diversity: A Guide and Strategy for their Conservation, Volume 3: The Americas*. WWF/IUCN, IUCN Publications Unit, Cambridge, U.K.
- DINERSTEIN, E., D. M. OLSON, D. J. GRAHAM, A. L. WEBSTER, S. A. PRIMM, M. P. BOOKBINDER, and G. LEDEC. 1995. *A Conservation Assessment of the Terrestrial Ecoregions of Latin America and the Caribbean*. WWF/World Bank, Washington, D.C.
- DOBSON, A. P., J. P. RODRIGUEZ, et al. 1997. Geographic distribution of endangered species in the United States. *Science* 275: 550-553.
- ESTES, R. D. 1991. *The Behavior Guide to African Mammals Including Hoofed Mammals, Carnivores, Primates*. University of California Press, Berkeley and Los Angeles, California.
- ESTRADA, A.R. and S. B. HEDGES. 1996. At the lower size limit in tetrapods: A new diminutive frog from Cuba (Leptodactylidae: *Eleutherodactylus*). *Copeia* 4:852-859.
- GLAW, F., and J. KOHLER. 1988. Amphibian species diversity exceeds that of mammals. *Herpetological Review* 29(1):11-12.
- HARCOURT, C.S. and J.A. SAYER. 1996. *The Conservation Atlas of Tropical Forests: The Americas*. The World Conservation Union. Simon & Schuster, New York.
- HARRIS, D.R. 1965. *Plants, Animals, and Man in the Outer Leeward Islands, West Indies: An Ecological Study of Antigua, Barbuda, and Anguilla*. University of California Press, Berkeley and Los Angeles.
- HEDGES, S.B. 1993. Global amphibian declines: A perspective from the Caribbean. *Biodiversity and Conservation* 2:290-303.
- HEDGES, S. B. 1996. The origin of West Indian amphibians and reptiles. In: R. POWELL and R. W. HENDERSON (eds.), *Contributions to West Indian Herpetology: A Tribute to Albert Schwartz*. Society for the Study of Amphibians and Reptiles, St. Louis, Missouri.

- HOAGLAND, D.B., G.R. HORST, and C.W. KILPATRICK. 1989. Biogeography and population biology of the mongoose in the Caribbean Basin. In: C.A. Woods (Ed.). *Biogeography of the Caribbean Basin Past, Present, and Future*. Sandhill Crane Press Inc., Gainesville, Florida, pp. 611-34.
- HOAGLAND, P., M.E. SCHUMACHER and A.G. GAINES, Jr. 1995. *Toward an Effective Protocol on Land-based Marine Pollution in the Wider Caribbean Region*. WHOI-95-10. Woods Hole Oceanographic Institution (WHOI), Woods Hole, Massachusetts.
- HOLLINGSWORTH, T. 1949. *History of Dade County, Florida*. Parker Art Printing Association, Coral Gables, Florida.
- IUCN. 1992. *Protected Areas of the World: A Review of National Systems. Volume 4: Nearctic and Neotropical*. IUCN, Gland, Switzerland and Cambridge, UK.
- IUCN. 1996. *1996 IUCN Red List of Threatened Animals*. J. BAILLIE and B. GROOMBRIDGE (Eds.), IUCN- The World Conservation Union/Species Survival Commission, Gland, Switzerland.
- LAMMERTINK, M. and A.R. ESTRADA. 1995. Status of the ivory-billed woodpecker *Campephilus principalis* in Cuba: almost certainly extinct. *Bird Conservation International* 5:53-60.
- LIPS, K.R. 1998. Decline of a tropical montane amphibian fauna. *Conservation Biology* 12(1): 106-117.
- MITTERMEIER, 1972. Jamaica's Endangered Species. *Oryx* 11 (4): 258-262.
- MULLER, J.W., E.D. HARDIN, D.R. JACKSON, S.E. GATEWOOD, and N. CAIRE. 1989. *Summary report on the vascular plants, animals and plant communities endemic to Florida*. Florida Game and Fresh Water Fish Commission, Nongame Wildlife Program Technical Report No.7, Tallahassee, Florida.
- NPS. 1998. "The Everglades: Early Development". National Park Service - Everglades National Park. Internet address: <http://www.nps.gov/ever/eco/develop.htm>
- PERERA, A. and P. ROSABAL. 1986. Las áreas protegidas en Cuba. *Silvestre* 2:13-17.
- POINAR, G.O., Jr. 1988. The Amber Ark. *Natural History* :43-46.
- POINAR, G.O., Jr. and D.C. CANNATELLA. 1987. An upper Eocene frog from the Dominican Republic and it's implication for Caribbean biogeography. *Science* 237: 1215-1216.
- POWELL, R., R. W. HENDERSON, K. ADLER, and H. A. DUNDEE. 1996. An annotated checklist of West Indian amphibians and reptiles. In: R. POWELL and R. W. HENDERSON (Eds.). *Contributions to West Indian Herpetology: A Tribute to Albert Schwartz*. Society for the Study of Amphibians and Reptiles, St. Louis, Missouri.
- POTTER, B. 1996. *Tourism and Coastal Resources Degradation in the Wider Caribbean*. Island Resources Foundation, St. Thomas, Virgin Islands. Internet address: <http://irf.org/irtourdg.html>

- ROBINSON, G.B., S.C. ROBINSON, and J. LANE. 1996. *Discover a Watershed: The Everglades*. SFWMD, The Watercourse, Bozeman, Montana.
- SCHWARTZ, A., and R.W. HENDERSON. 1991. *Amphibians and Reptiles of the West Indies: Descriptions, Distributions, and Natural History*. University of Florida Press, Gainesville, Florida.
- SFWMD. 1992. *Surface Water Improvement and Management Plan for the Everglades: Supporting Information Document*. South Florida Water Management District.
- STATTERSFIELD, A.J., M.J. CROSBY, A.J. LONG, and D.C. WEGE. 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. BirdLife Conservation Series No. 7. BirdLife International, Cambridge, U.K.
- STEADMAN, D.W., G.K. PREGILL, and S.L. OLSON. 1984. Fossil vertebrates from Antigua, Lesser Antilles: Evidence for late Holocene human caused extinction in the Caribbean Basin. *Proceedings of the National Academy of Sciences/ USA*. 81: 4448-4451.
- THORBJARNARSON, J., H. MESSEL, F. W. KING, and J. P. ROSS (Eds.). 1992. *Crocodiles: An Action Plan for their Conservation*. IUCN/SSC Crocodile Specialist Group, Gland, Switzerland.
- UNITED NATIONAL ENVIRONMENTAL PROGRAM. Unpublished. *Estudio nacional sobre la diversidad biológica en la República de Cuba*. IES/CenBio. Ciudad de La Habana, Cuba.
- UNEP. 1996. *Status of Protected Area Systems in the Wider Caribbean*. CEP Technical Report No. 36. United Nations Environment Programme, Nairobi, Kenya.
- WCMC. 1992. *Global Biodiversity: Status of the Earth's Living Resources*. Chapman and Hall, London, U.K.
- WHITEAKER, L.D., and R.F. DOREN. 1989. *Exotic plant management strategies and list of exotic species in prioritized categories for Everglades National Park*. U.S. Department of the Interior, National Park Service, Research/Resources Management Technical Report SER-89/04. Southeast Regional Office, Atlanta, GA. 21 pp. Internet address: <http://everglades.fiu.edu/>. Florida International University, Miami, Florida.
- WILSON, L.D. and L. PORRAS. 1983. *The Ecological Impact of Man on the South Florida Herpetofauna*. University of Kansas, Lawrence, Kansas.
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.

### **Central Chile**

- ARAYA, S. and G. AVILA. 1981. Rebrote de arbustos afectados por el fuego en el matorral chileno. *Mountain Research and Development*. 1: 287-291.

- ARAYA, B. and M. BERNAL. 1995. Aves. In: SIMONETTI, J. A., M.T.K. ARROYO, A.E. SPOTORNO, and E. LOZADA. (Eds) *Diversidad Biológica de Chile*. CONICYT, Santiago, Chile, pp.350-360.
- ARAYA, B. and G. MILLIE. 1996. *Guía de Campo de las Aves de Chile*. Sexta edición. Editorial Universitaria, Santiago, Chile.
- ARMESTO, J. J., R. ROZZI, P. MIRANDA, and C. SABAG. 1987. Plant/frugivore interactions in South American temperate forest. *Revista Chilena de Historia Natural* 60: 321-336.
- ARMESTO, J. J., C. VILLAGRÁN, and M.T.K. ARROYO (Eds). 1996. *Ecología de los Bosques Nativos de Chile*. Editorial Universitaria, Santiago, Chile.
- ARRATIA, G. 1981. Géneros de peces de aguas continentales de Chile. *Publicaciones Occasional, Museo Nacional de Historia Natural, Chile* 34: 1-108.
- ARROYO, M. T. K., J.J. ARMESTO and C. VILLAGRÁN. 1981. Plant phenological patterns in the high Andean Cordillera of central Chile. *Journal of Ecology* 69: 205-233.
- ARROYO, M.T.K. and L. CAVIERES. 1997 The Mediterranean-type climate flora of central Chile - What do we know and how can we assure its protection. *Noticiero de Biología* 5(2): 48-56.
- ARROYO, M. T. K., L. CAVIERES, C. MARTICORENA and M. MUÑOZ. 1995. Convergence in the Mediterranean floras of central Chile and California: insights from comparative biogeography. In: M.T.K. ARROYO, M. D. FOX and P. ZEDLER (Eds.) *Ecology and Biogeography of Mediterranean Ecosystems in Chile, California and Australia..* Springer-Verlag, New York, pp.43-88.
- ARROYO, M. T. K., M. RIVEROS, A. PEÑALOZA, L. CAVIERES and A. M. FAGGI. 1996a. Phytogeographic relationships and regional richness patterns of the cool temperate rainforest flora of southern South America. In: R.G. LAWFORD, P.B. ALABACK and E. FUENTES. (Eds.) *High-Latitude Rainforests and Associated Ecosystems of the West Coasts of the Americas. Climate, Hydrology, Ecology and Conservation*. Springer Verlag, New York, pp.134-172.
- ARROYO, M.T.K., C. DONOSO, R. MURÚA, E. PISANO, R. SCHLATTER and I. SEREY. 1996b. *Toward an Ecologically Sustainable Forestry Project. Concepts, Analysis and Recommendations. Protecting Biodiversity and Ecosystem Processes in the Río Cóndor Project - Tierra del Fuego*. Departamento de Investigación y Desarrollo, Universidad de Chile, Santiago, Chile.
- ARROYO, M. T. K., F.A. SQUEO, J.J. ARMESTO and C. VILLAGRÁN. 1988. Effects of aridity on plant diversity in the northern Chile Andes: results of a natural experiment. *Annals of the Missouri Botanical Garden* 75: 55-78.
- ARROYO, M.T.K., J.J. ARMESTO, F.A. SQUEO and J. GUTIÉRREZ. 1993. Global change: The flora and vegetation of Chile. In: H.A. MOONEY,E.R. FUENTES and B.I. KRONBERG. (Eds.) *Earth System Response to Global Change: Contrasts between North and South America*, Academic Press, San Diego, California, pp. 239-263 .

- AXELROD, D. I., M.T.K. ARROYO and P. RAVEN. 1991. Historical development of temperate vegetation in the Americas. *Revista Chilena de Historia Natural* 64: 413-446.
- BELMONTE, E., L. CARDEMIL and M.T.K. ARROYO. 1994. Floral nectary structure and nectar composition in *Eccremocarpus scaber* (Bignoniaceae), a hummingbird-pollinated plant of central Chile. *American Journal of Botany* 81(4): 493-503.
- BENOIT, I. L. 1989. *Libro Rojo de la Flora Terrestre de Chile*. CONAF, Chile.
- BREMER, K. and M.H.G. GUSTAFFSON. 1997. East Gondwanaland ancestry of the sunflower alliance of families. *Proceedings of the National Academy of Sciences* 94: 9188-9190.
- BUSTAMANTE, R. O. and C. CASTOR. 1999. The decline of an endangered temperate ecosystem: The ruil (*Nothofagus alessandrii*) forest in central Chile. *Biodiversity and Conservation*: in press.
- COFRE, H. and P.A. MARQUET. 1999. Conservation status, rarity, and geographic priorities for conservation of Chilean mammals: an assessment. *Biological Conservation*: in press.
- CONAF-CONAMA-BIRF. 1997. *Catastro y Evaluación de los Recursos Vegetacionales Nativos de Chile. Informe Nacional con Variables Ambientales*. Santiago, Chile. 78 pp.
- CONTRERAS, L. C. and J.L. YÁÑEZ. 1995. In: J.A. SIMONETTI, M.T.K. ARROYO, A.E. SPOTORNO and E. LOZADA. (eds). *Diversidad Biológica de Chile*. CONICYT, Santiago, Chile, pp.336-350.
- DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 3. The Americas. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.
- DI CASTRI, F. 1990. An ecological overview of the five regions of the world with mediterranean climate. In: R.H. GROVES and F. DI CASTRI. (Eds) 1990. *Biogeography of Mediterranean Invasions*. Cambridge University Press, Cambridge, U.K. pp.3-15.
- DI CASTRI, F. and E.R. HAJEK. 1976. *Bioclimatología de Chile*. Dirección de Investigación, Vicerrectoría Académica, Universidad Católica de Chile, Santiago, Chile.
- DINERSTEIN, E., D.M. OLSON, D.J. GRAHAM, A.L. WEBSTER, S.A. PRIMM, M.P. BOOKBINDER and G. LEDEC. 1995. *A Conservation Assessment of the Terrestrial Ecosystems of Latin America and the Caribbean*. The World Bank, Washington D.C.
- DONOSO, C. and A. LARA. 1996. Utilización de los bosques nativos en Chile: pasado, presente y futuro. In: J.J. ARMESTO, C. VILLAGRÁN and M.T.K. ARROYO. (Eds). *Ecología de los Bosques Nativos de Chile*. Editorial Universitaria, Santiago, Chile, pp. 363-387.
- FORMAS, R. J. 1995. Anfibios. In: J.A. SIMONETTI, M.T.K. ARROYO, A.E. SPOTORNO and E. LOZADA. (Eds). *Diversidad Biológica de Chile*. CONICYT, Santiago, Chile, pp: 314-325.

- FUENTES, E. R., R. AVILES and A. SEGURO. 1990. The natural vegetation of a heavily man-transformed landscape: the savanna of central Chile. *Interciencia* 15:293-295.
- FUENTES, E. R. and F.M. JAKSIC. 1979. Lizards and rodents. an explanation for their relative species diversity in Chile. *Archivos de Biología y Medicina Experimental (Chile)* 12: 179-190.
- FUENTES, E. R., F.M. JAKSIC and J.A. SIMONETTI. 1983. European rabbits versus native rodents in Central Chile: effects on shrub seedlings. *Oecologia* 58: 411- 414.
- FUENTES, E. R., A. J. HOFFMANN, A. POIANI and M.C. ALLIANCE. 1986. Vegetation change in large clearings: patterns in the Chilena matorral. *Oecologia* 68: 358-366.
- FUENTES, E. R., R.D. OTAIZA, M.C. ALLIENDE, A.J. HOFFMANN and A. POIANI. 1984. Shrub clumps of the Chilean matorral vegetation: structure and possible maintenance mechanisms. *Oecologia* 42: 405-411.
- GAJARDO, R. 1995. *The Vegetación Natural de Chile. Clasificación y Distribución Geográfica*. 2nd Edition. Editorial Universitaria, Santiago, Chile.
- GLADE, A. 1993. *Libro Rojo de los Vertebrados Terrestres de Chile*. CONAF, Santiago, Chile.
- GREZ, A.A., R.O. BUSTAMANTE, J.A. SIMONETTI and L. FAHRIG. 1997. Landscape ecology, deforestation, and forest fragmentation: the case of the ruil forest. In : E. SALINAS- CAHEZ and J. MIDDLETON. (Eds.). *Landscape Ecology as a Tool for Sustainable Development in Latin America*. <http://www.brocku.ca/epi/lebk/grez.html>
- GUTIÉRREZ, J.R. and J. J. ARMESTO. 1981. El rol del ganado en la dispersión de las semillas de *Acacia caven* (Leguminosae). *Ciencia e Investigaciones Agrarias* 8: 3-8.
- HOFFMANN, A. J. and J. J. ARMESTO. 1995. Modes of seed dispersal in the mediterranean regions in Chile, California, and Australia. In: M.T.K. ARROYO, P.H. ZEDLER and M.D. FOX. (eds.), *Ecology and Biogeography of Mediterranean Ecosystems in Chile, California, and Australia*. Springer-Verlag, New York, pp. 289-310.
- HOFFMANN, A., M.T.K. ARROYO, F. LIBERONA, M. MUÑOZ and J. WATSON. 1998. *Plantas Altoandinas en la Flora Silvestre de Chile*. Ediciones Fundación Claudio Gay, Santiago, Chile.
- HUNT, J.H. 1973. *Comparative ecology of ant communities in Mediterranean regions of California and Chile*. PhD. dissertation, University of California, Berkeley.
- INFOR 1997. "Estadísticas Forestales 1996". Boletín Estadístico No 50. INFOR-CORFO, Santiago, Chile.
- IRIARTE, J. A., P. FEISINGER and F.M. JAKSIC. 1997. Trends in wildlife use and trade in Chile. *Biological Conservation* 81: 9-20.
- JAKSIC, F.M. 1997. *Ecología de los Vertebrados de Chile*. Ediciones Universidad Católica de Chile, Colección Textos Universitarios, Santiago, Chile, 262 pp.

- JAKSIC, F. M. and P. FEISINGER. 1991. Bird assemblages in temperate forests of North and South America: a comparison of diversity, dynamics, guild structure, and resource use. *Revista Chilena de Historia Natural* 64: 491-510.
- JAKSIC, F.M. and E.R. FUENTES. 1991. Ecology of a successful invader: the European rabbit in central Chile. In: R.H. GROVES and F. DI CASTRI. (Eds.) *Biogeography of mediterranean invasions*. Cambridge University Press, Cambridge, U.K. pp. 273-283.
- LAMBOROT, M. 1993. Chromosomal evolution and speciation in some Chilean lizards. *Evolución Biológica* 7: 133-151.
- LAMBOROT, M. 1998. A new derived and highly polymorphic chromosomal race of *Liolaemus monticola* (Iguanidae) from the “Norte Chico” of Chile. *Chromosome Research* 6: 1-8.
- LAMBOROT, M. and L. EATON. 1997. The Maipo river as a biogeographical barrier to *Liolaemus monticola* (Tropiduridae) in the mountain ranges of central Chile. *Journal of Zoological Systematic Evolution Research* 35: 105-111.
- LARA, A., C. DONOSO and J.C. ARAVENA. 1996. La conservación del bosque nativo en Chile: problemas y desafíos. In: J.J. ARMESTO, C. VILLAGRÁN and M.T.K. ARROYO. (Eds). *Ecología de los Bosques Nativos de Chile*. Editorial Universitaria, Santiago, Chile, pp. 335-362
- MATTHEI, O. 1995. *Manual de las Malezas que crecen en Chile*. Alfabeta Impresores, Santiago, Chile.
- MELLA, J. E. 1994. *Áreas silvestres protegidas y la conservación de los mamíferos terrestres chilenos*. Msc. thesis, Universidad de Chile, Santiago, Chile.
- MILLER, S. 1980. *Human influences on the distribution and abundance of wild Chilean mammals: prehistoric-present*. PhD dissertation, University of Washington, Seattle, Washington.
- MITTERMEIER, R. A., N. MYERS., J.B. THOMSEN., G.A. da FONSECA and S. OLIVIERI. 1998. Biodiversity hotspots and major tropical wilderness areas: approaches to setting conservation priorities. *Conservation Biology* 12: 516-520.
- MUÑOZ, S., M.H. NÚÑEZ and J. YAÑEZ. (Eds.). 1996. *Libro Rojo de los Sitios Prioritarios para la Conservación de la Diversidad Biológica*. Corporación Nacional Forestal, Santiago, Chile.
- MURÚA, R. 1996. Comunidades de mamíferos del bosque templado de Chile. In: J.J. ARMESTO, C. VILLAGRÁN and M.T.K. ARROYO. (Eds). *Ecología de los Bosques Nativos de Chile*. Editorial Universitaria, Santiago, pp. 113-133.
- NOWAK, R. and J. PARADISO. 1983. *Walker's Mammals of the World*, Volume II (4th edition), Johns Hopkins University Press, Baltimore, Maryland
- NÚÑEZ, H. and F. JAKSIC. 1992. Lista comentada de los reptiles terrestres de Chile continental. *Boletín del Museo Nacional de Historia Natural (Chile)* 43: 63-91.

- PEÑA, L. E. and A.J. UGARTE. 1996. *Las mariposas de Chile. The butterflies of Chile.* Editorial Universitaria, Santiago, Chile.
- RAVEN, P. H. 1963. Amphitropical relationships in the floras of North and South America. *Quaternary Review Biology* 38: 151-177.
- REDFORD, K., H. and J.F. EISENBERG. 1992. *Mammals of the Neotropics. Volume 2: The Southern Cone. Chile, Argentina, Uruguay, Paraguay.* University of Chicago Press, Chicago, Illinois.
- RUNDEL, P. W., M.O. DILLON, B. PALMA, H.A. MOONEY, S.L. GULMON and J.R. EHLERINGER. 1991. The phytogeography and ecology of the coastal Atacama and Peruvian Deserts. *Aliso* 13: 1-49.
- SÁNCHEZ, A. and R. MORALES. 1993. *Las Regiones de Chile; Espacio Físico y Humano-Económico.* Editorial Universitaria, Santiago. 278 pp.
- SCHULTES, R. E. and M. J. N. VON THENEN DE JARAMILLO-ARANGO. 1998. *The Journals of Hipólito Ruiz. Spanish Botanist in Peru and Chile 1777-1788.* Timber Press, Portland, Oregon.
- SCHMITHÜSEN, J. 1956. Die raumliche Ordung der Chilenischen Vegetation. *Bonn. Geogr. Abh.* 17:1-86.
- SIMONETTI, J.A. 1994a. Impoverishment and nestedness in caviomorph assemblages. *Journal of Mammalogy* 75: 979-984.
- SIMONETTI, J.A. 1994b. Threatened biodiversity as an environmental problem in Chile. *Revista Chilena de Historia Natural* 67: 315-319.
- SIMONETTI, J.A. 1997. Biodiversity and taxonomy of Chilean taxonomists. *Biodiversity and Conservation* 6: 633-637.
- SIMONETTI, J.A. 1999. Diversity and conservation of terrestrial vertebrates in mediterranean Chile. *Revista Chilena de Historia Natural*: Submitted.
- SIMONETTI, J.A., M.T.K. ARROYO., A.E. SPOTORNO and E. LOZADA. (Eds). 1995. *Diversidad Biológica de Chile.* CONICYT, Santiago, Chile.
- SIMONETTI, J.A. and J.E. MELLA. 1997. Park size and the conservation of the Chilean mammals. *Revista Chilena de Historia Natural* 70: 213-220.
- SIMONETTI, J.A. and B. SAAVEDRA. 1998. Holocene variation in the small mammal fauna of central fauna. *Zeitschrift für Säugertierkunde* 63: 58-62.
- STATTERSFIELD, A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation.* Birdlife Conservation Series 7. BirdLife International, Cambridge, U.K.

- THROWER, N. J. W. and D.E. BRADBURY. 1973. The phytogeography of the Mediterranean lands with special emphasis on California and Chile. In: F. DI CASTRI and H.A. MOONEY. (Eds.) *Mediterranean Type Ecosystems; Origin and Structure*. Springer-Verlag, Berlin, Germany, pp. 37-52.
- VALENCIA, J. and A. VELOSO. 1979. Zoogeografía de los saurios de Chile, proposiciones para un esquema ecológico de distribución. *Medio Ambiente* 5 (1-2): 5-14.
- VEBLEN, T. T. 1983. Degradation of native forests resources in southern Chile. In: H.K. STEEN. (Ed.). *History of Sustainable-yield forestry: A Symposium*, Forest History Society, Durhan, North Carolina, pp. 344-352.
- VELOSO, A. and J. NAVARRO. 1988. Lista sistemática y distribución geográfica de anfibios y reptiles de Chile. *Bollettino del Museo Regionale di Scienze Naturali - Torino* 6: 481-539.
- VELOSO, A., J.C. ORTIZ, J. NAVARRO, H. NUÑEZ, P. ESPEJO and M.A. LABRA. 1995. In: J.A. SIMONETTI, M.T.K. ARROYO, A. SPOTORNO and E. LOZADA. (Eds). *Diversidad Biológica de Chile*. CONICYT, Santiago, Chile, pp.326-335.
- WILSON, D.E. and D.M. REEDER. (Eds.). 1994. *Mammal species of the World: a taxonomic and geographic reference*. Smithsonian Institute Press, Washington, DC.
- VILLAGRÁN, C. and J. J. ARMESTO. 1980. Relaciones florísticas entre las comunidades relictuales del Norte Chico y la Zona Central con el bosque del sur de Chile. *Boletín Museo Nacional de Historia Natural, Chile*, 37: 87-101.
- VILLAGRÁN, C. 1991. Historia de los bosques templados del sur de Chile durante el Tardiglacial y Postglacial. *Revista Chilena de Historia Natural* 64: 447-460.
- VILLAGRÁN, C. 1994. Quaternary history of the Mediterranean vegetation of Chile. In: M.T.K. ARROYO, P. ZEDLER, and M. D. FOX. (Eds). 1994. *Ecology and Biogeography of Mediterranean Ecosystem in Chile, California and Australia*. Springer Verlag, New York, pp.3-20.
- VILLAGRÁN C. and L.F. HINOJOSA. 1997. Historia de los bosques del sur de Sudamérica, II: Análisis fitogeográfico. *Revista Chilena de Historia Natural* 70: 241-267.
- WHITEHEAD, G. K. 1993. *The Whitehead Encyclopedia of Deer*. Swan Hill Press, Shrewsbury, U.K.
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.
- ZEINER, D. C., W.F. LANDENSLAYER, Jr., and K.E. MAYER. (Eds.) 1988. *California's Wildlife. Volume I: Amphibians and Reptiles*. California Statewide Wildlife Habitat Relationships System, Departament of Fish and Game, Sacramento, California.

## Chocó/Darién/Western Ecuador

- ALBUJA, V.L. 1991. Lista de vertebrados del Ecuador: Mamíferos. *Politécnica* 16(3) (Ser. Biol.3):163-203.
- BEST, B. J. and M. KESSLER. 1995. Biodiversity and conservation in Tumbesian Ecuador and Peru. BirdLife International Cambridge, U.K
- COLLAR, N.J., M.J. CROSBY, and A.J. STATTERSFIELD. 1994. *Birds to Watch 2: The World List of Threatened Birds*. Birdlife Life Conservation Series No. 4. BirdLife International, Cambridge, U.K.
- CORREA A., R.B. FOSTER, and C. GALDAMES. 1998. *Lista Borrador: Flora de Panamá*. Smithsonian Tropical Research Institute, Balboa, R.de Panamá. Unpublished Checklist.
- COUSTEAU, J. and P. DIOLÉ. 1973. *Three Adventures: Galapagos, Titicaca, The Blue Holes*. Doubleday, New York.
- DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 3. The Americas. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.
- DINERSTEIN, E., D.M. OLSON, D.J. GRAHAM, A.L. WEBSTER, S.A. PRIMM, M.P. BOOKBINDER and G. LEDEC. 1995. *A Conservation Assessment of Latin America and the Caribbean*. The World Bank/The World Wildlife Fund, Washington, D.C.
- DODSON, C.H. and A.H. GENTRY. 1991. Biological extinction in Western Ecuador. *Annals Missouri Botanical Garden* 78:273-295.
- GASTON, K. J. and T. M. BLACKBURN. 1996. The tropics as a museum for biological diversity: an analysis of the New World avifauna. *Philosophical Transactions of the Royal Society of London B* 263: 63-68.
- GENTRY, A.H. 1977. Endangered plant species and habitats of Ecuador and Amazonian Peru. Pp. 136-149. In: G.T. PRANCE and T.S. ELIAS (Eds.), *Extinction is Forever*. New York Botanical Garden, New York.
- GENTRY, A.H. 1979. Extinction and conservation of plant species in tropical America: a phytogeographical perspective. In: I. HEDBERG (Ed.), *Systematic Botany, Plant Utilization, and Biosphere Conservation*. Almqvist & Wiksell, Stockholm, pp. 100-126.
- GENTRY, A.H. 1990. La Región del Chocó. In: C.C. URIBE, et al. *Selva Húmeda de Colombia*. Villegas, Bogotá, Colombia.
- GENTRY, A.H. 1993. Riqueza de especies y composición florística. In: LEYVA-F., P. (Ed.) *Colombia Pacífico*, Vol. 1. Fondo Protección del Medio Ambiente José Celestino Mutis, Publicaciones Federación Eléctrica Nacional (FEN), Santafé de Bogotá, Colombia, pp. 200-219.

- HENDERSON, A., Steven P, et al. 1991. Neotropical plant diversity. *Nature* 351: : 21-22.
- JACKSON, M.H. 1993. *Galápagos: A Natural History*. University of Calgary Press, Alberta, Canada.
- LANGENDOEN, D. and A.H. GENTRY. 1991. The Structure and diversity of rain forests at Bajo Calima, Chocó region, western Colombia. *Biotropica* 23: 2-11.
- MacFARLAND, C.G., J. VILLA and B. TORO. 1974. The Galápagos giant tortoises (*Geochelone elephantopus*). Part 1: status of surviving populations. *Biol. Conserv.* (2):118-133.
- MAST, R.B., J.V. RODRÍGUEZ, and R.A. MITTERMEIER. 1993. *The Colombian Cotton-Top Tamarin in the Wild*. In: N. K. CLAPP (Ed.), A Primate Model for the Study of Colitis and Colonic Carcinoma: The Cotton-Top Tamarin, *Saguinus oedipus*. CRC Press, Boca Raton, Florida, pp. 3-43.
- MAST R.B. Trip to Western Ecuador Nov.14-26, 1997. Unpublished Conservation International Travel Report, Roderic B. Mast, Conservation International, Washington D.C.
- MAST, R.B., J.V. RODRÍGUEZ-MAHECHA, R.A. MITTERMEIER and C. G. MITTERMEIER. 1997. Colombia In: R. A. MITTERMEIER, P. ROBLES GIL and C. G. MITTERMEIER (Eds.). *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 108-127.
- MAST, R.B., C. G. MITTERMEIER, R.A. MITTERMEIER, J.V. RODRÍGUEZ-MAHECHA and A.H. HEMPHILL. 1997. Ecuador. In: R. A. MITTERMEIER, P. ROBLES GIL and C. G. MITTERMEIER (Eds.). *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 314-324.
- MITTERMEIER, R.A., MAST, R.B., C.P. del PRADO and C. G. MITTERMEIER. 1997. Peru. In: R. A. MITTERMEIER, P. ROBLES GIL and C. G. MITTERMEIER (Eds.). *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 282-297.
- MCNEELY, J.A., K.R. MILLER, W.V. REID, R.A. MITTERMEIER, and T.B. WERNER. 1990. Conserving the World's Biological Diversity. IUCN/World Conservation Union, Gland, Switzerland; World Resources Institute, Washington D.C. and Conservation International, Washington D.C. WWF-US, and the World Bank, Washington, D.C.
- MYERS, N. 1988. Threatened biotas: Hotspots in tropical forests. *The Environmentalist* 8:118-208.
- MYERS, N. 1990. The biodiversity challenge: expanded hot-spots analysis. *The Environmentalist*, 10 (4): 243-256.
- ORTIZ CRESPO, F., P.J. GREENFIELD and J.C. MATHEUS. 1990. *Aves del Ecuador*. Feprotur, Quito, Ecuador.

- PARKER, T.A., III, and J.L. CARR. (Eds.). 1992. *Status of forest remnants in the Cordillera de la Costa and adjacent areas of southwestern Ecuador*. Conservation International, RAP Working Papers 2.
- PRITCHARD, P.C.H. 1996. The Galápagos Tortoises: Nomenclatural and Survival Status. *Chelonian Research Monographs*, Number 1, Chelonian Research Foundation, Lunenburg, Massachusetts.
- SIERRA, R. 1996. *La deforestación en el norte del Ecuador. 1983-1993*. EcoCiencia, Quito, Ecuador.
- SHOEMAKER, V.H. and K.A. NAGY. 1984. Osmo-regulation in the Galápagos marine iguana. *Physiol. Zoology* 57:291-300.
- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. Endemic Bird Areas of the World: Priorities for Biodiversity Conservation. Birdlife International, Cambridge, U.K.
- STOTZ, D.F., J.W. FITZPATRICK, T.A. PARKER, III., and D.K. MOSKOVITS. 1996. *Neotropical Birds: Ecology and Conservation*. The University of Chicago Press, Ltd., London, U.K.
- THORNTON, I. 1971. *Darwin's Islands: A Natural History of the Galápagos*. Garden City, N.Y., Natural History Press, New York.
- WUST, W.H. 1996. Propuesta de Áreas Protegidas para Aves. In: L.O. RODRÍGUEZ (Ed.), *Diversidad Biológica del Perú: Zonas Prioritarias para su Conservación*. Proyecto Fanpe GTZ-INRENA, Lima, pp 65-70.
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.

### **Eastern Arc and Coastal Forests of Tanzania/Kenya**

- BAATVIK, S. T. 1993. The genus *Saintpaulia*: 100 years of history, taxonomy, ecology, distribution and conservation. *Fragm. Flos. Geobot. Suppl.* 2 (1): 97-112.
- BURGESS, N.D. and G. P. CLARKE (Eds.), in press. *The Coastal Forests of Eastern Africa*. IUCN Forest Conservation Programme, Gland, Switzerland and Cambridge, U.K.
- BURGESS, N. D., J. FJELDSAÅ and R. BOTTERWEG (in press). Fauna of the Eastern Arc Mountains. In: Proceedings of the Eastern Arc Conference 1-5th December 1997, Morogoro, Tanzania. *Journal of the East African Natural History Society*.
- BURGESS, N.D., G.P. CLARKE and W.A. RODGERS. 1998. Coastal forests of eastern Africa: status, endemism patterns and their potential causes. *Biological Journal of the Linnean Society* 64: 337-367.
- FJELDSA, J. and J. RABOL. 1995. Variation in avian communities between isolated units of the Eastern Arc montane forests, Tanzania. *Le Gerfaut* 85: 3-18.

GROOMBRIDGE, B. (Ed.) 1994. *Biodiversity Data Sourcebook*. Compiled by the World Conservation Monitoring Centre, IUCN-The World Conservation Union, United Nations Environment Programme, World Wide Fund for Nature. World Conservation Press, Cambridge, U.K.

DAVIS, S. C., V.H. HEYWOOD and A.C. HAMILTON (Eds.). 1994. *Centres of Plant Diversity: A Guide and strategy for their Conservation* (Vol. 1: Europe, Africa, Southwest Asia and the Middle East.) World Wildlife Fund for Nature and IUCN-The World Conservation Union, Gland, Switzerland.

DINESEN, L., T. LEHMBERG, J. O. SVENDSEN, M.C. RAHNER and J. FJELDSÅ. (unpublished) *Biological Priorities in the Forests of the Udzungwa Mountains, Tanzania Using Primates, Duikers and Birds*.

HAMILTON, A.C. 1989. African Forests. In: H. LIETH and M.J.A. WERGER (Eds.), *Tropical Rain Forest Ecosystems*. Elsevier Publishers, Amsterdam, Netherlands.

HOWELL, K.M. 1993. Herpetofauna of the eastern African forests. In: LOVETT, J.C., S.K. WASSER (Eds.), *Biogeography and Ecology of the Rain Forests of Eastern Africa*. Cambridge University Press, Cambridge, Pp. 173-201.

ICBP. 1992. *Putting Biodiversity on the Map: priority areas for global conservation*. ICBP. Cambridge, U.K.

IVERSEN, S.T. 1991. The Usumbara Mountains, Northeastern Tanzania: Phytogeography of the Vascular Plant Flora. *Symbolae Botanicae Upsaliensis* 24: 1-23.

KINGDON, J. 1997. The Kingdon Field Guide to African Mammals. Academic Press, London, U.K.

KINGDON, J. and K.M. HOWELL. 1993. Mammals of the forests of eastern Africa. In: LOVETT, J.C., S.K. WASSER (Eds.), *Biogeography and Ecology of the Rain Forests of Eastern Africa*. Cambridge University Press, Cambridge, U.K., pp. 229-243.

LOVETT, J. C. 1988a. Endemism and Affinities of the Tanzanian Montane Forest Flora. In: P. GOLDBLATT and P.P. LOWRY (Eds.), *Monographs in Systematic Botany. Missouri Botanical Garden*: 25 591-598.

LOVETT, J.C. 1988b. Practical aspects of moist forest conservation in Tanzania. In: P. GOLDBLATT and P.P. LOWRY (Eds.). *Monographs in Systematic Botany. Missouri Botanical Garden*. 25: 491-496.

LOVETT, J. C. 1996. African Violets and the Incredible Journey. *African Violet Magazine* March/April 1996: 28-31.

LOVETT, J. C. and S.K. WASSER (Eds.). 1993. *Biogeography and Ecology of the Rain Forests of Eastern Africa*. Cambridge University Press, New York.

OATES, J. 1996. *African Primates. Status Survey and Conservation Action Plan*. Revised Edition. IUCN, Gland, Switzerland.

POLHILL, R.M. 1988. East Africa (Kenya, Tanzania, Uganda). In: D.G. CAMPBELL and D. HAMMOND (Eds.) *Floristic Inventory of Tropical Countries*, New York Botanical Garden, New York, pp. 218-231

- POMEROY, D. 1993. Centers of high biodiversity in Africa. *Conservation Biology* 7: 901-907.
- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. Endemic Bird Areas of the World: Priorities for Biodiversity Conservation. BirdLife International, Cambridge, U.K.
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C

### **Indo-Burma**

- ASHTON, P. S. and M. JINSHUANG. 1998. *Indo-Burma: A review of flowering plant and gymnosperm richness and endemism*. Unpublished manuscript.
- AUBREVILLE, A (gen. ed., 1960-1992). *Flore de Cambodge, du Laos et du Vietnam*. Muséum National d'Histoire Naturelle, Paris, France.
- CAMPBELL, D. and H. D. HAMMOND (Eds.). 1989. *Floristic History of Tropical Countries: the status of Plant Systematics, Collections and Vegetation, plus Recommendations for the Future*. New York Botanical Garden, New York.
- CHAMPION, H.G. 1935. A preliminary survey of the forest types of India and Burma. *Indian Forest Records, n.s., Silviculture*, Vol. 1 (1): 1-286.
- CHAPE, S. 1996. *Biodiversity Conservation, Protected Areas and the Development Imperative in Lao PDR: Forging the Links*. IUCN-The World Conservation Union, Vientiane, Lao PDR.
- CORBET, G.B. and J.E. HILL. 1992. *The mammals of the Indo-Malayan Region: A Systematic Review*. Oxford University Press, Oxford, U.K.
- CRAIB, J. 1925-1962. *Flora Siamensis Enumeratio: a list of the plants known from Siam, with records of their occurrence*. 3 volumes. Bangkok Times Press, Bangkok, Thailand.
- DAVIS, S.D., V.H. HEYWOOD and A.C. HAMILTON (Eds.). 1995. *Centres of Plant Diversity: a Guide and Strategy for their Conservation* (Vol. 2: Asia, Australasia and the Pacific). World Wide Fund for Nature and IUCN - The World Conservation Union, Gland, Switzerland.
- DESAI, A.A., L. VUTHY. 1996. *Status and Distribution of Large Mammals in Eastern Cambodia: Results of the first foot surveys in Mondulkiri and Rattanakiri Provinces*. IUCN/FFI/WWF Large Mammal Conservation Project, Phnom Penh, Cambodia.
- FOREST DEPARTMENT, MINISTRY OF AGRICULTURE AND FORESTS, UNION OF MYANMAR. 1990. *Wildlife Conservation in Myanmar*. Forest Department, Ministry of Agriculture and Forests, Yangon. Myanmar.
- GRAY, D., C. PIPRELL and M. GRAHAM. 1994. (2nd edition). *National Parks of Thailand*. Industrial Finance Corp. Ltd., Bangkok, Thailand.

- HOOKER, J.D. 1874. *Flora of British India*. 2 volumes. Superintendent of Government Printing, Calcutta. India.
- ISRAEL, S. and T. SINCLAIR (Eds.). 1988. *Indian Wildlife*. APA Publications, Singapore.
- KING, B.F., M.W. WOODCOCK and E.C. DICKINSON. 1975. *A Field Guide to the Birds of South-East Asia*. Collins Publ., London, U.K.
- KOTTELAT, M. 1989. Zoogeography of fishes from Indochinese inland waters, with an annotated check-list. *Bulletin Zoologisch Museum Universiteit van Amsterdam*. Vol. 12 (1):1-55.
- LECOMTE, M.H. (gen. ed.). 1907-1951. *Flore Générale de l'Indo-Chine*. 7 volumes, supplements. Masson, Paris, France.
- LEKAGUL, B., and P.D. ROUND. 1991. *A Guide to the Birds of Thailand*. Saha Karn Bhaet Co., Bangkok, Thailand.
- MACKINNON, J., M. SHA, C. CHEUNG, G. CAREY, X. ZHU and D. MELVILLE. 1996. *A Biodiversity Review of China*. WWF International, Hong Kong.
- MOLNAR, P. and P. TAPPONIER. 1975. Cenozoic Tectonics of Asia: Effects of a Continental Collision. *Science*, Vol. 189 (4201): 419-426.
- SMITINAND, T. and K. LARSEN (Eds.). 1970. *Flora of Thailand*. 6 volumes. Applied Research Corporation, Bangkok, later Forest Herbarium, Royal Forest Department, Bangkok, Thailand.
- SOLHEIM, W.G., II. 1972. An earlier agricultural revolution. *Scientific American*. 266 (4): 34-41.
- STAMP, L.D. 1925. *The Vegetation of Burma from an Ecological Standpoint*. Thacker, Spink & Co., Calcutta, India.
- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE. 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. Birdlife International, Cambridge, U.K.
- VIDAL, J. 1958. *Le Végétation du Laos*. 2 volumes. Masson, Paris, France.
- WHITMORE, T.C. 1984. *Tropical Rain Forests of the Far East*. Clarendon, Oxford, U.K.

## Madagascar

- DAY, D. 1989. *Vanished Species*. Gallery Books, New York.
- DAVIS, S. C., V.H. HEYWOOD and A.C. HAMILTON (Eds.). *Centres of Plant Diversity: A Guide and strategy for their Conservation* (Vol. 1: Europe, Africa, Southwest Asia and the Middle East.) World Wildlife Fund for Nature and IUCN-The World Conservation Union, Gland, Switzerland.
- GLAW, F. and M. VENICES 1994. *A Fieldguide to the Amphibians and Reptiles of Madagascar*. 2nd. ed., Zoologisches Forschungsinstitut und Museum Alexander Koenig, Bonn, Germany.
- GROOMBRIDGE, B. (Ed.) 1994. *Biodiversity Data Sourcebook*. Compiled by the World Conservation Monitoring Centre, IUCN-The World Conservation Union, United Nations Environment Programme, World Wide Fund for Nature. World Conservation Press, Cambridge, U.K.
- IUCN. 1996. *1996 IUCN Red List of Threatened Animals*. J. BAILLIE and B. GROOMBRIDGE (Eds.), IUCN-The World Conservation Union/Species Survival Commission, Gland, Switzerland.
- JOLLY, A., R. ALBIGNAC and J.-J. PETTER. 1984. The lemurs. In: A. JOLLY, P. OBERLÉ and R. ALBIGNAC (Eds.). *Key Environments: Madagascar*. Pergamon Press, Oxford, U.K.
- JONES, C. and J. HARTLEY. 1995. A conservation project on Mauritius and Rodrigues: an overview and bibliography. *The Dodo* 31: 40-65.
- KREMEN, C. 1994. Biological inventory using target taxa: a case study of the butterflies of Madagascar. *Ecological Applications* 4: (3) 407-422.
- MEIER, B. and Y. RUMPLER. 1987. Preliminary survey of *Hapalemur simus* and of a new species of *Hapalemur* in eastern Betsileo, Madagascar. *Primate Conservation* 8:40-43.
- MITTERMEIER, R.A., I. TATTERSALL, W.R. KONSTANT, D.M. MEYERS and R.B. MAST. 1994. *Lemurs of Madagascar*. Conservation International Tropical Field Guide Series. Conservation International, Washington, D.C.
- MITTERMEIER, R.A. and C.G. MITTERMEIER 1997. Madagascar. In: .R. A. MITTERMEIER, P. ROBLES GIL and C.G. MITTERMEIER (Eds.), *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico.
- MYERS, N. 1988. Threatened biotas: Hotspots in tropical forests. *The Environmentalist* 8:118-208.
- PEARSON, D.L. and F. CASSOLA. 1992. World-wide species richness patterns of tiger beetles (Coleoptera: Cicindelidae): Indicator taxon for biodiversity and conservation studies. *Conservation Biology* 6:376-391.
- ROBERTSON, S. A. 1989. *Flowering Plants of Seychelles*. Royal Botanic Gardens, Kew, U.K.
- SIMONS, E.L. 1988. A new species of *Propithecus* (Primates) from northeast Madagascar. *Folia Primatologica* 50: 143-151.
- STATTERSFIELD, A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the*

*World: Priorities for Biodiversity Conservation.* Birdlife Conservation Series 7. BirdLife International, Cambridge, U.K.

STRAHM, W. 1993. The conservation and restoration of the flora of Mauritius and Rodrigues. Ph.D. thesis. Reading University, U.K.

- STRAHM, W. 1994. Regional overview: Indian Ocean islands. In: S. C. DAVID, V.H. HEYWOOD and A.C. HAMILTON (Eds.). *Centres of Plant Diversity: A Guide and strategy for their Conservation* (Vol. 1: Europe, Africa, Southwest Asia and the Middle East.) World Wildlife Fund for Nature and IUCN-The World Conservation Union, Gland, Switzerland, pp. 265-279.
- SUSSMAN, R.W. and A. RAKOTOZAFY. 1994. Plant diversity and structural analysis of a tropical dry forest in southwestern Madagascar. *Biotropica* 26: 241-254.
- SWINGLAND, I. R. 1989. *Geochelone gigantea*, Aldabran giant tortoise. In: I. SWINGLAND and M. W. KLEMENS (Eds.). *The Conservation Biology of Tortoises. Occasional Papers of the IUCN Species Survival Commission*. No. 5, IUCN - The World Conservation Union, Gland, Switzerland, pp. 105-110.
- VOELTZKOW, A. 1917. Flora und Fauna der Comoren Reisen in Ostafrika in den Jahren. *Wissent. Ergeb.* 3 (5): 429-480.

## Mediterranean Basin

- ARROYO, M.T.K., M. FOX and P. ZEDLE (Eds). 1994. *Ecology and Biogeography of Mediterranean Ecosystems in Chile, California and Australia*. Springer-Verlag, New York.
- BARBERO, M. and P. QUÉZEL. 1995. Desertification, Desertization, Aridification in the Mediterranean Region. In: D. BELLAN, G. BONIN and C. EMIG (Eds.) *Functioning and Dynamics of Natural and Perturbed Ecosystems*. Lavoisier Intercept Ltd., Paris, France, pp. 549-569.
- BATISSE, M. 1996. Biosphere Reserves and regional Planning: A Perspective Vision. *Nature and Resources* 32: 20-30.
- BATISSE, M. 1997. Biosphere Reserves: A Challenge for Biodiversity Conservation and Regional Development. *Environment* 39 (5): 7-15, 31-33.
- BENBLIDEA, M., J. MARGAT AND D. VALLE. 1997. *Blue Plan for the Mediterranean Regional Activity Centre*, Valbonne, France.
- BLONDEL, J. & J. ARONSON. 1995. Biodiversity and ecosystem function in the Mediterranean Basin. In: G.W. DAVIS and D.M. RICHARDSON (Eds). *Mediterranean-Type ecosystems. The function of biodiversity*. Springer-Verlag, Berlin, pp. 43-120.
- BRANDT, C.J. and J.B. THORNES (Eds.). 1996. Mediterranean Desertification and Land Use. Wiley, Chichester, U.K.
- BRAMWELL, D. 1990. Conserving Biodiversity in the Canary Islands. *Annals of The Missouri Botanical Garden* 77: 28-37.
- COWLING, R.M., P.W. RUNDEL, B.B. LAMONT, M.K. ARROYO and M. ARIANOUTSOU. 1996. Plant diversity in Mediterranean-climate regions. *Trends in Ecology and Evolution*. 11: 362-66.
- COWAN, I. and C.W. HOLLOWAY. 1978. Geographical location and current conservation status of the threatened deer of the world. In: IUCN. *Threatened Deer*, International union for the Conservation of Nature and Natural Resources, Morges, Switzerland, pp. 11-12.
- CHEYLAN, M. & F. POITEVIN. 1993. Conservation of reptiles, frogs and toads. In: X. MONBAILIU (Ed.). *Environmental management of Mediterranean islands and coasts*. Medmaravis, Saint Maximum.
- DAFNI, A. & C.O'TOOLE. 1994. Pollination syndromes in the Mediterranean: generalizations and peculiarities.  
In: M. ARIANOUTSOU and R.H. GROVES (Eds). *Plant-animal interactions in Mediterranean-Type ecosystems*. Kluwer Academic Publishers, pp 125-135.
- DAVIS, G.W. and D.M. RICHARDSON, (Eds.) 1993. *Mediterranean-Type Ecosystems: The Function of Biodiversity*. Springer-Verlag, New York.
- DE MONTMOLLION, B. 1996. Conservation of Mediterranean Island Plants, I: *Strategy for Action*. IUCN Publications, Cambridge, U.K.
- DELL, B., A.J.M. HOPKINS and B.B. LAMONT (Eds.) 1986. *Resilience in Mediterranean-Type Ecosystems*.

W. Junk Publishers, Dordrecht, Netherlands.

DI CASTRI, F. and H.A. MOONEY (Eds.). 1973. *Mediterranean-Type ecosystems. Origin and Structure.* Springer Verlag, Heidelberg, Germany.

EUROPEAN COMMISSION. 1994. *Desertification and Land Degradation in the European Mediterranean.* Research and Development Report, EC DG XIII. European Commission, Brussels, Belgium.

ERNST, C.H. and R.W. BARBOUR. 1989. *Turtles of the World.* Smithsonian Institution Press, Washington, D.C.

FA, J.E. 1984. *The Barbary Macaque: A Case Study in Conservation,* Plenum, New York.

GOMEZ-CAMPO, C. (Ed.). 1985. *Plant Conservation in the Mediterranean Area.* W. Junk Publishers, Dordrecht, Netherlands.

GREUTER, W. 1991. Botanical Diversity, Endemism, Rarity and Extinction in the Mediterranean Area: An Analysis. *Botanical Chronicles* 10: 63-79.

GREUTER, W. 1994. Extinctions in Mediterranean Areas. *Philosophic Transactions of the Royal Society of London.* B 344: 41-46.

GREUTER, W. 1995. Origin and Peculiarities of Mediterranean Island Floras. *Ecologica Mediterranea* 21: 1-10.

MÉDAIL, F. and P. QUÉZEL. 1997. Hot-Spots Analysis for Conservation of Plant Biodiversity in the Mediterranean Basin. *Annals of the Missouri Botanical Garden* 84: 112-127.

- MÉDAIL, F. and R. VERLAQUE. 1999. Ecological Characteristics and Rarity of Endemic Plants from Southeast France and Corsica: Implications for Biodiversity Conservation. *Biological Conservation* (in press).
- NAVEN, Z. and P. KUTIEL. 1990. Changes in the Mediterranean Vegetation of Israel in Response to Human Habitation and Land Use. In: G.M. WOODWELL (Ed.). *The Earth in Transition -- Patterns and Processes of Biotic Impoverishment*, Cambridge University Press, New York, pp. 259-299.
- OJEDA, F., J. ARROYOS, et al. 1995. Biodiversity components and conservation of Mediterranean heathlands in Southern Spain. *Biological Conservation*. 72: 61-72.
- OJEDA, F., T. MARANON, et al. 1996 Patterns of ecological, chorological and taxonomic diversity at both sides of the Strait of Gibraltar. *Journal of Vegetation Science* 7: 63-72.
- PONS, A. 1981. The history of the Mediterranean shrublands. In: F. DI CASTRI, F. GOODALL and R.L. SPECHT (Eds). *Mediterranean-Type shrublands*. Elsevier, Amsterdam, Netherlands, pp. 131-138.
- PONS, A. & P. QUÉZEL. 1985. The history of the flora and vegetation and past and present human disturbance in the Mediterranean region. In: C. GOMEZ-CAMPO (Ed.). *Plant conservation in the Mediterranean area*. Junk, Dordrecht, Netherlands, pp. 25-43.
- PRESS, J.R. and M.J. SHWORT. 1994. *Flora of Madeira*. The Natural History Museum, London, U.K.
- QUÉZEL, P. 1985. Definition of the Mediterranean region and origin of its flora. In: C GOMEZ-CAMPO (Ed.). *Plant conservation in the Mediterranean area*. Junk, Dordrecht, Netherlands, pp. 9-24.
- QUÉZEL, P. 1995. La Flore du Bassin Méditerranéen: Origine, Mise en Place, Endémisme. *Ecologica Mediterranea* 21: 19-39.
- RAINE, P. 1990. *Mediterranean Wildlife: A Rough Guide*. Harrap Columbus, London, U.K.
- RAMADE, F. 1997. *Conservation des Ecosystèmes Méditerranéens*. Vol. 3. In: *Les Fascicules du Plan Bleu*. Economica, Paris, France.
- REGATO, P. 1998. Personal communication, letter of 8 January 1998. Mediterranean Research Institute.
- SCHULE, W. 1993. Mammals, Vegetation and the Initial Human Settlement of the Mediterranean Islands. *Journal of Biogeography* 20: 399-412.
- SPECHT, R.L. (Ed.). 1988. *Mediterranean-Type Ecosystems: A Data Source Book*. Kluwer Academic Publishers, Dordrecht, Netherlands.
- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. Endemic Bird Areas of the World: Priorities for Biodiversity Conservation. BirdLife International, Cambridge, U.K.

SULAYEM, M. 1994. North Africa and the Middle East. In: J.A. MCNEELY, J. HARRISON and P. DINGWALL (Eds.). *Protecting Nature: Regional Reviews of Protected Areas*. International Union for the Conservation of Nature and Natural Resources, Gland, Switzerland, pp. 77-99.

THIRGOOD, J.V. 1981. *Man and the Mediterranean forest*. Academic Press, New York.

TRABAUD, L.V. 1984. Man and fire: impacts on Mediterranean vegetation. In F. DI CASTRI, F. GOODALL and R.L. SPECHT (Eds). *Mediterranean-Type shrublands*. Elsevier, Amsterdam, pp. 523-537.

VERLAQUE, R., F. MÉDAIL, P. QUÉZEL and J.F. BABINOT. 1999. Endemisme Vegetal et Paleogeographie dans le Bassin Méditerranéen. *Geobios* (in press).

WORLD CONSERVATION MONITORING CENTRE. 1992. *Global Biodiversity: Status of the Earth's Living Resources*. World Conservation Monitoring Centre, Cambridge, U.K.

WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.

## Mesoamerica

ÁLVAREZ DEL TORO, M., R. A. MITTERMEIER and J. B. IVERSON. 1979 River turtle in danger. *Oryx* (15) (2): 170-173.

BARRIOS, R. 1995. 50 áreas de interés especial para la conservación en Guatemala. Centro de Datos para la Conservación, The Nature Conservancy, Washington, D.C.

CCT/CIEDES 1998. *Estudio de Cobertura Forestal Actual (1996/97) y de Cambio de Cobertura para el Período entre 1986/87 y 1996/97 para Costa Rica*. Centro Científico Tropical (CCT) & Centro de Investigaciones en Desarrollo Sostenible (CIEDES), Universidad de Costa Rica.

CONABIO, 1998. Unpublished report on Neotropical Biodiversity of Mexico. Mexico, D.F.

CASTAÑEDA-MOYA, F 1997. Estatus y manejo propuesto de *Crocodylus moreletii* en el Departamento de Petén, Guatemala. *Memorias de la 4a. Reunión Regional del Grupo de Especialistas de Cocodrilos de América Latina y el Caribe*. Centro Regional de Innovación Agroindustrial, S. C. Villahermosa, Tabasco.

DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 3. The Americas. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.

DIEGO-GÓMEZ, P.L. 1985. *Biotic Units of Mesoamérica*. Unpublished map. The Nature Conservancy, International Program, Science Division, Washington, D.C.

DINERSTEIN, E., D.M. OLSON, D.J. GRAHAM, A.L. WEBSTER, S.A. PRIMM, M.P. BOOKBINDER and G. LEDEC. 1995. *A Conservation Assessment of Latin America and the Caribbean*. The World Bank/The World Wildlife Fund, Washington, D.C.

DIRZO, R. 1994. *Mexico: Diversity of Flora*. CEMEX, S. A. Monterrey, México.

- FAO. 1993. *Forest Resource Assessment 1990: Tropical Countries. Forestry Paper 112.* FAO, Rome, Italy.
- GASTON, K. J. and T. M. BLACKBURN. 1996. The tropics as a museum for biological diversity: an analysis of the New World avifauna. *Philosophical Transactions of the Royal Society of London B* 263: 63-68.
- HARCOURT, C. S. and J. A. SAYER (Eds.). 1996. *The Conservation Atlas of Tropical Forests: The Americas.* World Conservation Monitoring Center, Cambridge, U.K. and IUCN-The World Conservation Union, Gland, Switzerland. Simon and Schuster, New York.
- HENDERSON, A., STEVEN, P, et al. 1991. Neotropical plant diversity. *Nature* 351: 21-22.
- HERNÁNDEZ- MARTÍNEZ, P. 1998. La familia Plethodontidae (Amphibia): Caudata) en el Estado de Chiapas, México. Tesis de Licenciatura, Escuela de Biología, Universidad de Ciencias y Artes del Estado de Chiapas, México.
- HESELHAUS, R. 1992. Poison-arrow Frogs: Their Natural History and Care in Captivity. Ralph Curtis Books, Sanibel Island, Florida.
- HESELHAUS, R. and M. SCHMIDT 1994. *Harlequin Frogs: A Complete Guide.* T.F.H. Publications, Neptune, New Jersey.
- HOLDRIDGE, L. R. 1947. Determination of World Plant Formations from simple climatic data. *Science* (105) No. 2727: 367-368.
- HOLDRIDGE, L. R., F.B. LAMB, and B. MASON , Jr. 1950. *Los Bosques de Guatemala.* IICA, Turrialba, Costa Rica.
- HOLDRIDGE, L. R. 1955. El Ciprés Mexicano. *Boletín Técnico No. 12. Ministerio de Agricultura y Industrias.* San José, Costa Rica.
- HOLDRIDGE, L.R., 1957. The Vegetation of Mainland Middle America. *Proceedings of the Eighth Pacific Science Congress. Vol IV.* University of the Phillipines, Quezon City, pp.148-161.
- HOLDRIDGE, L.R., 1967. *Life Zone Ecology.* Tropical Science Center, San José, Costa Rica.
- HOLDRIDGE, L.R., W.C. GRENKE, W.H. HATHEWAY, T. LIANG and J.A. TOSI, Jr. 1971. *Forest Environments in Tropical Life Zones: A Pilot Study.* Pergamon Press, Oxford.
- HOLDRIDGE, L. R. 1972. Ecological differences between the Tropical and Subtropical Regions. *Sobretiro de las Memorias de Symposia del I Congreso Latinoamericano y Mexicano de Botánica.* Mexico, D.F.
- HUECK, K. and P. SEIBERT 1972, *Vegetationskarte von Sudamerika.* Gustav Fischer Verlag, Stuttgart.
- IUCN. 1996. *1996 IUCN Red List of Threatened Animals.* J. BAILLIE and B. GROOMBRIDGE (Eds.), IUCN- The World Conservation Union/Species Survival Commission, Gland (Switzerland).
- JUNIPER, T and M. PARR 1998. *Parrots: a Guide to Parrots of the World.* Yale University Press, New Haven, Connecticut.

- MIRANDA, F. and E. HERNÁNDEZ XOLOCOTZI 1963. Los tipos de vegetación de Mexico y su clasificación. *Boletín Sociedad Botánica de Mexico* 28: 29-178.
- MITTERMEIER, R. A. 1979. It might just be...the best little zoo in Latin America. *Animal Kingdom* 82 (1): 15-21.
- MITTERMEIER, R.A. and C.G. MITTERMEIER. 1992. La importancia de la diversidad biológica en México. In: J. SARUKHÁN and R. DIRZO (Eds.), *Mexico confronts the Challenges of Biodiversity*. Comisión Nacional para el Conocimiento y Uso de la Biodiversidad, México.
- MITTERMEIER, C.G., R.A. MITTERMEIER, J. NATIONS, A. ROBLES, M.A. CARVAJAL, and P.ROBLES GIL. 1998. Mexico. In: R. A. MITTERMEIER, P. ROBLES GIL and C.G. MITTERMEIER (Eds.), *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 141-177.
- MYERS, N. 1988. Threatened biotas: “hot spots” in tropical forests. *The Environmentalist*, 8 (3): 187-208.
- MYERS, N. 1990. The biodiversity challenge: expanded hot-spots analysis. *The Environmentalist* 10 (4): 243-256.
- PETERSON, A. T. et al. 1993. Conservation priorities in Mexico: moving up in the world. *Biodiversity Letters* 1: 33-38.
- ROSS J.P. (ed.). 1998. *Crocodiles. Status Survey and Conservation Action Plan* [Online]. 2nd Edition. IUCN/SSC Crocodile Specialist Group. IUCN, Gland, Switzerland and Cambridge, UK. <http://www.flmnh.ufl.edu/natsci/herpetology/act-plan/plan1998a.htm> [6 July 1998].
- RZEDOWSKI, J. 1978 *Vegetación de México*. Primera edición. Editorial Limusa, México.
- RZEDOWSKI, J. 1986. *Vegetación de México*. Tercera edición. Editorial Limusa, México.
- MARENA, 1998. SINAP-Áreas Protegidas de Nicaragua. Guía Turística. 35 pp.
- STATTERSFIELD, A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. Birdlife Conservation Series 7. BirdLife International, Cambridge, U.K.
- TOLEDO, V. M., J. RZEDOWSKI, J. VILLA-LOBOS, L. D. GÓMEZ J. C. GODOY and O. HERRERA-MACBRYDE. 1997. Regional overview: Middle America. In: S. D. DAVIS, V. H. HEYWOOD, O. HERRERA-MACBRYDE, J. VILLA-LOBOS and A. C. HAMILTON (Eds.). *Centres of Plant Diversity: A Guide and Strategy for their Conservation*. Vol. 3. The Americas. World Wide Fund for Nature and IUCN-The World Conservation Union, Oxford, U.K., pp. 97-124
- UNESCO 1981. Vegetation map of South America. *Natural Resources Research Publication* 17.
- WORLD BANK, GEF. 1998. Project Appraisal Document on a proposed grant from the GEF trust fund to Panama for a Panama Atlantic Mesoamerican Biological Corridor Project, April 29, 1998. World Bank, Washington, D.C.
- WILDLIFE PRESERVATION TRUST INTERNATIONAL, 1992. Special issue: The New Belize Zoo. *On the*

*Edge* 46:1-12.

WWF. 1997. *WWF 2000. The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.

## New Caledonia

ANON. 1989. *Atlas de Nouvelle Calédonie*. Editions du Cagou, Nouméa.

ANON. 1987. *Ecologie en Nouvelle-Caledonie*. CTRDP, Noumea.

ANON. 1994. *The Far East and Australasia 1994*. 25th edition. Europa Publications Ltd, London, U.K.

BALOUET, J.C. and S.L. OLSON. 1989. Fossil birds from late Quaternary deposits in New Caledonia. Smithsonian Contributions to Zoology, No. 469. Smithsonian Institution Press, Washington, D.C., pp. 36-38.

BALOUET, J.C. and E. ALIBERT. 1990. *Extinct Species of the World*. (English edition., transl. K. J. HOLLYMAN; J. ROBB (Ed.). Baron's Educational Series Inc., New York.

BAUER, A.M. 1995. Geckos of the Genus *Rhacodactylus*. *Reptiles* 3 (7): 32-49.

BAUER, A.M. and R.A. SADLIER. 1993. Systematics, biogeography and conservation of the lizards of New Caledonia. *Biodiversity Letters* 1 (3/4): 107-122.

BOUCHET, Ph., T. JAFFRÉ and J.-M. VEILLON. 1995. Plant extinction in New Caledonia: protection of sclerophyll forests urgently needed. *Biodiversity and Conservation* 4: 415-428.

CHAZEAU, J. 1993. Research on New Caledonia terrestrial fauna: achievements and prospects. *Biodiversity Letters* 1 (3/4): 123-129.

CHAZEAU, J., C. CHEVILLON, C. GARRIGUE, T. JAFFRÉ, B.R. de FORGES and J.-M. VEILLON. 1994. Biodiversité et conservation en Nouvelle-Calédonie. *Rapports de Synthèses (Sciences de la Vie: Biodiversité)*, 1. ORSTOM, Nouméa.

DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 2. Asia, Australasia and the Pacific. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.

DUPON, J.F. 1986. The effects of mining on the environment of high islands: case study of nickel mining in New Caledonia. *Environmental Case Studies, South Pacific Study*. 1. SPREP, Nouméa.

FARJON, A., C.N. PAGE and N. SCHELLEVIS. 1993. A preliminary world list of threatened conifer taxa. *Biodiversity and Conservation* 2: 304-326.

FLANNERY, T. 1995. *Mammals of the South-West Pacific and Moluccan Islands*. Cornell University Press, Ithaca, New York.

GARGOMINY, O., Ph. BOUCHET, M. PASCAL, T. JAFFRÉ and J.-C. TOURNEUR. 1996. Conséquences

- des introductions d'espèces animales et végétales sur la biodiversité en Nouvelle-Calédonie. *Revue d'Ecologie (Terre Vie)* 51: 375-402.
- GUILLE, A., P. LABOUTE and J.-L. MENOU. 1986. *Guide des Etoiles de Mer, Oursins et autres Echinodermes de Lagon du Nouvelle Calédonie*. ORSTOM, Paris, France.
- HANNECART, F. and Y. LETOCART. 1980. *Oiseaux de Nouvelle Calédonie et des Loyautés*. Vol. 1. Clark and Matheson Ltd, Auckland, New Zealand.
- HANNECART, F. and Y. LETOCART. 1983. *Oiseaux de Nouvelle Calédonie et des Loyautés*. Vol. 2. Dai Nippon, Hong Kong.
- HANNECART, F. 1988. Les oiseaux menacés de la Nouvelle Calédonie et des îles proches. In: J.-C. THIBAULT and I. GUYOT (Eds.). *Livre Rouge des Oiseaux Menaces des Régions Françaises d'Outre-Mer*. ICBP Monograph No. 5. International Council for Bird Preservation/ICBP, Cambridge, U.K., pp. 143-165.
- HOLLOWAY, J.D. and J.V. PETERS. 1976. The butterflies of New Caledonia and the Loyalty Islands. *J. Nat. Hist.* 10: 273-318.
- HUNT, G. 1996. Environmental variables associated with population protection of the kagu (*Rhynochetos jubatus*) of New Caledonia. *Ibis* 138: 778-785.
- HUNT, G. 1997. Family Rhynochetidae (Kagu). *Handbook of the Birds of the World*, vol. 3, 218-224.
- HUNT, G., R.HAY and C. J. VELTMAN 1996. Multiple kagu (*Rhynochetos jubatus*) deaths caused by dog attacks at a high altitude study site on Pic Ningua, New Caledonia. *Bird Conservation International* 6: 295-306.
- IUCN. 1986. *Review of the Protected Areas System in Oceania*. IUCN, Gland, Switzerland.
- JAFFRÉ, T., PH. MORAT, J.-M. VEILLON and H.S. MACKEE. 1987. Changements dans la végétation de la Nouvelle-Calédonie au cours du Tertiaire: la végétation et la flore des roches ultrabasiques. *Bulletin . Musée. nationale.d'Histoire naturelle, Paris, 4e ser.*, 1987, section B. *Adansonia* 9 (4): 365-391.
- JAFFRÉ, T., and J.-M. VEILLON. 1988. Morphologie, distribution et écologie des palmiers de Nouvelle-Calédonie. *Rapports Scientifiques et Techniques (Sciences de la Vie: Botanique)*, 2. ORSTOM, Nouméa.
- JAFFRÉ, T., PH. BOUCHET, J.-M. VEILLON. 1998. Threatened plants of New Caledonia: Is the system of protected areas adequate? *Biodiversity and Conservation* 7:109-135.
- MARUIA SOCIETY/CONSERVATIONAL INTERNATIONAL 1998. Conserving biodiversity in Province Nord. Internal report, Washington, D. C.
- MITTERMEIER, R.A., T.B. WERNER and A. LEES. 1996. New Caledonia - a conservation imperative for an ancient land. *Oryx* 30 (2): 104-112.
- MORAT, P. H. 1993. Our knowledge of the flora of New Caledonia: endemism and diversity in relation to vegetation types and substrates. *Biodiversity Letters* 1 (3/4): 72-81.

- MORAT, PH., J.-M. VEILLON and H.S. MACKEE. 1984. Floristic relationships of New Caledonian rain forest phanerograms. In: F.J. RADOVSKY, P.H. RAVEN and S.H. SOHMER (Eds.), *Biogeography of the Tropical Pacific*. ASC, Kansas, pp. 71-128.
- MORAT, PH., T. JAFFRE and J.-M. VEILLON 1995. Neocaledonian Region: Grand Terre, New Caledonia, France. In: S. D. Davis, V. H. Heywood and A. C. Hamilton (eds.). *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 2, Asia, Australasia and the Pacific. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.
- MYERS, N. 1988. Threatened biotas: “hot spots” in tropical forests. *The Environmentalist*, 8 (3): 187-208.
- MYERS, N. 1990. The biodiversity challenge: expanded hot-spots analysis. *The Environmentalist*, 10 (4): 243-256.
- PLATNICK, N.I. 1993. The araneomorph spider fauna of New Caledonia. *Biodiversity Letters*, 1 (3/4): 102-106.
- RIVATON, J., P. FOURMANOIR, P. BOURRET and M. KULBICKI. 1989. Catalogue des poissons de Nouvelle-Calédonie. *Catalogues Sciences e la Mer (Biologie Marine)* ORSTOM, Nouméa.
- ROBINET, O., F. BEUGNET, D. DULIEU and PH. CHARDONNET. 1995. The Ouvéa parakeet- state of knowledge and conservation status. *Oryx* 29: 143-150.
- ROYEN, van P., and S.D. DAVIS. 1995. Neocaledonian Region: Grand Terre, New Caledonia, France. In: S. D. DAVIS, V. H. HEYWOOD and A. C. HAMILTON. (Eds.). *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 2. Asia, Australasia and the Pacific. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.
- SADLIER, R.A. and A.M. BAUER. 1997a. A new genus and species of lizard (Reptilia: Scincidae) from New Caledonia, Southwest Pacific. *Pacific Science* 1: 91-96.
- SADLIER, R.A. and A.M. BAUER. 1997b. The terrestrial herpetofauna of the Loyalty Islands. *Pacific Science* 1: 76-90.
- SADLIER, R. A., SHEA, G. M. and A. M. BAUER. 1997. A new genus and species of lizard (Squamata, Scincidae) from New Caledonia, southwest Pacific. *Zool. Neocaledonica, vol. 4, Mem. Mus. Natu. Hist. Nat.* 171: 379-385.
- SALVAT, B., C. RIVES and P. REVERCÉ. 1953. (1988 edn.). *Coquillages de Nouvelle Calédonie*. Times editions, Singapore.
- SÉRET, B. 1997. Les poissons d'eau douce de Nouvelle-Caledonia: implications biogeographiques et récentes découvertes. In: J. Najt and M. Matile (eds.), *Zoologica Neocaledonica*, Vol. 4. *Mémoires Musée nationale d'Histoire naturelle* 171: 369-378.
- SCHMID, M. 1981. *Fleurs et Plantes de Nouvelle-Calédonie*. Les éditions du pacifique.
- SPREP. 1993. Health risk from nickel smelter in Nouméa. *Environment Newsletter* 35: 8.

- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE. 1998. Endemic Bird Areas of the World: Priorities for Biodiversity Conservation. Birdlife International, Cambridge, U.K.
- UNEP/IUCN, 1988. *Coral Reefs of the World. Vol. 3. Central and Western Pacific*. UNEP Regional Seas Directories and Bibliographies. IUCN, Gland, Switzerland, and Cambridge, U.K.
- VEILLON, J. M. 1993. Protection of floristic diversity in New Caledonia. *Biodiversity Letters* 1: : 88-91.
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.

## New Zealand

- CAMERON, E.K., P.J. de LANGE, D.R. GIVEN, P.N. JOHNSON and C.C. OGLE. 1995. New Zealand Botanical Society threatened and local plant lists (1995 revision). *Newsletter New Zealand Botanical Society* 32: 15-28.
- DAUGHERTY, C.H., G.W. GIBBS and R.A. HITCHMOUGH. 1993. Mega-island or micro-continent? New Zealand and its fauna. *Trends in Ecology and Evolution* 8: 437-442.
- DAUGHERTY, C.H. 1990. Neglected taxonomy and continuing extinctions of tuatara - *Nature* 347: 177-179.
- DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 3. The Americas. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.
- DAWSON, S.M. and E. SLOOTEN. 1988. Hector's dolphin. *Cephalorhynchus hectori*: distribution and abundance. *Reports of the International Whaling Commission. Special Issue* 9:315-344.
- ECROYD, C. 1996: The ecology of *Dactylanthus taylorii* and threats to its survival. *New Zealand Journal of Ecology* 20:81-100.
- FALLA, R. A., R. B. SIBSON and E. G. TURBOTT. 1979. *The New Guide to the Birds of New Zealand*. Collins, Auckland, New Zealand.
- FRANCIS, K. 1971. *The New Zealand Kiwi*. Whitcoulls Publishers, Christchurch, New Zealand.
- FROGGART, P. and M. OATES. 1993: *Proceedings of Conference on People, Plants and Conservation: Botanic Gardens into the 21st Century, Wellington, 19-23 March 1992*. Royal New Zealand Institute of Horticulture, Nelson, New Zealand.
- GIVEN, D.R. 1981. *Rare and Endangered Plants of New Zealand*. Reed, Auckland, New Zealand.
- GIVEN, D.R. 1995: Forging a biodiversity ethic in a multicultural context. *Biodiversity and Conservation* 4:877-891.
- GIVEN, D.R. and B. PAVLIK. 1994. *Helichrysum dimorphum* - obscure, unique and endangered. *Forest & Bird* 272:39-41.

- GRANT, P.J. 1994. Late Holocene histories of climate, geomorphology and vegetation, and their effects on the first New Zealanders. In: D.G. SUTTON (Ed.). *The Origins of the First New Zealanders*. Auckland University Press, Auckland, New Zealand, pp. 164-194.
- HALLOY, S.R.P. 1995. Status of New Zealand biodiversity research and resources: how much do we know? *Journal of the Royal Society of New Zealand* 25:55-80.
- HOLMES, B. 1995. Second chance for the tuatara. *New Scientist* 149 (2016):26-29.
- MCDOWELL, 1987: Impacts of exotic fishes on the native fauna. In: A.B. VENER (Ed.). *Inland Waters of New Zealand*. DSIR Bulletin 241, Wellington, New Zealand.
- MCGLONE, M. 1989: The Polynesian settlement of New Zealand in relation to environmental and biotic changes. *New Zealand Journal of Ecology* (Supplement)12 : 115-129.
- MAY, R. M. 1990. Taxonomy as destiny. *Nature* 347:129-130.
- MINISTRY FOR THE ENVIRONMENT. 1997. *The State of New Zealand's Environment*. Ministry for the Environment, New Zealand.
- O'REAGAN, T. 1994. The Maori view of sustainable land management. In: M. RALSTON (Ed.). *Proceedings of the 1994 New Zealand Conference on Sustainable Land Management 12-14 April 1994*. Lincoln University, pp. 63-66.
- ROGERS, G.M. 1995. World of wounds. *Forest and Bird* 277:23-30.
- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. Endemic Bird Areas of the World: Priorities for Biodiversity Conservation. Birdlife International, Cambridge, U.K.
- TOWNS, D.R. and G.P. ELLIOT. 1996. Effects of habitat structure on distribution and abundance of lizards at Pukerua Bay, Wellington, New Zealand. *New Zealand Journal of Ecology* 20:191-206.
- WILLIAMS, P.A. and S.P. COURTNEY. 1995. Site characteristics and population structure of the endangered shrub *Olearia polita*, Wilson et Garnock Jones, Nelson, New Zealand. *New Zealand Journal of Botany* 33:237-42.
- WORLD RESOURCES INSTITUTE. 1994. *World Resources 1994-95*. Oxford University Press, Oxford, U.K.
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington D.C.
- Philippines**
- DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 2. Asia, Australasia and the Pacific. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.
- DICKERSON, R.S. (Ed.) 1928. Distribution of Life in the Philippines. *Monographs of the Bureau of Science*, Manila 2:1-322.

GONZALEZ, J.C.T. 1995. *State of the Art Review of Philippine Reptiles*. Paper presented at the 4th Annual Wildlife Conservation Society Symposium Workshop held at the UP Balay Kalinaw, Diliman, Quezon City, Philippines.

HEANEY, L.R. 1986. Biogeography of mammals in Southeast Asia: Estimates of rates of colonization, extinction and speciation. *Biological Journal of the Linnean Society* 28: 127-165.

HEANEY, L.R. and P.H. HEIDEMAN. 1987. Philippine fruit bats, endangered and extinct. *Bats* 5: 3-5.

HEANEY, L.R. and E.A. RICKART. 1990. Correlations of clades and clines: Geographic, elevational, and phylogenetic distribution patterns among Philippine mammals. In: G. PETERS and R. HUTTERER (Eds.). *Vertebrates in the Tropics*, Museum Alexander Koenig, Bonn, Germany, pp. 321-332.

HEANEY, L.R. 1991. A synopsis of climatic and vegetational change in Southeast Asia. *Climatic Change* 19: 53-61.

HEANEY, L.R. and R.C.B. UTZURRUM. 1992. A review of the conservation status of Philippine land mammals. *Association of Systematic Biologists of the Philippines Communications* 3: 1-13.

HEANEY, L.R. 1993. Biodiversity patterns and the conservation of mammals in the Philippines. *Asia Life Sciences* 2: 261-274.

HEANEY, L. R. and R.A. MITTERMEIER. 1998. The Philippines. In: R.A. MITTERMEIER, P. ROBLES GIL and C.G. MITTERMEIER (Eds.). *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 236-249.

MADULID, D.A. 1994. Plant diversity in the Philippines. In: C.-I. PENG AND C.H. CHOU (Eds.) *Biodiversity and Terrestrial Ecosystems*. Institute of Botany, Academia Sinica Monograph Series No. 14, Taipei.

MERRILL, E.D. 1923-1926. *An Enumeration of Philippine Flowering Plants*. Vols. I-IV. Bureau of Printing, Manila, Philippines.

STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. BirdLife International, Cambridge, U.K.

WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.

## **Polynesia/Micronesia**

ALLEN, G. 1974. The marine crocodile (*Crocodylus porosus*) from Ponape, Eastern Caroline Islands, with notes on food habits of crocodiles from the Palau Archipelago. *Copeia* 1974(2):553.

ALLISON, A. 1996. Zoogeography of amphibians and reptiles of New Guinea and the Pacific region. In: A. KEAST and S. E. MILLER (Eds.), *The origin and evolution of Pacific Island biotas, New Guinea to eastern Polynesia*, SPB Academic Publishing, Amsterdam, Netherlands, pp. 407-436.

ALLISON, A., S.E. MILLER, and G. M. NISHIDA. 1995. Hawaii Biological Survey - a model for the Pacific Region. In: J. E. MARAGOS, M.N.A. PETERSON, L. G. ELDREDGE, J. E. BARDACH and H. F.

- TAKEUCHI (Eds.), *Marine and coastal biodiversity in the tropical island Pacific region*, East-West Center, Honolulu, Hawaii Vol. 1., pp. 349-355.
- AYRES, W.W. 1971. Radiocarbon dates from Easter Island. *Journal of the Polynesian Society* 80:497-504.
- BANARESCU, P. 1995. Zoogeography of Fresh Waters. In: P. BANARESCU (Ed.). *Distribution and dispersal of freshwater animals in Africa, Pacific areas and South America*, AULA-Verlag, Wiesbaden, Germany.
- BELLWOOD, P. 1978. *Man's conquest of the Pacific*. Collins, Auckland.
- COLE, T. G., M.C. FALANRUW, C.D. MACLEAN, C.D. WHITESEL and A.H. AMBACHER. 1987. Vegetation Survey of the Republic of Palau. *Pacific Southwest Forest and Range Experiment Station, Resource Bulletin PSW* 22:1-13.
- COWIE, R. H. 1992. Evolution and extinction of Partulidae, endemic Pacific island land snails. *Philosophical Transactions Royal Society of London*. 335:167-191.
- COWIE, R.H., N.L. EVENHUIS, and C.C. CHRISTENSEN. 1995. *Catalog of the native land and freshwater molluscs of the Hawaiian Islands*, Backhuys Publishers, Leiden, Netherlands.
- COWIE, R. H. 1996. Pacific island land snails: relationships, origins, and determinants of diversity. In: A. KEAST and S. E. MILLER (Eds.), *Origin and evolution of Pacific Island biotas, New Guinea to eastern Polynesia: patterns and processes*, SPB Academic Publishing, Amsterdam, pp. 347-372.
- COWIE, R. H. 1998a. Catalog and bibliography of the non-indigenous non-marine snails and slugs of the Hawaiian Islands. *Bishop Museum Occasional Papers* 50:1-66.
- COWIE, R. H. 1998b. Catalog of the non-marine snails and slugs of the Samoan Islands. *Bishop Museum Bulletin in Zoology* 3: i-vii + 1-122.
- COWIE, R.H. 1999. Patterns of introduction of non-indigenous and non-marine snails and slugs in the Hawaiian Islands. *Biodiversity and Conservation* (in press).
- CROMBIE, R.I. and D.W. STEADMAN. 1986. The Lizards of Rarotonga and Mangaia, Cook Islands Group, Oceania. *Pacific Science* 40(1-4): 44-57.
- DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 2. Asia, Australasia and the Pacific. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.
- ELLISON, J.C. In press. *Status report on Pacific Island mangroves. Marine and coastal biodiversity in the tropical island Pacific region*. Vol. 2. Population, development, and conservation priorities. Pacific Science Association, Honolulu, Hawaii.
- ENGBRING, J. and H. DOUGLAS PRATT. 1985. Endangered birds in Micronesia: their history, status, and future prospects. In: S.A. TEMPLE (Ed.) *Biological Conservation* 2. University of Wisconsin Press, Madison, pp. 71-105.
- FALANRUW, M.C., T.C. COLE, A.H. AMBACHER, K.E. McDUFFIE and J.E. MAKAKA. 1987a. Vegetation

- survey of Moen, Dublon, Fefan and Eten, State of Truk, Federated States of Micronesia. *Pacific Southwest Forest and Range Experiment Station, Resource Bulletin PSW* 20: 1-6.
- FALANRUW, M.C., C.D. WHITESEL, T.G. COLE, C.D. MACLEAN and A.H. AMBACHER. 1987b. Vegetation survey of Yap, Federated States of Micronesia. *Pacific Southwest Forest and Range Experimental Station, Resource Bulletin PSW* 21: 1-9.
- FALANRUW, M.C., T.G. COLE and A.H. AMBACHER. 1989. Vegetation survey of Rota, Tinian and, Saipan, Commonwealth of the Northern Mariana Islands. *Pacific Southwest Forest Range Experiment Station, Resource Bulletin PSW* 27:1-11.
- FLANNERY, T.F. 1995. *Mammals of the South-West Pacific & Moluccan islands*. Reed, Sydney, Australia.
- FLENLEY, J.R., A.S.M. KING, J. JACKSON, C. CHEW, J.T. TELLER, and M.E. PRENTICE. 1991. The late Quaternary vegetational and climatic history of Easter Island. *Journal of Quaternary Science* 6(2):85-115.
- FRITTS, T.H. and D. CHISZAR. 1999. Snakes on Electrical Transmission lines: pattern, causes, and strategies for reducing outages due to snakes. In: G.H. RODDA, D. CHIZAR, Y.SAWAI and H. TANAKA (Eds.) *Problem Snake Management: Habo and brown tree snake examples*. Cornell University Press, Ithaca, NY, in press.
- FRITTS, T.H. 1987. Movements of snakes via cargo in the Pacific region. *Elepaio* 47(2): 17-18.
- GIBBONS, J.R.H. 1981. The biogeography of *Brachylophus* (Iguanidae) including the description of a new species, *B. vitiensis*, from Fiji. *Journal of Herpetology* 15(3):255-273.
- GIBBONS, J.R.H. 1985. The biogeography and evolution of Pacific island reptiles and amphibians. In: G. GRIGG, R. SHINE and H. EHMANN (Eds.), *Biology of Australian Frogs and Reptiles*, Royal Zoological Society of New South Wales, Sydney, Australia, pp. 125-142.
- GORHAM, S.W. 1965. Fiji frogs (with sinopses of the genera *Cornufer* and *Platymantis*). *Zoologische Beiträge, Neue Folge* 11(3): 381-435.
- GON, S. III. 1998. Unpublished maps of changes in distributions of native ecosystems following human contact in the Hawaiian Islands. The Nature Conservancy, Hawaii Natural Heritage Program, Honolulu, Hawaii.
- GORHAM, S.W. 1968. Fiji frogs: life history data from field work. *Zoologische Beiträge, Neue Folge* 14 (3): 427-466.
- GRIGG, R.W. and C. BIRKELAND. 1997. *Status of coral reefs in the Pacific*. University of Hawaii Sea Grant Program UNIHI-SEAGRANT-CP-98-01, Honolulu, Hawaii.
- GUINEA, M.L. 1982. The sea snakes of Fiji. *Proceedings of the Fourth International Coral Reef Symposium* 2:581-585.
- HADFIELD, M.G. 1994. Extinction in Hawaiian Achantinelline Snails. In: A. KAY (Ed.), *A Natural History of*

- the Hawaiian Islands*, University of Hawaii, Honolulu, Hawaii, pp. 320-334.
- HOPPER, D. R., and B. D. SMITH. 1992. Status of tree snails (Gastropoda: Partulidae) on Guam with a resurvey of sites studied by H.E. Crampton in 1920. *Pacific Science* 46(1):77.
- INEICH, I. and G. ZUG. 1996. *Tachygia*, the giant Tonga skink: extinct or extant. *Cryptozoology* 12:30-35.
- JAMES, H.F. and S.L. OLSON. 1994. Descriptions of thirty-two new species of birds from the Hawaiian Islands: Part II. Passeriformes. In: A. KAY (Ed.) *Natural History of the Hawaiian Islands. Selected Readings II*. University of Hawaii, Honolulu, Hawaii.
- JONES, D.N., R.W.R.J. DEKKER and C.S. ROSELAAR. 1995. *The Megapodes: Megapodiidae*. Bird Families of the World. Vol. 3. Oxford University Press, Oxford, U.K.
- KAY, E.A. 1995. Pacific Island marine mollusks: systematics. In: J.E. MARAGOS, M.N.A. PETERSON, L.G. ELDREDGE, J.E. BARDACH and H.F. TAKEUCHI (Eds.), *Marine and coastal biodiversity in the tropical island Pacific region*, East-West Center, Honolulu, Hawaii, Vol. 1, pp. 135-159.
- KIRCH, P. V. 1985. *Feathered gods and fishhooks*. University of Hawaii Press, Honolulu, Hawaii.
- MACLEAN, C.D., T.G. COLE, C.D. WHITESEL, M.C. FALANRUW, and A.H. AMBACHER. 1986. Vegetation survey of Pohnpei, Federated States of Micronesia. *Pacific Southwest Forest and Range Experiment Station, Resource Bulletin PSW* 18:1-9.
- MARAGOS, J.E. 1995. Revised checklist of extant shallow and water stony coral species from Hawaii (Cnidaria: Anthozoa: Scleractinia). *Bishop Museum Occasional Papers* 42: 54-55.
- MARAGOS, J.E. and C. PAYRI. 1997. The status of coral reef habitats in the insular south and east Pacific. *Proceedings of the 8th Coral reef Symposium* 1:307-316.
- MARSH, H., G.B. RATHBUN, T.J. O'SHEA, and A.R. PREEN. 1995. Can dugongs survive in Palau? *Biological Conservation* 72:85-89.
- MEDEIROS, A.C., L.L. LOOPE, P. CONANT, and S. MCELVANEY. 1997. Status, ecology, and management of the invasive plant, *Miconia calvescens* DC (Melastomataceae) in the Hawaiian Islands. *Bishop Museum Occasional Paper* 48:23-36.
- MEYER, J.-Y., and J. FLORENCE. 1996. Tahiti's native flora endangered by the invasion of *Miconia calvescens* DC (Melastomataceae). *Journal of Biogeography* 23:775-781.
- MLOT, C. 1995. In Hawaii, taking inventory of a biological hotspot. *Science* 269: 322-323.
- MUELLER-DOMBOIS, D., and F. RAYMOND FOSBERG. 1998. *Vegetation of tropical Pacific islands*. Springer-Verlag, New York.
- MURRAY, J., B.C. CLARKE, and M.S. JOHNSON. 1989. Adaptive radiation and community structure of *Partula* on Moorea. *Proceedings of the Royal Society of London* 254(1341):205.
- MYERS, R.F. 1989. *Micronesian reef fishes*. Coral Pacifica Productions, Guam.

- OTA, H., and M. MATSUI. 1995. Karyotype of a ranid frog, *Platymantis pelewensis*, from Belau, Micronesia with comments on its systematic implications. *Pacific Science* 49(3):296-300.
- PEARSALL, S.A. and W.A. WHISTLER. 1991. *Terrestrial ecosystem mapping for Western Samoa: summary, project report and proposed national parks and reserves plan*. South Pacific Regional Environmental Programme and East-West Center, Honolulu, Hawaii.
- PERNETTA, J. C., and D. WATLING. 1979 [1978]. The introduced and native terrestrial vertebrates of Fiji. *Pacific Science* 33(3):223-244.
- PRATT, H. D., P.L. BRUNER, and D.G. BERRETT. 1987. *The birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- PREGILL, G.K. 1993. Fossil lizards from the late Quaternary of 'Eua, Tonga. *Pacific Science* 47(2):101-114.
- PYLE, R.L. 1995. Pacific reef and shore fishes. In: J.E. MARAGOS, M.N.A. PETERSON, L.G. ELDREDGE, J.E. BARDACH and H.F. TAKEUCHI (Eds.), *Marine and coastal biodiversity in the tropical island Pacific region*. East-West Center, Honolulu, Hawaii, Vol. 1., pp. 205-238.
- RANDALL, J.E. 1992. Endemism of fishes in Oceania. Coastal resources and systems in the Pacific Basin: investigation and steps towards productive management. *UNEP Regional Seas Reports and Studies* 147, pp. 55-67.
- RANDALL, J.E. 1995. Zoogeographic analysis of the inshore Hawaiian fish fauna. In: J.E. MARAGOS, M.N.A. PETERSON, L.G. ELDREDGE, J.E. BARDACH and H.F. TAKEUCHI (Eds.), *Marine and coastal biodiversity in the tropical island Pacific region*. East-West Center, Honolulu, Hawaii, Vol. 1., pp. 193-203.
- REEVES, R.R., S. LEATHERWOOD, G.S. STONE, and L.G. ELDREDGE. In Press. Marine mammals in the area served by the South Pacific Regional Environment Program. *SPREP Studies and Reports*, Honolulu, Hawaii.
- RETI, I. 1993. The South Pacific Biodiversity Conservation Programme: its concept and scope. *Pacific Science Association Information Bulletin* 45(1-2):9-14.
- RODDA, G.H., T.H. FRITTS, and D. CHISZAN. 1997. The disappearance of Guam's wildlife. *BioScience* 47(9):565-574.
- SCOTT, D.A. 1993. *A directory of wetlands in Oceania*. International Waterfowl and Wetlands Research Bureau and Asian Wetland Bureau, Slimbridge, United Kingdom and Kuala Lumpur, Malaysia.
- SHAW, E. 1975. The decorative systems of Natunuku, Fiji. In: S.M. MEAD, L. BIRKS, H. BIRKS and E. SHAW (Eds.), *The Lapita pottery style of Fiji and its associations*. Polynesian Society Memoir 38, Wellington, New Zealand.
- SHEELINE, L. 1993. *Cultural significance of Pacific fruit bats (Pteropus) to the Chamorro people of Guam*. World Wildlife Fund/TRAFFIC USA, Washington D.C.

- SOUTH PACIFIC REGIONAL ENVIRONMENTAL PROGRAMME (SPREP). 1998. *Draft action strategy for nature conservation in the Pacific Islands region, 1999-2002*. South Pacific Regional Environmental Programme, Apia, Samoa.
- STEADMAN, D.W. 1995. Prehistoric extinctions of Pacific island birds: biodiversity meets zooarchaeology. *Science* 267:1123-1131.
- THISTLETHWAIT, R. and G. VOTAW. 1992. *Environment and development: a Pacific island perspective*. Asian Development Bank, Manila, Philippines.
- TOMICH, P.Q. 1986. *Mammals of Hawai'i*. Bishop Museum Press, Honolulu, Hawaii.
- U.S. CONGRESS OFFICE OF TECHNOLOGY ASSESSMENT. 1993. *Harmful non-indigenous species in the United States, OTA-F-565*. U.S. Government Publishing Office, Washington, D.C.
- van ROYEN, P. and S.D. DAVIS. 1995. Regional Overview: Pacific Ocean islands. In: DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 2. Asia, Australasia and the Pacific. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.
- WAGNER, W.L., D.R. HERBST, and S.H. SOHMER. 1990. Manual of the flowering plants of Hawai'i. Vol. 1. University of hawaii Press and Bishop Museum Press, Honolulu, Hawaii.
- WHITESEL, C.D., C.D. MACLEAN, M.C. FALANRUW, T.G. COLE, and A.H. AMBACHER. 1986. Vegetation survey of Kosrae, Federated States of Micronesia. *Pacific Southwest Forest and Range Experiment Station, Resource Bulletin PSW 17*: 1-8.
- WILES, G.J., J. ENGHRING and D. OTABED. 1997. Abundance, biology and human exploitation of bats in the Palau Islands. *Journal of Zoology*, London, 241: 203-227.
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.
- ZUG, G.R. and I. INEICH. 1993. Review of the biology and morphology of the Fijian bola, *Ogmodon vitianus* (Elapidae). *Snake* 25:9-20.
- South-Central China**
- CHENG, T. H. 1976. *Distribution List of Chinese Birds*. Second edition. Science Press, Beijing, China.
- DAS, I. 1996. *Biogeography of the Reptiles of South Asia*. Krieger, Malabar. 87 pp.
- DAVIS, S.D., V.H. HEYWOOD and A.C. HAMILTON (Eds.). 1995. *Centres of Plant Diversity: a Guide and Strategy for their Conservation* (Vol. 2: Asia, Australasia and the Pacific). World Wide Fund for Nature and IUCN - The World Conservation Union, Gland, Switzerland.
- FOREST DEPARTMENT, MINISTRY OF AGRICULTURE AND FORESTS, UNION OF MYANMAR. 1990. *Wildlife Conservation in Myanmar*. Forest Department, Ministry of Agriculture and Forests, Yangon, Myanmar.

- FU, L. K. (Ed). 1992. *China Plant Red Data Book: Rare and Endangered Plants*. Vol. 1. Science Press. Beijing, New York.
- MACKINNON, J. 1996. *Wild China*. New Holland (Publishers), London, U.K.
- MACKINNON, J., M. SHA, C. CHEUNG, G. CAREY, X. ZHU and D. MELVILLE. 1996. *A Biodiversity Review of China*. WWF International, Hong Kong.
- MOLNAR, P. and P. TAPPONIER 1975. Cenozoic Tectonics of Asia: Effects of a Continental Collision. *Science* 189 (4201): 419-426.
- SCHALLER, G. B. 1994. *The Last Panda*. University of Chicago Press, Chicago, Illinois, and London, U.K.
- SCHAUENSEE, R. M. de. 1984. *The Birds of China*. Smithsonian Institution Press, Washington D.C.
- SICHUAN VEGETATION STUDY GROUP. 1980. *Sichuan Zhabei (Vegetation of Sichuan)*. Sichuan People's Press, Chengdu, China.
- SMIL, V. 1992. China's environment in the 1980's: some critical changes. *Ambio* 21: 431-436.
- STATTERSFIELD, A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE. 1998. *Endemic Bird Areas of the World - Priorities for Biodiversity Conservation*. Birdlife Conservation Series, No. 7. Birdlife International, U.K.
- TAKHTAJAN, A. 1986. *Floristic Regions of the World*. (translated by T. J. Crovello and author). University of California Press, Berkeley, California.
- WANG, H. S. 1989. A study on the origin of spermatophytic genera endemic to China. *Acta Botanica Yunnan* 11: 1-16.
- WANG, H. S. and Y. L. ZHANG. 1994. The biodiversity and characters of spermatophytic genera endemic to China. *Acta Botanica Yunnan* 16: 209-220.
- WANG, M. J. and S. A. HE. 1991. Eco-geographical distribution and conservation of monotypic genera of rare and endangered spermatophytes in China. *Bulletin of the Nanjing Botanical Garden* (Mem. Sun Yat-sen) 199: 51-57.
- WANG, W. T. 1992. On some distribution patterns and some migration routes found in the Eastern Asiatic region (cont'd). *Acta Phytotaxonomica. Sinica* 30: 97-117.
- WANG, W. T., S. G. WU, K. Y. LANG, P. Q. LI, F. T. PU, and S. K. CHEN (eds.). 1993. *Vascular Plants of the Hengduan Mountains*. Vol. 1, Pteridophyta, Gymnospermae, Dicotyledoneae (Saururaceae to Cornaceae). Science Press, Beijing, China.
- WANG, W. T., S. G. WU, K. Y. LANG, P. Q. LI, F. T. PU and S. K. CHEN (eds.). 1994. *Vascular Plants of the Hengduan Mountains*. Vol. 2, Dicotyledoneae (Diapensiaceae to Asteraceae) to Monocotyledoneae (Typhaceae to Orchidaceae). Science Press, Beijing, China.

- WHITEHEAD, G. K. 1993. *The Whitehead Encyclopedia of Deer*. Swan Hill Press, Shrewsbury, England.
- WORLD WILDLIFE FUND. 1998. *Sichuan/Yunnan temperate forests - Biological diversity, and idem - The threat*. <Http://www.wwf.org/action/factsheetslite/china/bio.htm>.
- WU, P. C. 1992. The East Asiatic genera and endemic genera of the bryophytes of China. *Bryobrothera* 1: 99-118.
- WU, P. C. and J. X. LUO. 1982. The characteristics and possible origin of the bryoflora of the southern flank of the East Himalayas. *Acta Phytotaxonomica Sinica* 20: 392-401.
- WU, Z.-Y. 1988. Hengduan Mountain flora and her significance. *Journal Japanese Botany* 63: 297-311.
- WU, Z.-Y. and S.-G. WU. 1996. *A proposal for a new floristic kingdom (realm) - the East Asiatic Kingdom, its delineation and characteristics*. The Summarized materials for the Major Project: The Floristic Study of Chinese Plants; also a Precursorial Study of the 1st volume of FRPS and FOC. Kunming, China.
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.
- XIONG, J. H. (ed.) 1989. *Flora Sichuanica*. Vol. 8, Angiospermae. Sichuan Government Press, Chengdu, China
- XU, J. M. (Ed.) 1991. *Flora Sichuanica*. Vol. 7, Spermatophyta. Sichuan Government Press, Chengdu, China.
- YING, T. S., and D.-Y. HONG. 1978. The major plant communities and their vertical distribution in Bomi-Guxiang area in Sichuan. *Acta Phytotaxonomica Sinica* 16: 48-60.
- YING, T. S., D. E. BOUFFORD and Y. L. ZHANG. 1993. *The Endemic Genera of Seed Plants of China*. Science Press, Beijing, China.
- ZHAO ER-MI. and K. ADLER. 1993. *Herpetology of China*. Society for the Study of Amphibians and Reptiles. Oxford, Ohio..
- ZHAO J., Z. GUANGMEI, W. HUADONG and X. JIALIN. 1990. *The Natural History of China*. Collins, London, U.K.
- ZHENG, Z. X. 1981. On the Land-Vertebrate of Qinghai-Xizang Plateau with considerations concerning its history of transformation. In: *Proceedings of Symposium on Qinghai-Xizang Plateau*. Part 2, Environment and Ecology of Qinghai-Xizang Plateau. Science Press, Beijing, China.
- ZHOU, B. K. (ed.) 1994. *Flora Sichuanica*. Vol. 11, Spermatophyta. Sichuan Science Press, Chengdu.
- ZHUANG, MS. 1984. Dian-Cang Shan Diqu Zhiwu Minglu [List of Plants of Mt. Dian Cang]. Unpubl. manuscript.

### **Succulent Karoo**

COWLING, R.M., P.W. RUNDEL, P.G. DESMET, and K. J. ESLER. (In press). Extraordinarily high regional-scale plant diversity in southern African arid lands: subcontinental and global comparisons. *Diversity and Distributions*.

- COWLING, R.M. and S.M. PIERCE. 1999. *Namaqualand. A Succulent Desert.* Fernwood Press, Cape Town, South Africa.
- DEAN, W. R. J. and S. J. MILTON. (In press). Animal foraging and food. In: W. R. J. DEAN and S. J. MILTON (Eds.). *The Karoo: Ecological Patterns and Processes.* Cambridge University Press, Cambridge, U.K.
- DESMET, P.G. and R.M. COWLING. (In press). The climate of the Karoo – a functional approach. In: W.R.J. DEAN and S. J. MILTON (Eds.). *The Karoo: Ecological Patterns and Processes.* Cambridge University Press, Cambridge, U.K.
- HARRISON, J. A., D.G. ALLAN, L.G. UNDERHILL, M. HERREMANS, A.J. TREE, V. PARKER, C.J. BROWN. (Eds.). 1997. *The Atlas of Southern African Birds.* BirdLife, Johannesburg, South Africa.
- HILTON-TAYLOR, C. 1994. Western Cape Domain (Succulent Karoo) Republic of South Africa and Namibia. In: S. D. DAVIS, V. H. HEYWOOD and A. C. HAMILTON (Eds.). *Centres of Plant Diversity. A Guide and Strategy for their Conservation Vol 1. Europe, Africa, South West Africa and the Middle East.* pp. 204-217. IUCN Publications Unit, Cambridge, U.K.
- HILTON-TAYLOR, C. 1996. Patterns and characteristics of the flora of the Succulent Karoo Biome, southern Africa. In: L.J.E. van der MAESEN, X.M. van der BURGT and J.M. van MEDENBACH de ROOY (Eds.). *The Biodiversity of African Plants*, Kluwer, Dordrecht, Netherlands, pp. 58-72.
- HOFFMAN, M.T., B. COUSINS, T. Meyer, A. PETERSEN, and H. Hendricks. (In press). Historical and contemporary land use and the desertification of the karoo. In: W.R.J. DEAN and S.J MILTON (Eds.). *The Karoo: Ecological Patterns and Processes.* Cambridge University Press, Cambridge, U.K.
- IHLENFELDT, H-D. 1994. Diversification in an arid world: the Mesembryanthemaceae. *Annual Review of Ecology and Systematics* 25: 521-546.
- JÜRGENS, N. 1986. Untersuchungen zur okologie sukkulenter pflanzen des sudlichen Afrika. *Mitteilungen aus dem Institut für Allgemeine Botanik Hamburg* 21: 139-365.
- JÜRGENS, N. 1991. A new approach to the Namib Region. I: Phytogeographic subdivision. *Vegetation* 97: 21-38.
- LOVEGROVE, B. 1993. *The Living Deserts of Southern Africa.* Fernwood Press, Cape Town, South Africa.
- MANNING, J.C. and P. GOLDBLATT. 1996. The *Prosoeca peringueyi* (Diptera: Nemenstrinidae) pollination guild in southern Africa: long-tongued flies and their tubular flowers. *Annals of the Missouri Botanic Gardens* 83: 67-86.
- MEADOWS, M. E. and M.K. WATKEYS. (In press). Palaeoenvironments In: W.R.J. DEAN and S. J. MILTON (Eds.). *The Karoo: Ecological Patterns and Processes.* Cambridge University Press, Cambridge.
- MILTON, S. J., R. YEATON, W. R. J. DEAN and J. H. J. VLOK. 1997. Succulent Karoo. In: R. M. COWLING, D. M. RICHARDSON and S. M. PIERCE (Eds.). *Vegetation of Southern Africa.* Cambridge University Press, Cambridge, U.K., pp. 131-166.

- REBELO, A. G. 1997. Conservation. In: R. M. COWLING, D. M. RICHARDSON and S. M. PIERCE (Eds.). *Vegetation of Southern Africa*. Cambridge University Press, Cambridge, U.K. pp 571-590.
- RUNDEL, P. W., R.M. COWLING, K.J. ESLER., P.J. MUSTART, E. van JAARSVELD. and H. BEZUIDENHOUT. 1995. Winter growth phenology and leaf orientation in *Pachypodium namaquanum* (Apocynaceae) in the Succulent Karoo of the Richtersveld, South Africa. *Oecologia* 101: 472-477.
- SMITH, A. B. (In press). Hunters and herders in the Karoo landscape. In: W.R.J. DEAN and S. J. MILTON (Eds.). *The Karoo: Ecological Patterns and Processes*. Cambridge University Press, Cambridge, U.K.
- Van JAARSVELD, E. (1987). The succulent riches of South Africa and Namibia. *Aloe* 24: 45-92.
- VERNON , C. J. (In press). Biogeography, endemism and diversity of animals in the karoo. In: W.R.J. DEAN and S. J. MILTON (Eds.). *The Karoo: Ecological Patterns and Processes*. Cambridge University Press, Cambridge.

### Sundaland

- CORBET, G.B. and J.E. HILL. 1992. *The mammals of the Indo-Malayan Region: A Systematic Review*. Oxford University Press, Oxford, U.K.
- DAVIS, S.D., V.H. HEYWOOD and A.C. HAMILTON (Eds.). 1995. *Centres of Plant Diversity: a Guide and Strategy for their Conservation* (Vol. 2: Asia, Australasia and the Pacific). World Wide Fund for Nature and IUCN - The World Conservation Union, Gland, Switzerland.
- KOTTELAT, M. and T. WHITTEN. 1996. *Freshwater biodiversity in Asia, with special reference to fish*. World Bank Technical Paper no. 343. World Bank, Washington, D. C.
- MACKINNON, J. and K. PHILLIPS. 1993. *Field Guide to the Birds of Sumatra, Borneo, Java and Bali*. Oxford University Press, Oxford, U.K.
- MANTHEY, U. and W. GROSSMANN, 1997 *Amphibian und Reptilien Sudostasiens*. Natur und Tier-Verlag, Munster, Germany.
- MITTERMEIER, R.A. and C.G. MITTERMEIER. 1997. Malaysia. In: .R. A. MITTERMEIER, P. ROBLES GIL and C.G. MITTERMEIER (Eds.), *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp 424-447.
- SEIDENSTECKER, J. 1987. Bearing witness: observations on the extinction of *Panthera tigris balica* and *Panthera tigris sondaica*. In: R. TILSON and U. S. SEAL (Eds.). *Tigers of the World*. Noyes Publications, Park Ridge, New Jersey, pp. 1-8.
- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. BirdLife International, Cambridge, U.K.
- WHITTEN, T. 1982. *The Gibbons of Siberut*. Dent, London.
- WHITTEN, T., S.J. DAMANIK and J. ANWAR. 1987. *The Ecology of Sumatra*. 2nd. ed. Gadjah Mada University Press, Yogyakarta, Indonesia.

- WHITTEN, T. and J.E.J. WHITTEN. 1982. *Wild Indonesia*. New Holland, London, U.K.
- WHITTEN, T., R.E. SOERIAATMADJA, and S. AFIFF. 1996. *The Ecology of Java and Bali*. Periplus Editions, Singapore.
- WHITTEN, T. and J.E.J. WHITTEN. 1996. *Indonesia Heritage Encyclopedia*. Wildlife Archipelago, Singapore.
- WHITTEN, A., J. WHITTEN, C.G. MITTERMEIER, J. SUPRIATNA and R.A. MITTERMEIER 1997. Indonesia. In: R. A. MITTERMEIER, P. ROBLES GIL and C.G. MITTERMEIER (Eds.), *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 74-97.

## SW Australia

- BEARD, J.S. 1969. Endemism in the Western Australian flora at the species level. *Journ. Roy. Soc. West. Aust.* 52:18-20.
- BEARD, J.S. 1972-80. *Vegetation Survey of Western Australia 1: 250,000 series*. Vegmap Publications, Applecross, Western Australia (21 titles).
- BEARD, J.S. 1980. A new phytogeographic map of Western Australia. *Res. Notes. W.A. Herbarium* 3:37-58.
- BEARD, J.S. 1990. *The Plant Life of Western Australia*. Kangaroo Press, Sydney, Australia.
- BEARD, J.S. and B.S. SPRENGER. 1984. Geographical data from the Vegetation Survey of Western Australia. *Veg. Surv. W.A. Occ. Paper No. 2*. Vegmap Publications, Applecross, Western Australia.
- BEARD, J. S., A. R. CHAPMAN and P. GIOIA (in press). Species richness and endemism in the Western Australian flora - an updated assessment in comparison with South Africa and California. *Journal of Vegetation Science*.
- BELL, D.T., A.J.M. HOPKINS and J.S. PATE. 1984. Fire in the Kwongan. In: J.S. PATE and J.S. BEARD (Eds.). *Kwongan: the plant life of the sandplain*. University of Western Australia Press, Nedlands, Australia.
- BRIGGS, J.D. and J.H. LEIGH 1988. *Rare or threatened Australian plants*. Special Publication 14, Australian National Parks and Wildlife Service, Canberra, Australia.
- BURBRIDGE, N.T. 1960. The Phytogeography of the Australian region. *Aust. J. Bot.* 8:75-211.
- CALEY, N.W. 1973. *What Bird is That? A guide to the birds of Australia*. Angus & Robertson, Sydney, Australia.
- COGGER, G.H. 1992. *Reptiles and Amphibians of Australia*. 5th ed., Reed Books, Sydney, Australia.
- DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide*

*and Strategy for their Conservation.* Volume 2. Asia, Australasia and the Pacific. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.

DEPARTMENT OF CONSERVATION AND LAND MANAGEMENT. 1994. *Bringing Western Australia's threatened wildlife back from extinction.* (Leaflet). Department of Conservation and Land Management, Crawley, Western Australia.

DEPARTMENT OF CONSERVATION AND LAND MANAGEMENT. 1996. *Western Shield: bringing wildlife back from the verge of extinction.* (Leaflet). Department of Conservation and Land Management, Crawley, Western Australia.

DIELS, L. 1906. Die Pflanzenwelt von West-Australien südlich des Wendekreises. *Vegn. Erde* 7, Leipzig.

GARDNER, C.A. 1942. The vegetation of Western Australia with special reference to climate and soils. *J. Roy. Soc. West. Aust.* 28: 11-87.

GEORGE, A.S., A.J.M. HOPKINS and N.G. MARCHANT. 1979. The heathlands of Western Australia. In: R.L. SPECHT (Ed.), *Heathlands and related shrublands of the world.* Elsevier, Amsterdam, Netherlands.

HNATIUK, R.J. 1990. *Census of Australian vascular plants.* Australian Flora and Fauna Series No. 11. Australian Government Publishing Service, Canberra, Australia.

HOPPER, S.D. *et al.* 1990. *Western Australia endangered flora.* Department of Conservation and Land Management, Wanneroo, Western Australia.

HOPPER, S.D. 1993. *Kangaroo Paws and Catspaws.* Dept. of Conservation and Land Management, Perth, Western Australia.

JOHNSON, B. and C. THOMSON (undated). *Mammals of the South-West.* . Dept. of Conservation and Land Management, Perth, Western Australia.

MARCHANT, N.G. and G.J. KEIGHERY. 1979. Poorly collected and presumably rare vascular plants of Western Australia. *King's Park Research Notes* 5.

MITTERMEIER, C.G., R.A. MITTERMEIER 1997. Australia. In: R. A. MITTERMEIER, P. ROBLES GIL and C.G. MITTERMEIER (Eds.), *Megadiversity: Earth's Biologically Wealthiest Nations,* CEMEX, Monterrey, Mexico, pp. 178-207.

PATE, J.S. and J.S. BEARD. 1984. *Kwongan, the plant life of the sandplain.* University of Western Australia Press, Nedlands, Australia.

PIZZEY, G. 1988. *A Field Guide to the Birds of Australia.* Illustrated by Ron Doyle, Princeton University Press, Princeton, New Jersey.

STRAHAN, R. (Ed.). 1983. *The Australian Museum Complete Book of Australian Mammals.* Angus and Robertson, London, U.K.

STRAHAN, R. (Ed.). 1995. *The Mammals of Australia.* Reed Books, Chatswood, Australia.

STATTERSFIELD, A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. Birdlife Conservation Series 7. BirdLife International, Cambridge, U.K.

WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.

### Tropical Andes

ALBUJA, V.L. and B.D. PATTERSON. 1996. A new species of northern shrew-opossum (Paucituberculata: Caenolestidae) from the Cordillera del Cóndor, Ecuador. *Journal of Mammalogy* 77:41-53.

BECCALONI, G. W. and K. J. GASTON. 1995. Predicting the species richness of Neotropical forest butterflies:

Ithomiinae (Lepidoptera: Nymphalidae) as indicators. *Biological Conservation* 71: 77-86.

CASTRO, H. 1996. *Volver a Tambopata. A communications strategy*. Conservation International, Washington, DC.

CUATRECASAS, J. 1958. Aspectos de la vegetación natural de Colombia. *Revista de la Academia Colombiana de Ciencias Exactas, Físicas y Naturales* 10: 221-264.

DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 3. The Americas. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.

DINERSTEIN, E., D.M. OLSON, D.J. GRAHAM, A.L. WEBSTER, S.A. PRIMM, M.P. BOOKBINDER and G. LEDEC. 1995. *A Conservation Assessment of Latin America and the Caribbean*. The World Bank/The World Wildlife Fund, Washington, D.C.

DODSON, C.H. and A.H. GENTRY. 1991. Biological extinction in Western Ecuador. *Annals Missouri Botanical Garden* 78:273-295.

GASTON, K. J. and T. M. BLACKBURN. 1996 The tropics as a museum for biological diversity: an analysis of the New World avifauna. *Philosophical Transactions of the Royal Society of London B* 263: 63-68.

GENTRY, A.H. 1977. Endangered plant species and habitats of Ecuador and Amazonian Peru. Pp. 136-149. In: G.T. PRANCE and T.S. ELIAS (Eds.), *Extinction is Forever*. New York Botanical Garden, New York.

GENTRY, A.H. 1990. La región amazónica. In: C.C. URIBE *et al.*, *Selva húmeda de Colombia*. Villegas, Bogotá, Colombia.

GOERING, L. 1998. *Tiny Frog Offers Major Painkiller*. Drug Research Finds. In: Chicago Tribune, August 30, 1998.

GUHL, E. 1982. *Los páramos circundantes de la sabana de Bogotá*. Jardín Botánico José Celestino Mutis. Bogotá, Colombia.

- HENDERSON, A., STEVEN, P, et al. 1991 Neotropical plant diversity. *Nature* 351: 21-22.
- LANGENDOEN, D. and A.H. GENTRY. 1991. The Structure and diversity of rain forests at Bajo Calima, Chocó region, western Colombia. *Biotropica* 23: 2-11.
- MAST, R.B., R.A. MITTERMEIER and J.V. RODRÍGUEZ-MAHECHA. 1996. *El Embrujo de Tambopata*. Caretas, Lima, Peru.
- MAST, R.B., J.V. RODRÍGUEZ-MAHECHA, R.A. MITTERMEIER and C. G. MITTERMEIER. 1997. Colombia In: R. A. MITTERMEIER, P. ROBLES GIL and C. G. MITTERMEIER (Eds.). *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 108-127.
- MAST, R.B., C. G. MITTERMEIER, R.A. MITTERMEIER, J.V. RODRÍGUEZ-MAHECHA and A.H. HEMPHILL. 1997. Ecuador. In: R. A. MITTERMEIER, P. ROBLES GIL and C. G. MITTERMEIER (Eds.). *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 314-324.
- MYERS, N. 1988. Threatened biotas: Hotspots in tropical forests. *The Environmentalist* 8:118-208.
- MITTERMEIER, R.A., MAST, R.B., C.P. del PRADO and C. G. MITTERMEIER. 1997. Peru. In: R. A. MITTERMEIER, P. ROBLES GIL and C. G. MITTERMEIER (Eds.). *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 282-297.
- MORAES R., M. 1996. Novelties of the genera *Parajubaea* and *Syagrus* (Palmae) from interandean valleys of Bolivia. *Novon* 6: 85-92.
- RODRIGUEZ-MAHECHA, J.V., J.I. HERNÁNDEZ-CAMACHO, T.R. DEFLER, M. ALBERICO, R.B. MAST, R.A. MITTERMEIER and A. CADENA. 1995. *Mamíferos Colombianos: sus nombres comunes e indígenas*. Occasional Paper No. 3. Occasional Papers in Conservation Biology. Conservation International, Washington, DC.
- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. Endemic Bird Areas of the World: Priorities for Biodiversity Conservation. Birdlife International, Cambridge, U.K.
- STOTZ, D.F., J.W. FITZPATRICK, T.A. PARKER, III., and D.K. MOSKOVITS. 1996. *Neotropical Birds: Ecology and Conservation*. The University of Chicago Press, Ltd., London, U.K
- WWF. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C

## Wallacea

- BUSH, M. B. and R. J. WHITTAKER. 1993. Non-equilibration in island theory of Krakatau. *Journal of Biogeography* 20: 453-457.
- COATES, B.J. and K.D. BISHOP. 1997. *A Guide to the Birds of Wallacea: Sulawesi, The Moluccas and Lesser Sunda Islands, Indonesia*. Dove Publications Pty. Ltd., Alderley, Queensland, Australia.
- MONK, K.A., Y. de FRETES and G.REKSODIHARDJO-LILLEY. 1997. *Ecology of Nusa Tenggara and*

*Maluku*. Vol. V of The Ecology of Indonesia Series. Periplus, Singapore and Oxford University Press, Oxford, U.K.

- WHITTEN, A., J. WHITTEN, C.G. MITTERMEIER, J. SUPRIATNA and R.A. MITTERMEIER 1997. Indonesia. In: .R. A. MITTERMEIER, P. ROBLES GIL and C.G. MITTERMEIER (Eds.), *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 74-97.
- STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. *Endemic Bird Areas of the World: Priorities for Biodiversity Conservation*. BirdLife International, Cambridge, U.K..

- WHITTEN, A., J. WHITTEN, C.G. MITTERMEIER, J. SUPRIATNA and R.A. MITTERMEIER 1997. Indonesia. In: MITTERMEIER, R.A., P. ROBLES GIL., and C.G. MITTERMEIER. *Megadiversity: Earth's Biologically Wealthiest Nations*, CEMEX, Monterrey, Mexico, pp. 208-235.

## West African Forests

- BOOTH, A.H. 1958. The zoogeography of West African Primates: A review. *Bull. de l'IFAN* (2): 587-622.
- BUTYNNSKI, T.M. and S.H. KOSTER (1989) *The Status and Conservation of Forests and Primates on Bioko Island (Fernando Po), Equatorial Guinea: A Call for Research and Conservation*. WWF Unpublished Report, Washington, DC, USA.
- CARCASSON, R.H. 1964. A preliminary survey of the zoogeography of African butterflies. *East African Wildlife Journal* 2:122-157.
- COLLINS, N.M. and M.G. MORRIS. 1985. Threatened Swallowtail Butterflies of the World. The IUCN Red Data Book. IUCN, Cambridge, U.K. and Gland, Switzerland.
- COCHRAN, D.M. 1972. *Living Amphibians of the World*. Doubleday and Co., Garden City, New York.
- CROWE, T.M. and A.A. CROWE. 1982. Patterns of distribution, diversity and endemism in Afrotropical birds. *Journal of Zoology, London* 198:417-442.
- DAVIS, S.D., V.H. HEYWOOD and A.C. HAMILTON. (Eds.). 1994. Centres of Plant Diversity: A guide and strategy for their conservation. Vol. 1, Europe, Africa, Southwest Asia and the Middle East. WWF and IUCN, Gland, Switzerland.
- DAVIES, A.G. 1987. The Gola Forest Reserves, Sierra Leone: Wildlife conservation and forest management. IUCN-The World Conservation Union, Gland, Switzerland.
- DAVIES, A.G. and B. BIRKENHAGER. 1990. Jentink's duiker in Sierra Leone: evidence from the Freetown Peninsula. *Oryx* 24:143-146.
- DUELLMAN, W. E. and L. TRUEB 1986. *Biology of Amphibians*, McGraw-Hill, New York.
- GARTLAN, J.S. 1984. The Korup Regional Management Plan (draft). *Wisconsin Regional Primate Research Center*. Publication 25-106.
- GORMITZ, V. 1985. A survey of anthropogenic vegetation changes in West Africa during the last century:

- climatic implications. *Climatic Change* 7:285-325.
- HAMILTON, A. C. 1976. The significance of patterns of distribution shown by forest plants and animals in tropical Africa for the reconstruction of Upper Pleistocene paleoenvironments: A review. In: VAN ZINDEREN BAKKER (Ed.). *Paleoecology of Africa, the surrounding islands and Antarctica* 9: 63-67.
- HAMILTON, A. C. 1981. The quaternary history of African forests: its relevant to conservation. *African Journal of Ecology* 19:1-6.
- HAMILTON, A.C. 1989. African forests. In LEITH and M.J.A. WERGER (Eds.) Tropical Rain Forest Ecosystems: Biogeographical and Ecological Studies. Elsevier Publishers, Amsterdam, Netherlands.
- IUCN 1996. African Primate: Status survey and Conservation Action Plan (Revised Edition). IUCN/SSC Primate Specialist Group. IUCN Gland, Switzerland.
- KEMF, E. and A. WILSON. 1997. Great Apes in the Wild. WWF Species Status Report. World Wide Fund for Nature, Gland, Switzerland.
- KINGDON, J. 1997. The Kingdon Field Guide to African Mammals. Academic Press, London, U.K.
- LARSEN, T.B. 1997. Butterflies in Kakum National park. In: B. BAILEY (Ed.). Facing the Storm: Five Years of Research in and around Kakum National Park, Ghana. Research Colloquium Report, Conservation International, Washington D.C., pp 46-47.
- MARTIN, C. 1991. The Rainforests of West Africa: Ecology, threats, and conservation. Birkhauser Verlag, Basel, Switzerland.
- MYERS, N. 1993. Operational criteria for deforestation "Hot Spots". Institute for Remote Sensing Applications, Joint Research Center of the European Communities, Ispra/Varese, Italy.
- OATES, J.F. 1986. Action Plan for African Primate Conservation 1986-1990. IUCN/SSC Primate Specialist Group. IUCN Gland, Switzerland.
- POMEROY, D. 1993. Centers of high biodiversity in Africa. *Conservation Biology* 7: (4) : 901-907.
- ROSEVEAR, D.R. 1965. The Bats of West Africa. British Museum (Natural History), London, U.K.
- ROSEVEAR, D.R. 1969. The Rodents of West Africa. British Museum (Natural History), London, U.K.
- ROSEVEAR, D.R. 1974. The Carnivores of West Africa. British Museum (Natural History), London, U.K.
- SAYER, J.A., C.S. HARCOURT and N.M. COLLINS (Eds.). 1992. The Conservation Atlas of Tropical Forests: Africa. Macmillan, London, U.K.
- SCHIØTZ, A. 1967. The tree frogs (*Rhacophoridae*) of West Africa. *Spolia zoologica musei hauniensis* 25:1-346.
- SERLE, W., G.J. MOREL, and W. HARTWIG. 1995. Birds of West Africa. Harper Collins Publishers, Hong Kong.

- SIBLEY, C.G. and B.L. MONROE. 1990. Distribution and Taxonomy of Birds of the World. Yale University Press, New Haven, Connecticut.
- STTATERSFIELD, A. J., M.J. CROSBY, A.J. LONG and D.C. WEGE. 1998. Endemic Bird Areas of the World: Priorities for biodiversity conservation. BirdLife Conservation Series No. 7. BirdLife International, London, U.K.
- STUART, S.N. and R. J. ADAMS. 1990. Biodiversity in sub-Saharan Africa and its Islands: conservation, management and sustainable use. Occasional Papers of the IUCN Species Survival Commission No. 6. IUCN, Gland, Switzerland.
- WHITE, F. 1979. The Guinea-Congolean forest region and its relationship to other phytoclimates. *Bull. Jardin Botanique Nat. Belg.* 49(172): 11-55.
- WHITE, F. 1983. The Vegetation of Africa: a descriptive memoir to accompany UNESCO/AETFAT/UNSO vegetation map of Africa. UNESCO, Paris, France.
- WORLD BANK. 1993. World Tables 1993. The Johns Hopkins University Press, Baltimore, Maryland.
- WORLD CONSERVATION MONITORING CENTER (WCMC). 1992. Global Biodiversity: Status of the Earth's Living Resources. Chapman and Hall, London, U.K.
- WORLD RESOURCES INSTITUTE (WRI). 1992. World Resources 1992-93: A guide to the global environment. Oxford University Press, New York.
- WORLD SOCIETY FOR THE PROTECTION OF ANIMALS (WSPA). 1995. Slaughter of the Apes: How the tropical timber industry is devouring Africa's great apes. WSPA, London, U.K.
- WORLD WILDLIFE FUND FOR NATURE. 1997. WWF 2000. *The Living Planet Campaign*. World Wildlife Fund, Washington, D.C.

### **Western Ghats/Sri Lanka**

- DANIELS, R. J., M. GADGIL, et al. 1995. Impact of human extraction on tropical humid forests in Western Ghats in Uttara Kannada, South India. *Journal of Applied Ecology* 32: 866-874.
- DAVIS, S.D., V. H. HEYWOOD and A. C. HAMILTON. (Eds.). 1995. *Centres of Plant Diversity. A Guide and Strategy for their Conservation*. Volume 2. Asia, Australasia and the Pacific. The World Wildlife Fund (WWF) and IUCN - The World Conservation Union. IUCN Publications Unit, Cambridge, U.K.
- MENON, S. and K. BAWA 1997. Applications of geographic information systems, remote sensing, and a landscape ecology approach to biodiversity conservation in the Western Ghats. *Current Science* 73: 134-145.
- MYERS, N. 1988. Threatened biotas: hot spots in tropical forests. *The Environmentalist* 8:118-208
- MYERS, N. 1990. The biodiversity challenge: expanded hot-spots analysis. *The Environmentalist*, 10 (4): 243-256.

PASCAL, J. P. 1988. *Wet Evergreen Forests of the Western Ghats of India: Ecology, Structure, Floristic Composition and Succession.* French Institute, Pondicherry, India.

SANTIAPILLAI, C. and P. JACKSON. 1990. *The Asian Elephant: An Action Plan for its Conservation.* IUCN/SSC Asian Elephant Specialist Group. IUCN - World Conservation Union and the World Wide Fund for Nature, Gland, Switzerland.

STATTERSFIELD , A. J., M. J. CROSBY, A. J. LONG and D. C. WEGE 1998. Endemic Bird Areas of the World: Priorities for Biodiversity Conservation. Birdlife International, Cambridge

WWF. 1997. WWF 2000. *The Living Planet Campaign.* World Wildlife Fund, Washington, D.C.

ZOYA, N. de and R. RAHEEM. *Sinharaja: A rain forest in Sri Lanka.* March for Conservation, Sri Lanka